

СПИСЪК НА ЗАБЕЛЯЗАНИТЕ ЦИТАТИ НА ПУБЛИКАЦИИТЕ

на гл. ас. д-р Ирена Любомирова Филипова

представени за участие в конкурс за академичната длъжност доцент по професионално направление 4.2 Химически науки, научна специалност „Органична химия“, за нуждите на лаборатория “Органичен синтез и стереохимия“, обявен в Държавен Вестник бр. 10 от 05.02.2016 г.

[1] Matile, S.; Berova, N.; Nakanishi, K.; Novkova, S.; Philipova, I.; Blagoev, B. *J. Am. Chem. Soc.* **1995**, *117*, 7021-7022. Porphyrins: Powerful Chromophores for Structural Studies by Exciton-Coupled Circular Dichroism.

1. Schreder, B.; Lukacs, Z.; Schmitt, M.; Schreier, P.; Humpf, H.-U. *Tetrahedron Asymmetry*, **1996**, *7*, 1543-1546. 1-Naphthoic Acid: A New Type of Asymmetric Chromophore for Exciton-Coupled Circular Dichroism (ECCD).

2. Boiadjev, S. E.; Lightner, D. A. *Tetrahedron Asymmetry*, **1996**, *7*, 2825-2832. pH-sensitive exciton chirality chromophore. Solvatochromic effects on circular dichroism spectra.

3. Yashima, E.; Nimura, T.; Matsushima, T.; Okamoto, Y. *J. Am. Chem. Soc.*, **1996**, *118*, 9800-9801. Poly((4-dihydroxyborophenyl)acetylene) as a Novel Probe for Chirality and Structural Assignments of Various Kinds of Molecules Including Carbohydrates and Steroids by Circular Dichroism.

4. Arai, T.; Takei, K.; Nishino, N.; Fujimoto, T. *Chem. Comm.*, **1996**, *18*, 2133-2134. Solvent-dependent chiral assembling of two zinc porphyrins in a zinc-free-base-zinc trimeric porphyrin array.

5. Mihara, H.; Haruta, Y.; Sakamoto, S.; Nishino, N.; Aoyagi, H. *Chem. Lett.*, **1996**, *1*, 1-2. Chiral assembly of porphyrins regulated by amphiphilic α -helix peptides.

6. Sarson, L.D., Ueda, K., Takeuchi, M., Shinkai, S., *Chem. Comm.*, **1996**, *5*, 619-620. Porphyrin self-assembly using a boronic acid template.

7. Shapiro, S. *Enantiomer*, **1996**, *1*, 151-166. Chemical and spectroscopic methods for determining absolute configurations of chiral alcohols.

8. Takeuchi, M.; Chin, Y.; Imada, T.; Shinkai, S. *Chem. Comm.*, **1996**, *16*, 1867-1868. Sugar-boronic acid interactions in the formation of novel chiral porphyrin dimers with various porphyrin-porphyrin angles.

9. Schneider, C.; Schreier, P.; Humpf, H.-U. *Chirality*, **1997**, *9*, 563-567. Exciton-coupled circular dichroism (ECCD) in acyclic hydroxylated dienes: a sensitive method for the direct stereochemical assignment of lipoxygenase products.

10. Furusho, Y.; Kimura, T.; Mizuno, Y.; Aida, T. *J. Am. Chem. Soc.*, **1997**, *119*, 5267-5268. Chirality-memory molecule: a D₂-symmetric fully substituted porphyrin as a conceptually new chirality sensor.

11. Yashima, E.; Matsushima, T.; Okamoto, Y. *J. Am. Chem. Soc.*, **1997**, *119*, 6345-6359. Chirality Assignment of Amines and Amino Alcohols Based on Circular Dichroism Induced by Helix Formation of a Stereoregular Poly((4-carboxyphenyl)acetylene) through Acid-Base Complexation.
12. Gimple, O.; Schreier, P.; Humpf, H.-U. *Tetrahedron Asymmetry*, **1997**, *8*, 11-14. A new exciton-coupled circular dichroism method for assigning the absolute configuration in acyclic α - and β -hydroxy carboxylic acids.
13. Hayashi, T.; Nonoguchi, M.; Aya, T.; Ogoshi, H. *Tetrahedron Lett.*, **1997**, *38*, 1603-1606. Molecular recognition of α,ω -diamines by metalloporphyrin dimer.
14. Safonov, I. G.; Baran, P. S.; Schuster, D. I. *Tetrahedron Lett.*, **1997**, *38*, 8133-8136. Synthesis and photophysics of a novel porphyrin-C60 hybrid.
15. Liang, K.; Farahat, M. S.; Perlstein, J.; Law, K.-Y.; Whitten, D. G. *J. Am. Chem. Soc.*, **1997**, *119*, 830-831. Exciton Interactions in Flexible and Semirigid Nonconjugated Squaraine Dimers. Mechanisms for Coupling and Consequences for Photophysics and Photochemistry.
16. Hör, K.; Gimple, O.; Schreier, P.; Humpf, H.-U. *J. Org. Chem.*, **1998**, *63*, 322-325. Synthesis and photophysics of a novel porphyrin-C60 hybrid.
17. Ogoshi, H.; Mizutani, T. *Acc. Chem. Res.*, **1998**, *31*, 81-89. Multifunctional and Chiral Porphyrins: Model Receptors for Chiral Recognition.
18. Kuroda, Y.; Shiraishi, N.; Sugou, K.; Sasaki, K.; Ogoshi, H. *Tetrahedron Lett.*, **1998**, *39*, 2993-2996. Self-organized porphyrin array.
19. Dickens, R. S.; Howard, J.A. K.; Maupin, C. L.; Moloney, J. M.; Parker, D.; Peacock, R. D.; Riehl, J. P.; Siligardi, G. *New J. Chem.* **1998**, *22*, 891-899. Ground and excited state chiroptical properties of enantiopure macrocyclic tetranaphthyl lanthanide complexes: controlled modulation of the frequency and polarization of emitted light.
20. Inouye, M.; Fujimoto, K.; Furusyo, M.; Nakazumi, H. *J. Am. Chem. Soc.*, **1999**, *121*, 1452-1458. Molecular recognition abilities of a new class of water-soluble cyclophanes capable of encompassing a neutral cavity.
21. Takeuchi, M.; Yoda, S.; Chin, Y.; Shinkai, S. *Tetrahedron Lett.*, **1999**, *40*, 3745-3748. Sugar building-block as a fine-tunable link for electron-donor- electron-acceptor couples.
22. Peng, X.; Le, Z.; Cai, J. *Prog. Chem*, **1999**, *11*, 327-332. Applications of Circular Dichroic and Induced Circular Dichroic Spectroscopy in Porphyrin and Metalloporphyrin.
23. Allenmark, S. G. *Nat. Prod. Rep.*, **2000**, *17*, 145-155. Chiroptical methods in the stereochemical analysis of natural products (1975 to 1999).
24. Ishi-I, T.; Jung, J. H.; Shinkai, S. *J. Mater. Chem.*, **2000**, *10*, 2238-2240. Intermolecular porphyrin-fullerene interaction can reinforce the organogel structure of a porphyrin-appended cholesterol derivative.
25. Shanmugathan, S.; Edwards, C.; Boyle, R. W. *Tetrahedron*, **2000**, *56*, 1025-1046. Advances in modern synthetic porphyrin chemistry (review).

26. Reginato, G.; Di Bari, L.; Salvadori, P.; Guillard, R. *Eur. J. Org. Chem.*, **2000**, *7*, 1165-1171. Chiral atropisomeric metalloporphyrins in enantioselective styrene epoxidation.
27. Kessinger, R.; Thilgen, C.; Mordasini, T.; Diederich, F. *Helv. Chim. Acta.*, **2000**, *83*, 3069-3096. Optically active macrocyclic cis-3 bis-adducts of C₆₀: regio- and stereoselective synthesis, exciton chirality coupling, and determination of the absolute configuration, and first observation of exciton coupling between fullerene chromophores in a chiral environment.
28. Liu, H.; Ying, X.; Hu, X.; Liu, Y.; Huang, J.; Huang, J.; Ji, L.; Yao, Z.; Zhang, J. *Spectrosc. Spect. Anal.*, **2000**, *20*, 497. The study of induced circular dichroism of phenylalanine bridged metal bis-porphyrin.
29. Robertson, A.; Shinkai, S. *Coord. Chem. Rev.*, **2000**, *205*, 157-199. Cooperative binding in selective sensors, catalysts and actuators.
30. Aratani, N.; Tsuda, A.; Osuka, A. *Synlett* **2001**, *11*, 1663-1674. Discrete giant porphyrin arrays: challenges to molecular size, length and the extent of electronic π -conjugation.
31. Weiss, J. *J. Inclusion Phenom. Mol. Recognit. Chem.*, **2001**, *40*, 1-22. Zinc(II)-porphyrin receptors in multi-point molecular recognition: recent progress.
32. Ishi-i, T.; Iguchi, R.; Snip, E.; Ikeda, M.; Shinkai, S. *Langmuir* **2001**, *17*, 5825-5833. [60]Fullerene Can Reinforce the Organogel Structure of Porphyrin-Appended Cholesterol Derivatives: Novel Odd-Even Effect of the (CH₂)_n Spacer on the Organogel Stability.
33. Takei, F.; Hayashi, H.; Onitsuka, K.; Kobayashi, N.; Takahashi, S. *Angew. Chem. Int. Ed.*, **2001**, *40*, 4092-4094. Helical chiral polyisocyanides possessing porphyrin pendants: determination of helicity by exciton-coupled circular dichroism.
34. Záruba, K., Setnička, V., Charvátová, J., Rusin, O., Tománková, Z., Hrdlička, J., Sýkora, D., Král, V., *Collect. Czech. Chem. Commun.*, **2001**, *66*, 693-769. Analytical application of oligopyrrole macrocycles.
35. Redl, F. X.; Lutz, M.; Daub, J. *Chem. Eur. J.*, **2001**, *7*, 5350-5358. Chemistry of porphyrin-appended cellulose strands with a helical structure: spectroscopy, electrochemistry, and in situ circular dichroism spectroelectrochemistry.
36. Aratani, N.; Osuka, A.; Hyun, S. C.; Kim, D. *J. Photochem. Photobiol. C: Photochem. Rev.*, **2002**, *3*, 25-52. Photochemistry of covalently-linked multi-porphyrinic systems.
37. Hayashi, T.; Aya, T.; Nonoguchi, M.; Mizutani, T.; Hisaeda, Y.; Kitagawa, S.; Ogoshi, H. *Tetrahedron* **2002**, *58*, 2803-2811. Chiral recognition and chiral sensing using zinc porphyrin dimers.
38. Paolesse, R.; Monti, D.; La Monica, L.; Venanzi, M.; Froiio, A.; Nardis, S.; Di Natale, C.; D'Amico, A. *Chem. Eur. J.*, **2002**, *8*, 2476-2483. Preparation and self-assembly of chiral porphyrin diads on the gold electrodes of quartz crystal microbalances: a novel potential approach to the development of enantioselective chemical sensors.

39. Takase, M.; Ismael, R.; Murakami, R.; Ikeda, M.; Kim, D.; Shinmori, H.; Furuta, H.; Osuka, A. *Tetrahedron Lett.* **2002**, *43*, 5157-5159. Efficient synthesis of benzene-centered cyclic porphyrin hexamers.
40. Rosini, C. Seminars in Organic Synthesis, Summer School "A. Corbella", 27th, Gargnano, Italy, June 17-21, **2002**, 29-68. Assignment of the molecular absolute configuration by VIS-UV circular dichroism spectroscopy.
41. Simonyi, M.; Bikádi, Z.; Zsila, F.; Deli, J. *Chirality* **2003**, *15*, 680-698. Supramolecular exciton chirality of carotenoid aggregates.
42. Yoshida, N.; Ishizuka, T.; Osuka, A.; Jeong, D. H.; Cho, H. S.; Kim, D.; Matsuzaki, Y.; Tanaka, K. *Chem. Eur. J.*, **2003**, *9*, 58-75. Fine tuning of photophysical properties of meso-meso-linked Zn II - diporphyrins by dihedral angle control.
43. De Witte, P. A. J.; Castriciano, M.; Cornelissen, J. J. L. M.; Scolaro, L. M.; Nolte, R. J. M.; Rowan, A. E. *Chem. Eur. J.*, **2003**, *9*, 1775-1781. Helical polymer-anchored porphyrin nanorods.
44. Marchon, J.-C.; Ramasseul, R. Edited by Kadish, K. M.; Smith, K. M.; Guillard, R. *Porphyrin Handbook* **2003**, *11*, 75-132. Chiral metalloporphyrins and their use in enantiocontrol (Book Chapter).
45. Gawronski, J.; Skowronek, P. *Curr. Org. Chem.*, **2004**, *8*, 65-82. New chromophores for organic stereochemical analysis by exciton-coupled circular dichroism.
46. MacMillan, J. B.; Molinski, T. F. *J. Am. Chem. Soc.*, **2004**, *126*, 9944-9945. Long-Range Stereo-Relay: Relative and Absolute Configuration of 1,n-Glycols from Circular Dichroism of Liposomal Porphyrin Esters.
47. Nardis, S.; Monti, D.; Di Natale, C.; D'Amico, A.; Siciliano, P.; Forleo, A.; Epifani, M.; Taurino, A.; Rella, R.; Paolesse, R. *Sens. Actuator B-Chem.*, **2004**, *103*, 339-343. Preparation and characterization of cobalt porphyrin modified tin dioxide films for sensor applications.
48. MacMillan, J. B.; Linington, R. G.; Andersen, R. J.; Molinski, T. F. *Angew. Chem., Int. Ed.*, **2004**, *43*, 5946-5951. Stereochemical assignment in acyclic lipids across long distance by circular dichroism: Absolute stereochemistry of the aglycone of caminoside A.
49. Yao, M.; Iwamura, Y.; Inoue, H.; Yoshioka, N. *Langmuir* **2005**, *21*, 595-601. Amphiphilic meso-disubstituted porphyrins: Synthesis and the effect of the hydrophilic group on absorption spectra at the air-water interface.
50. Fishbeck, A.; Bartke, N.; Humpf, H.-U. *Monatsh. Chem.*, **2005**, *136*, 397-410. New applications of the CD Exciton chirality method. Stereochemical assignment of organic compounds containing carboxylic acid groups.
51. Liu, Z.; Schmidt, I.; Thamyongkit, P.; Loewe, R. S.; Syomin, D.; Diers, J. R.; Zhao, Q.; Misra, V.; Lindsey, J. S.; Bocian, D. F. *Chem. Mater.*, **2005**, *17*, 3728-3742. Synthesis and film-forming properties of ethynylporphyrins.
52. Woody, R. W. *Chirality*, **2005**, *17*, 450-455. Heme-heme interactions in tetramers and dimers of hemoglobin subunits: DeVoe theory calculations.

53. Forleo, A.; Epifani, M.; Rella, R.; Siciliano, P.; Taurino, A. M.; D'Amico, A.; Di Natale, C.; Monti, D.; Nardis, D.; Paolesse, R. Edited by Di Natale, Corrado, *Sensors and Microsystems, Proceedings of the Italian Conference, 9th, Ferrara, Italy, Feb. 8-11, 2004* (**2005**), 86-91. Preparation and characterization of hybrid porphyrin-tin dioxide chemical sensors.
54. Balaban, T. S.; Eichhöfer, A.; Krische, M. J.; Lehn, J.-M. *Helv. Chim. Acta.*, **2006**, *89*, 333-351. Hierarchic supramolecular interactions within assemblies in solution and in the crystal of 2,3,6,7-tetrasubstituted 5,5'-(anthracene-9,10-diyl)bis[pyrimidin-2-amines.
55. Tsubaki, K.; Takaishi, K.; Tanaka, H.; Miura, M.; Kawabata, T. *Org. Lett.* **2006**, *8*, 2587-2590. Long-range exciton-coupled circular dichroism: Application for determination of the absolute configuration of oligonaphthalenes.
56. Takaishi, K.; Tsubaki, K.; Tanaka, H.; Miura, M.; Kawabata, T. *Yakugaku Zasshi*, **2006**, *126*, 779-787. Synthesis and optical properties of the helical oligonaphthalenes.
57. Král, V.; Králová, J.; Kaplánek, R.; Bříza, T.; Martásek, P. *Physiol. Rev.*, **2006**, *55* (SUPPL. 2), S3-S26. Where is porphyrin chemistry going?
58. Gawronski, J.; Skowronek, P.; Edited by Busch, K.W. and Busch, M. D. *Chiral analysis* (1nd Edition) **2006**, 397-460. Electronic circular dichroism for chiral analysis (Book Chapter).
59. Górecki, M.; Jabłońska, E.; Kruszewska, A.; Suszczyńska, A.; Urbańczyk-Lipkowska, Z.; Gerards, M.; Morzycki, J.W., Szczepek, W. J.; Frelek, J. *J. Org. Chem.*, **2007**, *72*, 2906-2916. Practical method for the absolute configuration assignment of tert/tert 1,2-diols using their complexes with Mo₂(OAc)₄.
60. Tsubaki, K.; Takaishi, K.; Sue, D.; Kawabata, T. *J. Org. Chem.*, **2007**, *72*, 4238-4241. Synthesis and determination of the absolute configuration of chiral tetracosanaphthalenes.
61. Tsubaki, K. *Org. Biomol. Chem.* **2007**, *5*, 2179-2188. Synthesis and properties of the chiral oligonaphthalenes.
62. Villari, V.; Mineo, P.; Micali, N.; Angelini, N.; Vitalini, D.; Scamporrino, E. *Nanotechnology*, **2007**, *18*, art. no. 375503. Uncharged water-soluble porphyrin tweezers as a supramolecular sensor for alpha-amino acids.
63. Matano, Y.; Shinokura, T.; Matsumoto, K.; Imahori, H.; Nakano, H. *Chem Asian J.*, **2007**, *2*, 1417-1429. Title: Synthesis and aggregation Behavior of meso-sulfinylporphyrins: Evaluation of s-chirality effects on the self-organization to S-oxo-tethered cofacial porphyrin dimers.
64. Callone, E.; Carturan, G.; Ischia, M.; Epifani, M.; Forleo, A. Siciliano, P.; Paolesse, R. *Inorg. Chim. Acta.*, **2008**, *361*, 9-85. The hydrolytic route to Co-porphyrin-doped SnO₂ gas-sensing materials - Chemical study of Co-porphyrin versus Sn(IV) oxide interactions.
65. Li, X. Y.; Tanasova, M.; Vasileiou, C.; Borhan, B. *J. Am. Chem. Soc.*, **2008**, *130*, 1885-1893. Fluorinated porphyrin tweezer: A powerful reporter of absolute configuration for erythro and threo diols, amino alcohols, and diamines.

66. Frelek, J.; Ruskowska, P.; Suszczynska, A.; Szewczyk, K.; Osuch, A.; Jarosz, S.; Jagodzinski, J. *Tetrahedron: Asymmetry* **2008**, *19*, 1709-1713. Configurational assignment of sugar erythro-1,2-diols from their electronic circular dichroism spectra with dimolybdenum tetraacetate.
67. Takanami, T.; Yotsukura, M.; Inoue, W.; Inoue, N.; Hino, F.; Suda, K. *Heterocycles* **2008**, *76*, 439-453. A facile and efficient synthesis of mono- and bis-functionalized meso-substituted porphyrins via palladium-catalyzed Negishi cross-coupling.
68. Humpf, H.-U. Edited by Colegate, S. M.; Molyneux, R. J. *Bioactive Natural Products (2nd Edition)* **2008**, 191-207. Determination of the absolute configuration of bioactive natural products using exciton chirality circular dichroism (Book Chapter).
69. Sergeeva, N. N.; Bakar, M. B.; Senge, M. O. *J. Org. Chem.*, **2009**, *74*, 1488-1497. Synthesis, transformations, and comparative studies of porphyrin acrylic acids and their homologues.
70. Goto, H.; Furusho, Y.; Yashima, E. *Chem. Commun.*, **2009**, *13*, 1650-1652. Helicity induction on water-soluble oligoresorcinols in alkaline water and their application to chirality sensing.
71. Sue, D.; Takaishi, K.; Harada, T.; Kuroda, R.; Kawabata, T.; Tsubaki, K. *J. Org. Chem.*, **2009**, *74*, 3940-3943. Synthesis of Chiral Dotriacontanaphthalenes: How Many Naphthalene Units Are We Able To Elaborately Connect?
72. Takaishi, K.; Sue, D.; Kuwahara, S.; Harada, N.; Kawabata, T.; Tsubaki, K. *Tetrahedron*, **2009**, *65*, 6135-6140. Synthesis and properties of S,R-alternating octinaphthalenes.
73. Bakar, M. B.; Oelgemoller, M.; Senge, M. O. *Tetrahedron*, **2009**, *65*, 7064-7078. Lead structures for applications in photodynamic therapy. Part 2: Synthetic studies for photo-triggered release systems of bioconjugate porphyrin photosensitizers.
74. Hirose, T.; Matsuda, K. *Chem. Commun.*, **2009**, *39*, 5832-5834. Self-assembly of amphiphilic fluorescent dyes showing aggregate-induced enhanced emission: temperature dependence of molecular alignment and intermolecular interaction in aqueous environment.
75. Onoda, A.; Igarashi, M.; Naganawa, S.; Sasaki, K.; Ariyasu, S.; Yamamura, T.; *Bull. Chem. Soc. Jpn.*, **2009**, *82*, 1280-1286. Circular Dichroism of Neutral Zinc Porphyrin-Oligonucleotide Conjugates Modified with Flexible Linker.
76. Schwartz, E.; Le Gac, S.; Cornelissen, J. J. L. M.; Nolte, R. J. M.; Rowan, A. E. *Chem. Soc. Rev.*, **2010**, *39*, 1576-1599. Macromolecular multi-chromophoric scaffolding.
77. Prato, M.; Soombar, C.; Vazquez, E.; Niziol, J.; Gondek, E.; Rau, I.; Kajzar, F. *Mol. Cryst. Liq. Cryst.*, **2010**, *521*, 253-264. Synthesis and spectroscopic properties of porphyrin derivatives of C60.
78. Kobayashi, N. Edited by Kadish, K. M.; Smith, K. M.; Guillard, R. *Handbook of Porphyrin Science* **2010**, *7*, 147-245. Optically active porphyrin systems analyzed by circular dichroism (Book Chapter).

79. Schwartz, E.; Koepf, M.; Kitto, H. J.; Nolte, R. J. M.; Rowan, A. E. *Polym. Chem.*, **2011**, *2*, 33-47. Helical poly(isocyanides): Past, present and future (Review).
80. Angiolini, L.; Benelli, T.; Giorgini, L. *React. Funct. Polym.*, **2011**, *71*, 204-209. Polymethacrylic zinc porphyrin: A new approach to chiral recognition.
81. Joyce, L. A.; Maynor, M. S.; Dragna, J. M.; Da Cruz, G. M.; Lynch, V. M.; Canary, J. W.; Anslyn, E. V. *J. Am. Chem. Soc.*, **2011**, *133*, 13746-13752. A simple method for the determination of enantiomeric excess and identity of chiral carboxylic acids.
82. Kobayashi, N.; Muranaka, A.; Mack, J. *Circular Dichroism and Magnetic Circular Dichroism Spectroscopy for Organic Chemists*, ISBN: 978-1-84755-869-5, 01/2011; Royal Society of Chemistry, London, pages 53-92. Representative Systems Analysed by the Exciton Coupling Method (Book Chapter).
83. Schofield, W. C. E.; Badyal, J. P. S. *J. Mater. Chem.*, **2012**, *22*, 2180-2187. Rewritable and switching chiroptical supramolecular nanolayers.
84. Dragna, J. M.; Pescitelli, G.; Tran, L.; Lynch, V. M.; Anslyn, E. V.; Di Bari, L. *J. Am. Chem. Soc.*, **2012**, *134*, 4398-4407. In situ assembly of octahedral Fe(II) complexes for the enantiomeric excess determination of chiral amines using circular dichroism spectroscopy.
85. Pintre, I. C.; Pierrefixe, S.; Hamilton, A.; Valderrey, V.; Bo, C.; Ballester, P. *Inorg. Chem.*, **2012**, *51*, 4620-4635. Influence of the solvent and metal center on supramolecular chirality induction with bisporphyrin tweezer receptors. Strong metal modulation of effective molarity values.
86. Tanasova, M.; Borhan, B. *Eur. J. Org. Chem.*, **2012**, *17*, 3261-3269. Conformational preference in bis(porphyrin) tweezer complexes: A versatile chirality sensor for α -chiral carboxylic acids.
87. Joyce, L. A.; Canary, J. W.; Anslyn, E. V. *Chem. Eur. J.*, **2012**, *18*, 8064-8069. Enantio- and chemoselective differentiation of protected α -amino acids and β -homoamino acids with a single copper(II) host.
88. Sakakibara, K.; Nakatsubo, F.; French, A. D.; Rosenau, T. *Chem. Commun.*, **2012**, *48*, 7672-7674. Chiroptical properties of an alternately functionalized cellotriose bearing two porphyrin groups.
89. Akeroyd, N.; Nolte, R. J. M.; Rowan, A. E. *Isocyanide Chemistry: Applications in Synthesis and Material Science* **2012**, 551-585. Polyisocyanides (Book Chapter).
90. Taniguchi, T.; Usuki, T. Edited by Gale, P. A.; Steed, J. W. *Supramol. Chem.: From Molecules to Nanomaterials* **2012**, *2*, 393-409. Circular dichroism spectroscopy.
91. Marchon, J.-C.; Ramasseul, R. *The Porphyrin Handbook* **2012**, *11*, 75-132. Chiral Metalloporphyrins and Their Use in Enantiocontrol (Book Chapter).
92. Hirose, T.; Matsuda, K. *Org. Biomol. Chem.*, **2013**, *11*, 873-880. Photoswitching of chiral supramolecular environments and photoinduced lower critical solution temperature transitions in aqueous media following a supramolecular approach.

93. Maruo, S.; Nishio, K.; Sasamori, T.; Tokitoh, N.; Kuramochi, K.; Tsubaki, K. *Org. Lett.*, **2013**, *15*, 1556-1559. Biomimetic synthesis of zeylanone and zeylanone epoxide by dimerization of 2-methyl-1,4-naphthoquinone.
94. Wolf, C.; Bentley, K. W. *Chem. Soc. Rev.*, **2013**, *42*, 5408-5424. Chirality sensing using stereodynamic probes with distinct electronic circular dichroism output (Review).
95. Widom, J. R.; Lee, W.; Perdomo-Ortiz, A.; Rappoport, D.; Molinski, T. F.; Aspuru-Guzik, A.; Marcus, A. H. *J. Phys. Chem. A*, **2013**, *117*, 6171-6184. Temperature-dependent conformations of a membrane supported zinc porphyrin tweezer by 2D fluorescence spectroscopy.
96. Widom, J. R. PhD Thesis **2013**, Local conformations and excited state dynamics of porphyrins and nucleic acids by 2-dimensional fluorescence spectroscopy.
97. Di Song, University of South Carolina, PhD Thesis **2013**, Molecularly Imprinted Polymer-New Characterization Methods and Designs.
98. Jo, H. H.; Lin, C.-Y.; Anslyn, E. V. *Acc. Chem. Res.*, **2014**, *47*, 2212-2221. Rapid Optical Methods for Enantiomeric Excess Analysis: From Enantioselective Indicator Displacement Assays to Exciton-Coupled Circular Dichroism.
99. Bentley, K. W.; Wolf, C. *J. Org. Chem.*, **2014**, *79*, 6517-6531. Comprehensive Chirality Sensing: Development of Stereodynamic Probes with a Dual (Chir)optical Response.
100. Ohkubo, K.; Mase, K.; Karnas, E.; Sessler, J. L.; Fukuzumi, S. *J. Phys. Chem. C*, **2014**, *118*, 18436-18444. Cyclo[8]pyrrole: An Androgynous Expanded Porphyrin That Acts as Both an Electron Donor and Acceptor in Anion-Bound Supramolecular Electron Donor-Acceptor Complexes.
101. Vybornyi, M.; Nussbaumer, A. L.; Langenegger, S. M.; Haner, R. *Bioconjugate Chem.*, **2014**, *25*, 1785-1793. Assembling Multiporphyrin Stacks Inside the DNA Double Helix.
102. Davis, C. M.; Kawashima, Y.; Ohkubo, K.; Lim, J. M.; Kim, D.; Fukuzumi, S.; Sessler, J. L. *J. Phys. Chem. C*, **2014**, *118*, 13503-13513.
103. Zhu, T.-H.; Ma, H.-G.; Wang, C.; Zhao, C.-Y.; Mei, X.-G.; Zhu, W.-M. *J. Int. Pharm. Res.*, **2015**, *42*, 773-785. Determination methods for absolute configuration of natural products.
104. Bentley, K. W.; Joyce, L. A.; Sherer, E. C.; Sheng, H.; Wolf, C.; Welch, C. J. *J. Org. Chem.*, **2016**, *81*, 1185-1191. Antenna Biphenols: Development of Extended Wavelength Chiroptical Reporters.

[2] Novkova, S.; Philipova, I.; Blagoev, B. *Bulg. Chem. Commun.*, **1996**, *28*, 338-343. The synthesis of some aminosteroids.

1. Reyes, M.; Rosado, A.; Alvarez, Y. M.; Ruiz, J. A.; Agüero, J.; Velez, H. *J. Chem. Res., Synop.*, **2003**, *4*, 234-235. Synthesis of 3 β -amino-5 α -androstane-17-one from epiandrosterone.

[3] Dimitrov, V.; Philipova, I.; Simova, S. *Tetrahedron: Asymmetry* **1996**, *7*, 1493-1500. Synthesis and Absolute Configuration of New Chiral Epoxyalcohols by Stereoselective Epoxidation of Allylic and Homoallylic Alcohols with a (1R)-(+)-Camphor Skeleton.

1. Starling, S. M.; Vonwiller, S. C. *Tetrahedron Lett.*, **1997**, *38*, 2159-2162. Tandem Wagner-Meerwein rearrangement-carbocation trapping in the formation of chiral heterocyclic ring systems.

2. Bajgrowicz, J. A.; Frank, I. *Tetrahedron: Asymmetry*, **2001**, *12*, 2049-2057. Camphor-derived amber/woody odorants: 1,7,7-trimethyl-2'-iso-propylspiro[bicyclo[2.2.1]heptane-2,4'-(1,3-dioxanes)].

3. Karikomi, M.; Watanabe, S.; Kimura, Y.; Uyehara, T. T. *Tetrahedron Lett.*, **2002**, *43*, 1495-1498. Synthesis of tetrahydrofurans by regio- and stereoselective cyclization of epoxyalcohols using magnesium halide.

4. Singh, S.; Kumar, S.; Chimni, S. S. *Tetrahedron: Asymmetry*, **2002**, *13*, 2679-2687. Chemoenzymatic synthesis of optically active heterocyclic homoallylic and homopropargylic alcohols.

5. Yang, T. F.; Chao, H. H.; Lu, Y. H.; Tsai, C.-J. *Tetrahedron*, **2003**, *59*, 8827-8831. Preparation and application of (+)-(3,3-dimethyl-2-methylenenorbornan-1-yl)methyl methanesulfonate: A new and versatile chiral fenchone analogue.

6. Reddy, L. V. R.; Roy, A. D.; Roy, R.; Shaw, A. K. *Chem. Commun.*, **2006**, *32*, 3444-3446. Stereoselective synthesis of highly O-functionalized enantiopure 2,3,4-trisubstituted tetrahydrofurans by tandem debenzylative cyclization of glycol derived 2,3-epoxy alcohols.

[4] Philipova, I.; Dimitrov, V.; Simova, S. *Tetrahedron: Asymmetry*, **1999**, *10*, 913-921. (-)-Fenchone derived epoxy alcohols – preparation and configuration.

1. Malito, J., *Annu. Rep. Prog. Chem. Sect. A*, **2000**, *96*, 175-187. Vanadium, niobium and tantalum.

2. Merlau, M. L.; Borg-Breen, C. C.; Nguyen, SonBinh T. *Encyclopedia of Catalysis, Epoxidation – Homogeneous*, Published Online: 13 DEC **2002**, DOI: 10.1002/0471227617.eoc085 (Book Chapter).

3. Malito, J. *Annu. Rep. Prog. Chem., Sect. A: Inorg. Chem.*, **2000**, *96*, 175-187. 11 Vanadium, niobium and tantalum.

4. Martinez, A. G.; Vilar, E. T.; Fraile A. G.; Cerero, De la M.; Maroto, B. L. *Eur. J. Org. Chem.* **2002**, 3731-3733. Unexpected hydrolysis of a C(7)-oxo-substituted 2-oxonorborn-1-yl triflate: Norbornane-ring expansion versus norbornane-ring contraction.

[5] Philipova, I.; Dimitrov, V.; Simova, S. *Tetrahedron: Asymmetry* **1999**, *10*, 1381-1391. Synthesis of new enantiopure aminodiols and their use as ligands for the addition of diethylzinc to benzaldehyde.

1. Pu, L.; Yu, H. B. *Chem Rev.* **2001**, *101*, 757-824. Catalytic Asymmetric Organozinc Additions to Carbonyl Compounds.
2. Nevalainen, M.; Nevalainen, V. *Tetrahedron: Asymmetry*, **2001**, *12*, 1771-1777. (+)-Camphor-derived amino alcohols as ligands for the catalytic enantioselective addition of diethylzinc to benzaldehydes.
3. Goldfuss, B.; Loschmann, T.; Rominger, F. *Chem. Eur. J.*, **2001**, *7*, 2028-2033. Phosphinofenchol or metastable phosphorane? phosphorus derivatives of fenchol.
4. Goldfuss, B.; Steigelmann, M.; Rominger, F.; Urtel, H. *Chem. Eur. J.*, **2001**, *7*, 4456-4464. Chiral modular n-butyllithium aggregates: nBuLi complexes with anisyl fencholates.
5. Soucy, R. L.; Kozhinov, D.; Behar, V. *J. Org. Chem.*, **2002**, *67*, 1947-1952. Remarkable diastereoselectivity in the addition of allylic and unsaturated diorganozinc reagents to β -(N,N-dialkylamino) aldehydes.
6. Yus, M.; Ramon, D. J. *Recent Research Developments in Organic Chemistry 2002*, *6* (Pt. 1), 297-378. Recent developments in the enantioselective 1,2-addition of organometallic reagents to carbonyl compounds.
7. Xu, Q.-Y.; Wu, T.-X.; Pan, X.-F. *Kao Teng Hsueh Hsiao Hua Heush Hsueh Pao Chemical Journal of Chinese Universities* **2002**, *23*, 1320. Preparation of Chiral Aminodiols and Their Applications in the Catalytic Enantioselective Addition of Diethylzinc to Aldehydes.
8. Martinez, A. G.; Vilar, E. T.; Fraile, A. G.; Cerero, de la Moya S.; Maroto, B. L. *Tetrahedron: Asymmetry* **2003**, *14*, 1959-1963. Synthesis and catalytic activity of 10-(aminomethyl)isoborneol-based catalysts: the role of the C(2)-group on the asymmetric induction.
9. Pena, P. C. A.; Roberts, S. M. *Curr. Org. Chem.*, **2003**, *7*, 555-571. The chemistry of epoxy alcohols.
10. de Oliveira, L. F.; Costa, V. E. U. *Tetrahedron: Asymmetry* **2004**, *15*, 2583-2590. An efficient synthesis of enantiopure (+)- and (-)-syn-1,3-amino alcohols with a norbornane framework and their application in the asymmetric addition of ZnEt₂ to benzaldehyde.
11. Hari, Y.; Aoyama, T. *Synthesis* **2005**, 583. Enantioselective addition of diethylzinc to aldehydes catalyzed by (1R,2R)-10-(dialkylamino)isoborneols.
12. Martinez, A. G.; Vilar, E. T.; Fraile, A. G.; Cerero, S. M.; Maroto, B. L. *Tetrahedron* **2005** *61*, 3055-3064. Understanding the catalytic role of flexible chiral δ -amino alcohols: the 1-(2-aminoethyl)norbornan-2-ol model.
13. Solladié-Cavallo, A.; Lupattelli, P.; Bonini, C.; Ostuni, V.; Di Blasio, N. *J. Org. Chem.*, **2006**, *71*, 9891-9894. New Aniline-Containing Amino Alcohols from trans-(R,R)-2-(2-Nitrophenyl)-3-phenyloxirane as Useful Intermediates for the Synthesis of Chiral Ligands, Bases, and Benzoxazine Nucleus.
14. Martínez, A.G.; Vilar, E.T.; Fraile, A.G.; de la Moya Cerero, S., Martínez Ruiz, P., Díaz Morillo, C., *Tetrahedron Asymmetry*, **2007**, *18*, 742-749. The role of conformational flexibility on the catalytic activity of norbornane-derived β -, γ - and δ -amino alcohols.

15. Ivaris, S. B. PhD Thesis, **2009**, Catálisis asimétrica en reacciones de cicloadición mediante complejos quirales de Cu (II).
16. Leven, M.; Schloerer, N. E.; Joerg, N. M.; Goldfuss, B. *Chem. Eur. J.*, **2010**, *16*, 13443-13449. Control of Enantioselectivity with Flexible Biaryl Axes: Terpene-Based Alkylzinc Catalysts in Enantioselective Dialkylzinc Additions.
17. Gliga, A.; Klare, H.; Schumacher, M.; Soki, F.; Neudoerfl, J. M.; Goldfuss, B. *Eur. J. Org. Chem.*, **2011**, *2*, 256-263. New Umpolung Catalysts: Reactivity and Selectivity of Terpenol-Based Lithium Phosphonates in Enantioselective Benzoin-Type Couplings.
18. Csillag, K.; Nemeth, L.; Martinek, T. A.; Szakonyi, Z.; Fulop, F. *Tetrahedron: Asymmetry*, **2012**, *23*, 144-150. Stereoselective synthesis of pinane-type tridentate aminodiols and their application in the enantioselective addition of diethylzinc to benzaldehyde.
19. Csillag, K., Szakonyi, Z.; Fulop, F. *Tetrahedron: Asymmetry*, **2013**, *24*, 553-561. Stereoselective syntheses of pinane-based 1,3-diamines and their application as chiral ligands in the enantioselective addition of diethylzinc to benzaldehyde.
20. Zhang, A.-L.; Yang, L.-W.; Yang, N.-F.; Liu, Y.-L. *Tetrahedron: Asymmetry*, **2014**, *25*, 289-297. The synthesis of chiral amino diol tridentate ligands and their enantioselective induction during the addition of diethylzinc to aldehydes.
21. Zhang, A.-L.; Yang, L.-W.; Yang, N.-F.; Liu, D.-C. *J. Organomet. Chem.*, **2014**, *768*, 50-55. Investigation of catalytic activity and catalytic mechanism of chiral amino diol tridentate ligands in the asymmetric addition of aldehydes in the present of methylolithium reagent.
22. Csillag, K. K. PhD Thesis, **2014**. Stereoselective synthesis of monoterpene-based 1, 3-diamines and 3-amino-1, 2-diols and their application in enantioselective transformations.
23. Lee, D. S.; Chang, S. M.; Ho, C. Y.; Lu, T. J. *Chirality*. **2016**, *28*, 65-71. Enantioselective Addition of Diethylzinc to Aldehydes Catalyzed by Chiral *O,N,O*-tridentate Phenol Ligands Derived From Camphor.

[6] Kostova, K.; Genov, M.; Philipova, I.; Dimitrov, V. *Tetrahedron: Asymmetry*, **2000**, *11*, 3253-3256. New bis-steroidal axially chiral diols as ligands for the asymmetric addition of dialkylzinc to aldehydes.

1. Hodgson, D. M.; Stuppel, P. A.; Pierard, F. Y. T. M.; Labande, A. H.; Johnstone, C. *Chem. Eur. J.* **2001**, *7*, 4465-4476. Development of dirhodium(II)-catalyzed generation and enantioselective 1,3-dipolar cycloaddition of carbonyl ylides.
2. Pu, L.; Yu, H. B. *Chem Rev.* **2001**, *101*, 757-824. Catalytic asymmetric organozinc additions to carbonyl compounds.
3. Schneider, M. F.; Harre, M.; Pieper, C. *Tetrahedron Lett.*, **2002**, *43*, 8751-8754. A new family of substituted steroidal BINOL-type ligands.

4. Dubs, M.; Dieks, H.; Gunther, W.; Kötteritzsch, M.; Poppitz, W.; Schönecker, B. *Tetrahedron Lett.*, **2002**, *43*, 2499-2503. Highly diastereoselective Pd-catalyzed cyclopropanation of α,β -unsaturated aldimines.
5. Xu, Q. Y.; Zhu, G. M.; Pan, X. F.; Chan, A.S.C. *Chirality*, **2002**, *14*, 716-723. Enantioselective addition of diethylzinc to aldehydes catalyzed by optically active C₂-symmetrical bis- β -amino alcohols.
6. Chen, Y.; Yekta, S.; Yudin, A. K. *Chem. Rev.*, **2003**, *103*, 3155-3211. Modified BINOL ligands in asymmetric catalysis.
7. Skoda-Folders, R.; Kollar, L. *Chem. Rev.*, **2003**, *103*, 4095-4129. Transition-metal-catalyzed reactions in steroid synthesis.
8. Wu, K. H.; Gau, H. M. *Organometallics*, **2003**, *22*, 5193-5200. Structural and electronic effects in asymmetric diethylzinc addition to benzaldehyde catalyzed by titanium(IV) complexes of N-sulfonylated β -amino alcohols.
9. Wu, K. H.; Gau, H. M. *Organometallics*, **2004**, *23*, 580-588. Mechanism of asymmetric dialkylzinc addition to aldehydes catalyzed by titanium(IV) complexes of N-sulfonylated β -amino alcohols.
10. Zimmer, R.; Schefzig, L.; Peritz, A.; Dekaris, V.; Reissig, H.-U. *Synthesis*, **2004**, 1439-1445. Functionalized BINOL derivatives as ligands for enantioselectively catalyzed aldol additions: Highly enantioselective synthesis of chiral β -hydroxy thioesters.
11. Liu, X. D.; Ding, M. X.; Gao, L. X.; *Chinese J. Org. Chem.*, **2004**, *24*, 728-744. Application of binaphthyl derivatives as chiral ligands in asymmetric dialkylzinc additions to aldehydes.
12. Pezzella, A.; Lista, L.; Napolitano, A.; d'Ischia, M. *J. Org. Chem.*, **2004**, *69*, 5652-5659. Oxidative coupling of 17 β -estradiol: Inventory of oligomer products and configuration assignment of atropoisomeric C₄-linked biphenyl-type dimers and trimers.
13. Li, Z. A.; Liang, X. M.; Wan, B. S.; Wu, F. *Synthesis* **2004**, 2805-2808. Facile synthesis of enantiopure 1,1'-spirobiindane-7,7'-diol and its 4,4'-derivatives: Application in enantioselective addition of diethylzinc to aromatic aldehydes.
14. Pavlov, V. A. *Uspekhi Khim.*, **2004**, *73*, 1269-1307. The central chirality of the metal atom and configurational relations in asymmetric reactions catalysed by metal complexes.
15. Pavlov, V. A. *Russ. Chem. Rev.*, **2004**, *73*, 1173-1209. The central chirality of the metal atom and configurational relations in asymmetric reactions catalysed by metal complexes.
16. Pezzella, A.; Manini, P.; Napolitano, A.; Crescenzi, O.; Barone, V.; D'Ischia, M. *Steroids*, **2005**, *70*, 543-550. Dichotomous behavior of radical intermediates and novel potential routes for oxyfunctionalization and B-ring fission of steroidal scaffolds.
17. Ramón, D. J.; Yus, M. *Chem. Rev.*, **2006**, *106*, 2126-2208. In the arena of enantioselective synthesis, titanium complexes wear the laurel wreath.

18. Frison, J.-C.; Palazzi, C.; Bolm, C. *Tetrahedron*, **2006**, *62*, 6700-6706. Ligand effects in aluminium-catalyzed asymmetric baeyer-villiger reactions.
19. Huang, L.-N.; Hui, X.-P.; Xu, P.-F. *J. Mol. Cat. A: Chemical*, **2006**, *258*, 216-220. Asymmetric addition of diethylzinc to benzaldehyde catalyzed by silica-immobilized titanium(IV) complexes of N-sulfonylated amino alcohols.
20. Milburn, R. R.; Hussain, S. M. S.; Prien, O.; Ahmed, Z., Snieckus V. *Org Lett.*, **2007**, *9*, 4403-6. 3,3'-Dipyridyl BINOL ligands: synthesis and application in enantioselective addition of Et₂Zn to aldehydes.
21. Lista, L. PhD Thesis, **2007**, New steroidal derivatives with potential antioxidant and/or antitumoural activities.
22. Yuan, Yu.; Ding, K.; Chen, G. Edited by Hisashi, Y.; Ishihara, K. *From Acid Catalysis in Modern Organic Synthesis* **2008**, *2*, 721-823. Titanium Lewis acid.
23. Tasgin, D. I.; Unaleroglu, C. *Appl. Organomet. Chem.*, **2010**, *24*, 33-7. Unaleroglu Enantioselective addition of diethylzinc to aldehydes catalyzed by β-amino alcohols derived from (1R,2S)-norephedrine.
24. Capelli, L. PhD Thesis, **2010**. Synthesis and reactivity of new phenolic and/or heteroaromatic systems of potential practical interest.
25. Gou, S.; Ye, Z.; Gou, G.; Feng, M.; Chang, J. *Appl. Organomet. Chem.*, **2011**, *25*, 110-6. Modular amino acids and β-amino alcohol-based chiral ligands for enantioselective addition of diethylzinc to aromatic aldehydes.
26. Gou, S.; Ye, Z.; Chang, J.; Gou, G.; Feng, M. *Appl. Organomet. Chem.*, **2011**, *25*, 448-53. Modular amino acid amide chiral ligands for enantioselective addition of diethylzinc to aromatic aldehydes.
27. Xu, Z.; Bo, R.; Wu, N.; Wan, Y.; Wu, H. *Lett. Org. Chem.*, **2011**, *8*, 582-6. L-proline-derived tertiary amino alcohols as chiral ligands for enantioselective addition of diethylzinc to aldehydes.
28. Lista, L.; Pezzella, A.; Manini, P.; Napolitano, A.; D'Ischia, M. *Steroids*, **2012**, *77*, 630-4. Atropodiastereoselectivity in solid state BINOL synthesis: Leads from the estradiol platform.
29. Wu, P.; Chen, C. *J. Chin. Chem. Soc.*, **2012**, *59*, 768-81. Synthesis of chiral pyridylphenols for the enantioselective addition of diethylzinc to aldehydes.
30. Gou, S.; Ye, Z.; Cai, X.; Liu, M.; Jiang, W. *Chin. J. Org. Chem.*, **2012**, *32*, 1136-40. Enantioselective addition of diethylzinc to aromatic aldehydes catalyzed by modular amino acids and phenylethanamine based chiral ligands.
31. Wu, N.; Bo, R.; Zhang, R.; Jiang, X.; Wan, Y.; Xu, Z.; Wu, H. *Lett. Org. Chem.*, **2012**, *9*, 644-9. Enantioselective addition of diethylzinc to aldehydes by chiral oxazolidine-titanium complex.
32. Gou, S.; Ye, Z.; Feng, M.; Jiang, W. *Synth. Commun.*, **2013**, *43*, 941-50. Modular prolinol chiral ligands for enantioselective addition of diethylzinc to aromatic aldehydes.

33. Frensch, G.; PhD Thesis, **2014**. Desenvolvimento de metodologias de síntese utilizando catalisadores de zinco e paládio.
34. Marques, F. A.; Wosch, C. L.; Frensch, G.; Labes, R.; Maia, B. H. L. N. S.; Salomé, K. S.; Barisona, A.; Guerrero, P. G. Jr. *J. Braz. Chem. Soc.*, **2015**, *26*, 165-170. Stereoselective addition of diethylzinc to aldehydes using chiral β -hydroxy-2-oxazolines as catalysts.
35. Pellissier, H. *Tetrahedron*, **2015**, *71*, 2487-2524. Enantioselective titanium-promoted 1,2-additions of carbon nucleophiles to carbonyl compounds.
36. Ueda, Y.; Yagishita, F.; Ishikawa, H.; Kaji, Y.; Baba, N.; Kasashima, Y.; Mino, T.; Sakamoto, M. *Tetrahedron*, **2015**, *71*, 6254-6258. A new class of C2 chiral photodimer ligands for catalytic enantioselective diethylzinc addition to arylaldehydes.
37. Frensch, G.; Labes, R.; Wosch, C.L.; Munaretto, L.D.S.; Salomé, K.S.; Guerrero, P.G., Jr.; Marques, F.A. *Tetrahedron Lett.*, **2016**, *57*, 420-422. New chiral ligands derived from (+) and (-)- α -pinene for the enantioselective addition of diethylzinc to aldehydes.

[7] Bakalova, S. M.; Santos, A. G.; Timcheva, I.; Kaneti, J.; Filipova, I. L.; Dobrikov, G. M.; Dimitrov, V. D. *Teochem* **2004**, *710*, 225-230. Electronic absorption and emission spectra and computational studies of some 2-aryl, 2-styryl, and 2-(40-aryl)butadienyl quinazolin-4-ones.

1. H. Etaiw, S. E.-D.; Fayed, T. A.; Saleh, N. Z. *J. Photochem. Photobiol. A: Chemistry* **2006**, *177*, 238-247. Photophysics of benzazole derived push-pull butadienes: A highly sensitive fluorescence probes.
2. Yohannan, C. P.; Ambujakshan, K. R.; Varghese, H. T.; Mathew, S.; Ganguli, S.; Nanda, A. K.; Van Alsenoy C. *J. Raman Spectrosc.*, **2009**, *40*, 527-536. FT-IR, FT-Raman and DFT calculations of 3-[(4-fluorophenyl) methylene] amino}-2-phenylquinazolin-4(3H)-one.
3. Panicker, Y. C.; Varghese, H. T.; Ambujakshan, K. R.; Mathew, S.; Ganguli, S.; Nanda, A. K.; Van Alsenoy, C. *J. Raman Spectrosc.*, **2009**, *40*, 1262-1273. FT-IR and FT-Raman spectra and ab initio calculations of 3-[(2-hydroxyphenyl)methylene]amino}-2-phenylquinazolin-4(3H)-one.
4. Panicker, Y. C.; Varghese, H. T.; Thansani, T. *Turk. J. Chem.*, **2009**, *33*, 633-646. Spectroscopic studies and Hartree-Fock ab initio calculations of a substituted amide of pyrazine-2-carboxylic acid - C₁₆H₁₈N₃O.
5. Panicker, C. Y.; Varghese, H. T.; Ambujakshan, K. R.; Mathew, S.; Ganguli, S.; Nanda, A. K.; Van Alsenoy, M. C.; Sheena, Y. *J. Mol. Struct.* **2010**, *963*, 137-144. Vibrational spectra and computational study of 3-amino-2-phenyl quinazolin-4(3H)-one.
6. Turgunov, K.; Shomurotova, S.; Mukhamedov, N.; Tashkhodjaev, B. *Acta Crystallogr. Sect. C- Cryst. Struct. Commun.* **2010**, *66*, m1680. Diaquadichloridobis[quinazolin-4(1H)-one- κ N3]copper(II).
7. Naskar, Sumita; Naskar, Subhendu; Blake, A. J.; Tadesse H.; Chattopadhyay, S. K. *J. Chem. Crystallogr.*, **2011**, *41*, 986-990. Synthesis, X-Ray Crystal Structure and

Spectroscopic Properties of 1,2,3,4-Tetrahydro-2-(thenyl)-3-(N-thenylidene)-4-oxoquinazoline.

8. Trashakhova, T. V.; Nosova, E. V.; Valova, M. S.; Slepukhin, P. A.; Lipunova, G. N.; Charushin, V. N. *Russ. J. Org. Chem.*, **2011**, *47*, 753-761. Synthesis and photophysical properties of 2-styrylquinazolin-4-ones.

9. Nosova, E. V.; Trashakhova, T. V.; Ustyugov, V. S.; Mochul'skaya, N. N.; Valova, M. S.; Lipunova, G. N.; Charushin, V. N. *Russ. Chem. Bull.*, **2011**, *60*, 942-947. Fluorine-containing quinoline and quinoxaline styryl derivatives: synthesis and photophysical properties.

10. Lipunova, G. N.; Nosova, E. V.; Trashakhova, T. V.; Charushin, V. N. *Russ. Chem. Rev.*, **2011**, *80*, 1115-1133. Azinylarylethenes: synthesis and photophysical and photochemical properties.

11. Varghese, H. T.; Panicker, Y. C. *Physics Express* **2012**, *2*, 23-31. FT-IR and computational study of 6-chloro-N-(2-methoxyphenyl)pyrazine-2-carboxamide.

12. Josepha, T.; Varghese, H. T.; Panicker, Y. C.; Viswanathan, K.; Sundaraganesan, N.; Subramanian, N.; Dolezal, M. *Global Journal of Analytical Chemistry* **2012**, *3*, 12. Vibrational spectroscopic studies and computational study of 6-chloro-N-(4-trifluoromethylphenyl)pyrazine-2-carboxamide.

13. Mary, Y. S.; Raju, K.; Yildiz, I.; Temiz-Arpaci, O.; Nogueira, H. I. S.; Granadeiro, C. M.; Van Alsenoy, C. C. *Spectrochim. Acta, Part A: Mol. Biomol. Spectrosc.*, **2012**, *96*, 617-625. FT-IR, FT-Raman, SERS and computational study of 5-ethylsulphonyl-2-(o-chlorobenzyl)benzoxazole.

14. Nosova, E. V.; Stupina, T. V.; Lipunova, G. N.; Valova, M. S.; Slepukhin, P. A.; Charushin, V. N. *Int. J. Org. Chem.*, **2012**, *2*, 56-63. 3-phenyl/pyridinyl derivatives of trans-2-(aryl/heteryl)vinyl-3H-quinazolin-4-ones: synthesis and fluorescent properties.

15. Joseph, T.; Varghese, H. T.; Panicker, Y. C.; Viswanathan, K.; Dolezal, M.; Manojkumar, T. K.; Van Alsenoy, C. *Spectrochim. Acta, Part A: Mol. Biomol. Spectrosc.*, **2013**, *113*, 203-214. Vibrational spectroscopic investigations and computational study of 5-tert-Butyl-N-(4-trifluoromethylphenyl)pyrazine-2-carboxamide.

16. Memarian, H. R.; Ebrahimi, S. *J. Photochem. Photobiol. A: Chemistry*, **2013**, *271*, 8-15. Light induced oxidation of 2,3-dihydroquinazolin-4(1H)-ones.

17. Mmonwa, M. M.; Mphahlele, M.; El-Hendawy, M.; El-Nahas, A.; Koga, N. *Molecules* **2014**, *19*, 9712-9735. Synthesis and photophysical properties of the 2-(3-(2-Alkyl-6,8-diaryl-4-oxo-1,2,3,4-Tetrahydroquinazolin-2-yl)propyl)-6,8-diarylquinazolin-4(3H)-ones.

18. Mphahlele M. J.; Maluleka M. M.; *Molecules* **2014**, *19*, 17435-17463. Advances in Metal-Catalyzed Cross-coupling reactions of Halogenated Quinazolinones and Their Quinazoline Derivatives.

19. Ovchinnikova, I. G.; Kim, G. A.; Matochkina, E. G.; Kodess, M. I.; Barykin, N. V.; El'tsov, O. S.; Nosova, E. V.; Rusinov, G. L.; Charushin, V. N. *Russ. Chem. Bull.*, **2014**, *63*,

2467-2477. Synthesis, photochemical and luminescent properties of (E)-2-(2-hydroxyarylethylene)-3-phenylquinazolin-4(3H)-ones.

20. Cabrera-Rivera, F. A.; Escalante, J.; Morales-Rojas, H.; Zigler, D.F.; Schmidt, R.D.; Jarocha, L.E.; Forbes, M.D.E. *J. Photochem. Photobiol. A: Chemistry*, **2014**, *294*, 31-37. Photophysical properties of 2,3-dihydroquinazolin-4(1H)-one derivatives.

21. Lukose, J.; Yohannan Panicker, C.; Nayak, Prakash S.; Narayana, B.; Sarojini, B. K.; Van Alsenoy, C.; Al-Saadi, Abdulaziz A. *Spectrochim. Acta, Part A: Mol. Biomol. Spectrosc.*, **2015**, *135*, 608-616. Synthesis, structural and vibrational investigation on 2-phenyl-N-(pyrazin-2-yl)acetamide combining XRD diffraction, FT-IR and NMR spectroscopies with DFT calculations.

22. Bhagyasree, J. B.; Varghese, H. T.; Panicker, C. Y.; Van Alsenoy, C.; Al-Saadi, A. A.; Dolezal, M.; Samuel, J. *Spectrochim. Acta, Part A: Mol. Biomol. Spectrosc.*, **2015**, *137*, 193-206. Spectroscopic (FT-IR, FT-Raman), first order hyperpolarizability, NBO analysis, HOMO and LUMO analysis of 5-tert-Butyl-6-chloro-N-[(4-(trifluoromethyl)phenyl)pyrazine-2-carboxamide].

[8] Philipova, I.; Linden, A.; Heimgartner, H. *Helv. Chim. Acta*, **2005**, *88*, 1711.

1. Rachwal, S.; Katritzky, A. R. *Comprehensive Heterocyclic Chemistry III* **2008**, *5*, 1-158. 1,2,3-Triazoles (Book Chapter). Editors-in-Chief: Katritzky, A. R.; Ramsden, C. A.; Scriven, E. F. V.; Taylor, R. J. K.

2. Vinšová, J.; Imramovsky, A.; Krátky, M.; Ferriz, J. M.; Palát, K.; Lycka, A.; Ruzicka, A. *Tetrahedron Lett.*, **2010**, *51*, 23. An unprecedented rearrangement of salicylanilide derivatives: imidazolinone intermediate formation.

3. Basolo, L.; Beccalli, E. M.; Borsini, E.; Brogini, G.; Khansaa, M.; Rigamonti M. *Eur. J. Org. Chem.*, **2010**, *9*, 1694-1703. Access to a Novel Class of Tetracyclic 1,4-Benzodiazepin-5-ones Starting from α -Amino Acids by Pd-Catalyzed Amination/1,3-Dipolar Cycloaddition as the Key Steps.

4. Murphree S. S. *Modern Heterocyclic Chemistry* **2011**, *1*, 11-162. Three-Membered Heterocycles. Structure and Reactivity (Book Chapter).

5. Wang, S.-Y.; Xu, Z.-L.; Wang, H.; Li, C.-R.; Fu, L.-W.; Pang, J.-Y.; Li, J.; She, Z.-G.; Lin, Y.-C. *Helv. Chim. Acta*, **2012**, *95*, 973-982. Total synthesis, absolute configuration, and biological activity of xyloallenoide A.

6. Khlebnikov, A. F.; Novikov, M. S. *Tetrahedron* **2013**, *69*, 3363-3401. Recent advances in 2H-azirine chemistry.

[9] Philipova, I.; Dobrikov, G.; Krumova, K.; Kaneti, J. *J. Heterocycl. Chem.*, **2006**, *43*, 1057-1063. Convenient synthesis of some 2-substituted 4-3(H)-quinazolinone derivatives.

1. Rewcastle, G. W. *Comprehensive Heterocyclic Chemistry III* **2008**, *8*, 117-272. Pyrimidines and their benzo derivatives (Book Chapter).

2. Dabiri, M.; Baghbanzadeh, M.; Delbari, A. S. *J. Comb. Chem.*, **2008**, *10*, 700-703. Novel and efficient one-pot tandem synthesis of 2-styryl-substituted 4(3H)-quinazolinones -703.
3. Baghbanzadeh, M.; Molnar, M.; Damm, M.; Reidlinger, C.; Dabiri, M.; Kappe, C. O. *J. Comb. Chem.*, **2009**, *11*, 676-684. Parallel Microwave Synthesis of 2-Styrylquinazolin-4(3H)-ones in a High-Throughput Platform Using HPLC/GC Vials as Reaction Vessels.
4. Smith K.; El-Hiti G. A.; Hegazy A. S. *Synlett*, **2009**, *14*, 2242-2244. Unexpected Variations in Sites of Lithiation of N-(2-Methoxybenzyl)-pivalamide.
5. Smith, K.; El-Hiti, G. A.; Hegazy, A. S.; Fekri, A.; Kariuki, B. M. *Arkivoc*, **2009**, *14*, 266-300. Variation in sites of lithiation of substituted N-benzylpivalamides and N'-benzyl-N,N-dimethylureas: application in synthesis.
6. Deligeorgiev, T.; Vasilev, A.; Kaloyanova, S.; Vaquero J. J. *Coloration Technology* **2010**, *126*, 55-80. Styryl dyes – synthesis and applications during the last 15 years.
7. Schmid, M.; Waldner, B.; Schnuerch, M.; Mihovilovic, M. D.; Stanetty, P. *Tetrahedron* **2011**, *67*, 2895-2904. Studying competitive lithiations at alpha-, ortho-, and benzylic positions in various N-protected aniline derivatives.
8. Jagani, C. L.; Sojitra, N. A.; Vanparia, S. F.; Patel, T. S.; Dixit, R. B.; Dixit, B. C. *Arkivoc* **2011**, *9*, 221-237. A convergent microwave assisted synthesis of 4-amino-N-(4-oxo-2-substituted-4H-quinazolin-3-yl)benzenesulfonamide derivatives.
9. Lipunova, G. N.; Nosova, E. V.; Trashakhova, T. V.; Charushin, V. N. *Russ. Chem. Rev.*, **2011**, *80*, 1115-1133. Azinylarylethenes: synthesis and photophysical and photochemical properties.
10. El-Hiti, G. A.; Hegazy, A. S.; Alotaibi, M. H.; Ajarim, M. D. *Arkivoc* **2012**, *7*, 35-78. Reactions of organolithium reagents with quinazoline derivatives.
11. Hassanzadeh, F.; Khajouei, M. R.; Hakimelahi, G. H.; Jafari, E.; Khodarahmi, G. A. *Res. Pharm. Sci.*, **2012**, *7*, 23-30. Synthesis of some new 2,3-disubstituted-4(3H)quinazolinone derivatives.
12. Jagani, C. L.; Sojitra, N. A.; Vanparia, S. F.; Patel, T. S.; Dixit, R. B.; Dixit, B. C. *J. Saudi Chem. Soc.* **2012**, *16*, 363-369. Microwave-promoted synthesis and antimicrobial activity of 3-thiazole substituted 2-styryl-4(3H)-quinazolinone derivatives.
13. Srinivasa Reddy, B.; Naidu, A.; Dubey, P. K. *Green Chem. Lett. Rev.*, **2013**, *6*, 254-261. PEG-600-mediated, green and efficient, tandem syntheses of N-substituted-2-styrylquinazolin-4- ones.
14. Lingam, V S. P.; Thomas, A.; More, D. A.; Khatik, J. Y.; Khairatkar-Joshi, N.; Kattige, V. G. US Patent US8349846 B2, **2013**, Fused pyrimidine derivatives as TRPV3 modulators.
15. Wang, X.; Yin, J.; Shi, Li; Zhang, Guoping; Song, Baoan *Eur. J. Med. Chem.*, **2014**, *77*, 65-74. Design, synthesis, and antibacterial activity of novel Schiff base derivatives of quinazolin-4(3H)-one.

16. Saygili, N.; Ekizoglu, M.; Erdogdu, C. *Asian J. Chem.*, **2014**, *26*, 3197-3203. Synthesis of new 2-(N'-Allylidene-hydrazino)quinazolinones and 2-(4,5-Dihydropyrazolyl)-quinazolinones and their antimicrobial and antifungal activity screening.
17. Ganesh, A.; Parameshwar, P.; Vidyasagar, M. *Int. J. Adv. Pharm. Res.*, **2015**, *6*, 209-212. Synthesis Of 2-Substituted Quinazolinones And Their Pharmacological Activity.
18. Kumar, D.; Jadhavar, P. S.; Nautiyal, M.; Sharma, H.; Meena, P. K.; Adane, L.; Pancholia, S.; Chakraborti, A. K. *RSC Adv.*, **2015**, *5*, 30819-30825. Convenient synthesis of 2,3-disubstituted quinazolin-4(3H)-ones and 2-styryl-3-substituted quinazolin-4(3H)-ones: applications towards the synthesis of drugs.
19. George, S.; Saravanan, C.; Koshy, T.M.; Kochupappy, R.T. *Anti-Infective Agents* **2015**, *13*, 99-104. Synthesis and exploration of thiadiazolinone-linked quinazolidinone derivatives.
20. Agbo, E. N.; Makhafole, T. J.; Choong, Y. S.; Mphahlele, M. J.; Ramasami, P. *Molecules* **2016**, *21*, 28. Synthesis, Biological Evaluation and Molecular Docking Studies of 6-Aryl-2-Styrylquinazolin-4(3H)-Ones.
- [10] Angelova, P.; Hinrichs, K.; Philipova, I.; Kostova, K.; Tsankov, D. *J. Phys. Chem. C*, **2010**, *114*, 1253-1259, Monolayer orientation of ω -substituted amide-bridged alkanethiols on gold.
1. Niebel, C.; Boisard, S.; Kenfack, G. T.; Breton, T.; Gautier, C.; Levillain, E.; Sanguinet, L. *J. Electroanal. Chem.*, **2011**, *655*, 154-158. Effect of hydrogen-interactions on electrochemical behavior of bithiophene self-assembled monolayers containing amide moieties.
 2. Ori, G.; Gentili, D.; Cavallini, M.; Franchini, M. C.; Zapparoli, M.; Montorsi, M.; Siligardi, C. *Nanotechnology* **2012**, *23*, 055605/1-055605/5. Immobilization of monolayer protected lipophilic gold nanorods on a glass surface.
 3. Ge, A.; Peng, Q.; Wu, H.; Liu, H.; Tong, Y.; Nishida, T.; Yoshida, N.; Suzuki, K.; Sakai, T.; Osawa, M.; Ye, S. *Langmuir* **2013**, *29*, 14411-14420. Effect of functional group on the monolayer structures of biodegradable quaternary ammonium surfactants.
 4. Canepa, M. Springer Series in Surface Sciences **2013**, *51* (Surface Science Techniques), 99-135. A surface scientist's view on spectroscopic ellipsometry.
- [11] Stavrakov, G.; Philipova, I.; Ivanova, B.; Dimitrov, V. *Tetrahedron: Asymmetry* **2010**, *21*, 1845. Highly diastereoselective ortho-lithiation of chiral ferrocenecarboxamides.
1. Stepnicka, P. *Chem. Soc. Rev.* **2012**, *41*, 4273-4305. Title: Phosphino-carboxamides: The inconspicuous gems (Review).
 2. Martins, N.; Mateus, N.; Vinci, D.; Saidi, O.; Brigas, A.; Bacsa, J.; Xiao, J. *Org. Biomol. Chem.* **2012**, *20*, 4036-4042. Title: Another side of the oxazaphospholidine oxide chiral ortho-directing group.

3. Schaarschmidt, D.; Lang, H. *Organometallics*, **2013**, *32*, 5668-5704. Selective Syntheses of Planar-Chiral Ferrocenes (Review).
4. Stepnicka, P.; Schneiderova, B.; Schulz, J.; Cisarova, I. *Organometallics*, **2013**, *32*, 5754-5765. Synthesis, Coordination Properties, and Catalytic Use of Phosphinoferrocene Carboxamides Bearing Donor-Functionalized Amide Substituents.
5. Roos, G. Key Chiral Auxiliary Applications: Second Edition, January **2014**, Pages 1-1244.
6. Nie, H.; Yao, L.; Li, B.; Zhang, S.; Chen, W. *Organometallics*, **2014**, *33*, 2109-2114. Very Simple and Highly Modular Synthesis of Ferrocene-Based Chiral Phosphines with a Wide Variety of Substituents at the Phosphorus Atom(s).
7. Liu, R.; Zhou, G.; Hall, T.H.; Clarkson, G.J.; Wills, M.; Chen, W. *Adv. Synth. Catal.*, **2015**, *357*, 3453-3457. Practical Access to Planar Chiral 1,2-(α -Ketotetramethylene)-ferrocene by Non-Enzymatic Kinetic Resolution and Conclusive Confirmation of its Absolute Configuration.

[12] Tsankov, D.; Philipova, I.; Kostova, K.; Hinrichs, K. *Micromachines* **2011**, *2*, 306-318. Infrared ellipsometric study of hydrogen-bonded long-chain thiolates on gold: towards resolving structural details.

1. Malysheva, L.; Kapitanchuk, O.; Onipko, A. *Chem. Phys. Lett.* **2014**, *591*, 197-202. Three-dimensional networks of hydrogen bonds in periodic arrays of molecular modules containing amide-(ethylene glycol) and amide-(ethylene glycol)-amide: Ab initio picture.

[13] Philipova, I.; Stavrakov, G.; Chimov, A.; Nikolova, R.; Shivachev, B.; Dimitrov, V. *Tetrahedron: Asymmetry* **2011**, *22*, 970. Synthesis of ferrocene-based amido-phosphine ligands via highly diastereoselective ortho-lithiation and their application in Pd-catalyzed asymmetric allylic alkylations.

1. Martins, N.; Mateus, N.; Vinci, D.; Saidi, O.; Brigas, A.; Bacsá, J.; Xiao, J. *Org. Biomol. Chem.* **2012**, *10*, 4036-4042. Another side of the oxazaphospholidine oxide chiral ortho-directing group.
2. Stepnicka, P. *Chem. Soc. Rev.* **2012**, *41*, 4273-4305. Phosphino-carboxamides. The inconspicuous gems.
3. Trivedi, R.; Deepthi, S. B.; Giribabu, L.; Sridhar, B.; Sujitha, P.; Ganesh Kumar, C.; Ramakrishna, K. V. S. *Appl. Organomet. Chem.*, **2012**, *26*, 369-376. Synthesis, crystal structure, electronic spectroscopy, electrochemistry and biological studies of carbohydrate containing ferrocene amides.
4. Ramillien, M.; Vanthuyne, N.; Jean, M.; Gherase, D.; Giorgi, M.; Naubron, J.-V.; Piras, P.; Roussel, C. *J. Chromatogr. A*, **2012**, *1269*, 82-93. Enantiomers of dimethyl [(2E)-1,3-diphenylprop-2-en-1-yl]propanedioate resulting from allylic alkylation reaction: Elution order on major high-performance liquid chromatography chiral columns.

5. Stepnicka, P.; Schneiderova, B.; Schulz, J.; Cisarova, I. *Organometallics*, **2013**, *32*, 5754-5765. Synthesis, Coordination Properties, and Catalytic Use of Phosphinoferrrocene Carboxamides Bearing Donor-Functionalized Amide Substituents.
 6. Allen, D. W. *Organophosphorus Chemistry* **2013**, *42*, 1-48. Phosphines and related P-C bonded compounds.
 7. Schaarschmidt, D.; Lang, H. *Organometallics*, **2013**, *32*, 5668-5704. Selective Syntheses of Planar-Chiral Ferrocenes.
 8. Toma, S.; Csizmadiova, J.; Meciariova, M.; Sebesta, R. *Dalton Trans.* **2014**, *43*, 16557-16579. Ferrocene phosphane-heteroatom/carbon bidentate ligands in asymmetric catalysis.
- [14] Dobrikov, G.; Philipova, I.; Nikolova, R.; Shivachev, B.; Chimov A.; Dimitrov, V. *Polyhedron*, **2012**, *45*, 126. Functionalized organolithium reagents in the synthesis of chiral ligands for catalytic enantioselective addition of diethylzinc to aldehydes.
1. Shimada, K.; Sasaki, J.; Kishi, A.; Aoyagi, S.; Takikawa, Y. *Nat. Prod. Comm.* **2013**, *8*, 851-858. Synthesis of sterically-crowded olefins, gem-dihaloalkenes, butatrienes, and thioketenes through the reaction of substituted bornane-2-thiones or bornane-2-selones with conventional carbenes or metal carbenoids.
 2. Schaarschmidt, D.; Lang, H. *Organometallics* **2013**, *32*, 5668-5704. Selective Syntheses of Planar-Chiral Ferrocenes (Review).
 3. Marques, F.A.; Wosch, C.L.; Frensch, G.; Labes, R.; Maia, B.H.L.N.S.; Salomé, K.S.; Barisona, A.; Guerrero, P.G. *J. Braz. Chem. Soc.*, **2015**, *26*, 165-170. Stereoselective addition of diethylzinc to aldehydes using chiral β -hydroxy-2-oxazolines as catalysts.
- [15] Philipova, I.; Stavrakov G.; Dimitrov, V. *Tetrahedron: asymmetry*, **2012**, *23*, 927. Camphane-based phosphino-carboxamide ligands as P,O-chelates in Pd-catalyzed enantioselective allylic alkylation.
1. Solarova, H.; Cisarova, I.; Stepnicka, P. *Organometallics* **2014**, *33*, 4131-4147. Synthesis, Structural Characterization, and Catalytic Evaluation of Phosphinoferrrocene Ligands Bearing Extended Urea-Amide Substituents.
 2. Allen, D. W. *Organophosphorus Chemistry* **2014**, *43*, 1-51. Phosphines and related P-C bonded compounds.
 3. Fernandes, T. A.; Solarova, H.; Cisarova, I.; Uhlik, F.; Sticha, M.; Stepnicka, P. *Dalton Trans.* **2015**, *44*, 3092-3108 Synthesis of phosphinoferrrocene amides and thioamides from carbamoyl chlorides and the structural chemistry of Group 11 metal complexes with these mixed-donor ligands.
 4. Bai, X.-F.; Song, T.; Xu, Z.; Xia, C.-G.; Huang, W.-S.; Xu, L.-W. *Angew. Chem. Int. Ed.*, **2015**, *54*, 5255-5259. Aromatic amide-derived non-biaryl atropisomers as highly efficient ligands in silver-catalyzed asymmetric cycloaddition reactions.

5. Bai, X.-F.; Xu, Z.; Xia, C.-G.; Zheng, Z.-J.; Xu, L.-W. *ACS Catal.*, **2015**, *5*, 6016-6020. Aromatic-Amide-Derived Nonbiaryl Atropisomer as Highly Efficient Ligand for Asymmetric Silver-Catalyzed [3 + 2] Cycloaddition.

[16] Stavrakov, G.; Valcheva, V.; Philipova, I.; Doytchinova, I. *Eur. J. Med. Chem.*, **2013**, *70*, 372. Novel camphane-based anti-tuberculosis agents with nanomolar activity.

1. Matos, P. M.; Mahoney, B.; Chan, Y.; Day, D. P.; Cabral, M. M. W.; Martins, C. H. G.; Santos, R. A.; Bastos, J. K.; Bulman, P. C.; Heleno, V. C. G. *Molecules* **2015**, *20*, 18264-18278. New Non-Toxic Semi-Synthetic Derivatives from Natural Diterpenes Displaying Anti-Tuberculosis Activity.

2. Sokolova, A. S.; Yarovaya, O. I.; Shernyukov, A. V.; Gatilov, Y. V.; Razumova, Y. V.; Zarubaev, V. V.; Tretiak, T. S.; Pokrovsky, A. G.; Kiselev, O. I.; Salakhutdinov N. F. *Eur. J. Med. Chem.* **2015**, *105*, 263. Discovery of a new class of antiviral compounds: Camphor imine derivatives.

[17] Philipova, I.; Stavrakov, G.; Dimitrov, V. *Tetrahedron: asymmetry*, **2013**, *24*, 1253. Camphane-based aminophosphine ligands for Pd-catalyzed asymmetric allylic alkylation.

1. Kawatsura, M.; Terasaki, S.; Minakawa, M.; Hirakawa, T.; Ikeda, K.; Itoh, T. *Org. Lett.* **2014**, *16*, 2442-2445. Enantioselective Allylic Amination of Trifluoromethyl Group Substituted Racemic and Unsymmetrical 1,3-Disubstituted Allylic Esters by Palladium Catalysts.

2. Liu, X.; Zhao, X.; Lu, M. *J. Organomet. Chem.* **2014**, *768*, 23-27. Novel polymer supported iminopyridylphosphine palladium (II) complexes: An efficient catalyst for Suzuki-Miyaura and Heck cross-coupling reactions.

3. Allen, D.W. *Organophosphorus Chemistry* **2015**, *44*, 1-55. Phosphines and related C-P bonded compounds.

[19] Stavrakov, G.; Philipova, I.; Valcheva, V.; Momekov, G. *Bioorg. Med. Chem. Lett.* **2014**, *24*, 165. Synthesis and antimycobacterial activity of novel camphane-based agents.

1. Xu, S.; Li, D.; Pei, L.; Yao, H.; Wang, C.; Cai, H.; Yao, H.; Wu, X.; Xu, J. *Bioorg. Med. Chem. Lett.* **2014**, *24*, 2811-2814. Design, synthesis and antimycobacterial activity evaluation of natural oridonin derivatives.

2. Xu, S.; Pei, L.; Li, D.; Yao, H.; Cai, H.; Yao, H.; Wu, X.; Xu, J. *Fitoterapia* **2014**, *99*, 300-306. Synthesis and antimycobacterial evaluation of natural oridonin and its enmein-type derivatives.

3. Gu, X.; Wang, L.; Gao, Y.-F.; Ma, W.; Li, Y.-M.; Gong, P. *Tetrahedron: Asymmetry* **2014**, *25*, 1573-1580. The synthesis of enantioenriched α -hydroxy esters (Review).

4. Ganihigama, D. U.; Sureram, S.; Sangher, S.; Hongmanee, P.; Aree, T.; Mahidol, C.; Ruchirawat, S.; Kittakoop, P. *Eur. J. Med. Chem.* **2015**, *89*, 1. Antimycobacterial activity of natural products and synthetic agents: pyrrolodiquinolines and vermelhotin as anti-tubercular leads against clinical multidrug resistant isolates of *Mycobacterium tuberculosis*.
5. Sokolova, A. S.; Morozova, E. A.; Vasilev, V. G.; Yarovaya, O. I.; Tolstikova, T. G.; Salakhutdinov, N. F. *Russ. J. Bioorg. Chem.*, **2015**, *41*, 178-185. Curare-like camphor derivatives and their biological activity.
6. Fernandes, G. F. D.; Jornada, D. H.; de Souza, P. C.; Chin, C. M.; Pavan, F. R.; dos Santos, J. L. *Curr. Med. Chem.* **2015**, *22*, 3133-3161. Current Advances in Antitubercular Drug Discovery: Potent Prototypes and New Targets.
7. Sokolova, A. S.; Yarovaya, O. I.; Shernyukov, A. V.; Gatilov, Y. V.; Razumova, Y. V.; ZarubaeV, V. V.; Tretiak, T. S.; Pokrovsky, A. G.; Kiselev, O. I.; Salakhutdinov N. F. *Eur. J. Med. Chem.* **2015**, *105*, 263. Discovery of a new class of antiviral compounds: Camphor imine derivatives.
8. Stepanovs, D.; Posevins, D.; Turks, M. *Acta Cryst.* **2015**, *E71*, 1117–1120. Crystal structures of two (\pm)-exo-N-isobornylacetamides.

[20]. Stavrakov, G.; Valcheva, V.; Philipova, I.; Doytchinova, I. *J. Mol. Graph. Mod.*, **2014**, *51*, 7-12. Design of novel camphane-based derivatives with antimycobacterial activity.

1. Stepanovs, D.; Posevins, D.; Turks, M. *Acta Cryst.* **2015**, *E71*, 1117–1120. Crystal structures of two (\pm)-exo-N-isobornylacetamides.

[24] Atanasova, M.; Stavrakov, G.; Philipova, I.; Zheleva, D.; Yordanov, N.; Doytchinova, I. *Bioorg. Med. Chem.*, **2015**, *23*, 5382-5389. Galantamine derivatives with indole moiety: Docking, design, synthesis and acetylcholinesterase inhibitory activity.

1. Tian, Y.; Zhang, C.; Guo, M. *Molecules* **2015**, *20*, 21854–21869. Comparative Analysis of Amaryllidaceae Alkaloids from Three *Lycoris* Species.

Общ брой цитати: **266**

29.03.2016 г.