

ПАВЛЕТА СТОЯНОВА ШЕСТАКОВА (Денкова)

СПИСЪК НА ЦИТАТИТЕ

за участие в конкурса за академичната длъжност „професор“

профессионално направление 4.2 Химически науки, научна специалност „Органична химия“ за нуждите на Център по ЯМР спектроскопия, Институт по органична химия с Център по фитохимия, БАН, обявен в Държавен Вестник бр. 79 от 07.10.2016 г.

№ 5: T. K. N. Luong, **P. Shestakova**, G. Absillis, T. Parac-Vogt; Detailed Mechanism of Phosphoanhydride Bond Hydrolysis Promoted by a Binuclear ZrIV-Substituted Keggin Polyoxometalate Elucidated by a Combination of ^{31}P , ^{31}P DOSY and ^{31}P EXSY NMR Spectroscopy.; *Inorg. Chem.* 55, 4864-4873 (2016).

1 цитат

1) Wang, X., Sun, J., Lin, H., Chang, Z., Wang, X., Liu, G.

A series of Anderson-type polyoxometalate-based metal-organic complexes: Their pH-dependent electrochemical behaviour, and as electrocatalysts and photocatalysts. *Dalton Transactions*, 45 (31), 12465-12478 (2016).

№ 6: T. Quanten, **P. Shestakova**, C. Kirschhock, D. Van Den Bulck, T. N. Parac-Vogt Interaction Study and Reactivity of Zr(IV) Substituted Wells Dawson Polyoxometalate towards Hydrolysis of Peptide Bonds in Surfactant Solutions, *Chem. Eur. J.* 22, 3775-3784 (2016).

1 цитат

2) Gao, P., Wu, Y., Wu, L.

Co-assembly of polyoxometalates and peptides towards biological applications *Soft Matter*, 12 (41), 8464-8479 (2016).

№ 7: A. Ahmedova, D. Momekova, M. Yamashina, **P. Shestakova**, G. Momekov, M. Akita, M. Yoshizawa Anticancer Potencies of PtII- and PdII-linked M2L4 Coordination Capsules with Improved Selectivity; *Chemistry an Asian Journal* 11, 474-477 (2016).

4 цитата

3) Bloch, W.M., Abe, Y., Holstein, J.J., Wandtke, C.M., Dittrich, B., Clever, G.H.

Geometric Complementarity in Assembly and Guest Recognition of a Bent Heteroleptic cis-[Pd₂LA₂L B₂] Coordination Cage.

Journal of the American Chemical Society, 138 (41), 13750-13755, (2016).

4) Preston, D., Barnsley, J.E., Gordon, K.C., Crowley, J.D.

Controlled Formation of Heteroleptic [Pd₂(La)₂(Lb)₂]⁴⁺ Cages.

Journal of the American Chemical Society, 138 (33), 10578-10585, (2016).

5) Preston, D., McNeill, S.M., Lewis, J.E.M., Giles, G.I., Crowley, J.D.

Enhanced kinetic stability of [Pd₂L₄]⁴⁺ cages through ligand substitution.

Dalton Transactions, 45 (19), 8050-8060, (2016).

6) Schmidt, A., Hollering, M., Drees, M., Casini, A., Kühn, F.E.

Supramolecular: Exo -functionalized palladium cages: Fluorescent properties and biological activity.

Dalton Transactions, 45 (20), 8556-8565, (2016).

№ 8: I. Trendafilova, Á. Szegedi, K. Yoncheva, **P. Shestakova**, J. Mihály, A. Ristic, S. Konstantinov, M. Popova, A pH dependent delivery of mesalazine from polymer coated and drug-loaded SBA-16 systems, *Eur. J. Pharm. Sci.* 81, 75-81 (2016).

1 цитат

7) Abbaszad Rafi, A., Mahkam, M., Davaran, S., Hamishehkar, H.

A Smart pH-responsive Nano-Carrier as a Drug Delivery System: A hybrid system comprised of mesoporous nanosilica MCM-41 (as a nano-container) & a pH-sensitive polymer (as smart reversible gatekeepers): Preparation, characterization and in vitro release studies of an anti-cancer drug, *European Journal of Pharmaceutical Sciences*, 93, 64-73, (2016).

№ 9: R. Shankar, N. Singla, S. Mendiratta, G. Kociok-Köhn, K. Molloy, **P. Shestakova**, Synthesis, Characterization, and Hydrolytic Behavior of Diorganotin(IV) Coordination Polymers with Layered Structural Motifs, *Eur. J. Inorg. Chem.* 30, 5118-5123, (2015).

1 цитат

8) Han, Y., Liang, T.-L., Hao, X., Chen, C.-F.

Solid-state "Russian doll"-like capsules based on a triptycene-derived macrotricyclic host with paraquat derivative and polycyclic aromatic hydrocarbons

Cryst. Eng. Comm., 18 (26), 4900-4904, (2016).

№ 15: T. K. N. Luong, G. Absillis, **P. Shestakova**, T. N. Parac-Vogt, Solution speciation of a dinuclear Zr(IV)-substituted Keggin polyoxometalate $[\{\alpha\text{-PW}_{11}\text{O}_{39}\text{Zr}(\mu\text{-OH})(\text{H}_2\text{O})\}_2]^{8-}$ and its reactivity towards the hydrolysis of a DNA-model phosphodiester, *Eur. J. Inorg. Chem.* 5276 – 5284, (2014).

1 цитат

9) Trammell, S.A., Nita, R., Martin, B., Moore, M.H., Fontana, J., Talebzadeh, S., Knight, D.A.

Photo-enhanced hydrolysis of bis(4-nitrophenyl) phosphate using Cu(II) bipyridine-capped plasmonic nanoparticles.

RSC Advances, 6 (47), 41618-41621, (2016).

№ 16: A. Szegedi, M. Popova, K. Yoncheva, J. Makk, J. Mihály, **P. Shestakova**, Silver and sulfadiazine loaded nanostructured silica materials as potential replacement of silver sulfadiazine, *J. Mater. Chem. B* 2, 6283 – 6292, (2014).

7 цитата

10) Wan, X., Zhuang, L., She, B., Deng, Y., Chen, D., Tang, J.

In-situ reduction of monodisperse nanosilver on hierarchical wrinkled mesoporous silica with radial pore channels and its antibacterial performance.

Materials Science and Engineering C, 65, 323-330, (2016).

11) Kumar, T.S.S., Madhumathi, K.

Antibiotic delivery by nanobioceramics.

Therapeutic Delivery, 7 (8), 573-588, (2016).

12) Li, P., Wu, L., Li, B., Zhao, Y., Qu, P.

Highly water-dispersible silver sulfadiazine decorated with polyvinyl pyrrolidone and its antibacterial activities.

Materials Science and Engineering C, 60, 54-59, (2016).

13) Li, P., Xu, X., Wu, L., Li, B., Zhao, Y.

Synthesis of silver nanoparticle-loaded sulfadiazine/polyvinyl alcohol nanorods and their antibacterial activities.

Med. Chem. Comm., 6 (12), 2204-2208, (2015).

14) Cui, J., Liu, Y.

Preparation of graphene oxide with silver nanowires to enhance antibacterial properties and cell compatibility.

RSC Advances, 5 (104), 85748-85755, (2015).

15) Huang, R.-S., Hou, B.-F., Li, H.-T., Fu, X.-C., Xie, C.-G.

Preparation of silver nanoparticles supported mesoporous silica microspheres with perpendicularly aligned mesopore channels and their antibacterial activities.

RSC Advances, 5 (75), 61184-61190, (2015).

16) Fathi Vavsari, V., Mohammadi Ziarani, G., Badiei, A.

The role of SBA-15 in drug delivery.

RSC Advances, 5 (111), 91686-91707, (2015).

№ 18: M. Popova, A. Szegedi, K. Yoncheva, S. Konstantinov, G. P. Petrova, H. A. Aleksandrov, G. N. Vayssilov, **P. Shestakova**, New method for preparation of delivery systems of poorly soluble drugs on the basis of functionalized mesoporous MCM-41, *Microporous Mesoporous Mater.* 198, 247 – 255 (2014).

8 цитата

17) Chowdhury, M.A.

The controlled release of drugs and bioactive compounds from mesoporous silica nanoparticles.

Current Drug Delivery, 13 (6), 839-856, (2016).

18) Patel, A., Solanki, P.

12-Tungstophosphoric acid functionalized MCM-41: synthesis, characterization and study of controlled in vitro release of l-arginine.

Journal of Porous Materials, 23 (4), 1113-1123, (2016).

19) Wan, M.M., Li, Y.Y., Yang, T., Zhang, T., Sun, X.D., Zhu, J.H.

In Situ Loading of Drugs into Mesoporous Silica SBA-15

Chemistry - A European Journal, 22 (18), 6294-6301, (2016).

20) Fontes, M.S.B., Melo, D.M.A., Costa, C.C., Braga, R.M., Melo, M.A.F., Alves, J.A.B.L.R., Silva, M.L.P.

Effect of different silica sources on textural parameters of molecular sieve MCM-41 [Efeito de diferentes fontes de sílica nos parâmetros texturais da peneira molecular MCM-41]. *Ceramica*, 62 (361), 85-90, (2016).

21) Costa, C.C., Melo, D.M.A., Fontes, M.S.B., Barros, J.M.F., Melo, M.A.F., Martinelli, A.E.

Kinetic study of the removal of pure and mixed TTMA+, CTMA+ and DTMA+ templates from MCM-41.

Journal of Thermal Analysis and Calorimetry, 122 (3), 1485-1491, (2015).

22) Liu, X., Ren, Q., Fu, F., Zou, R., Wang, Q., Xin, G., Xiao, Z., Huang, X., Liu, Q., Hu, J. CuS@mSiO₂-PEG core-shell nanoparticles as a NIR light responsive drug delivery nanoplatform for efficient chemo-photothermal therapy.

Dalton Transactions, 44 (22), 10343-10351, (2015).

23) De Castro Costa, C., De Araujo Melo, D.M., Martinelli, A.E., De Freitas Melo, M.A., De Araujo Medeiros, R.L.B., Marconi, J.A., De Farias Barros, J.M.

Synthesis optimization of MCM-41 for CO₂ Adsorption using simplex-centroid design.

Materials Research, 18 (4), 714-722, (2015).

24) Doadrio, A.L., Salinas, A.J., Sánchez-Montero, J.M., Vallet-Regí, M.

Drug release from ordered mesoporous silicas.

Current Pharmaceutical Design, 21 (42), 6189-6213, (2015).

№ 19: P. Shestakova, G. Absillis, F. J. Martin-Martinez, F. De Proft, R. Willem, T. N. Parac-Vogt , Integrating ³¹P DOSY NMR spectroscopy and molecular mechanics as a powerful tool for unraveling the chemical structures of polyoxomolybdate-based amphiphilic nanohybrids in aqueous solution, *Chem. Eur. J.* 20, 5258 – 5270 (2014).

4 цитата

25) Zhang, H., Yu, K., Lv, J.-H., Gong, L.-H., Wang, C.-M., Wang, C.-X., Sun, D., Zhou, B.-B.

Organic-Inorganic Hybrid Materials Based on Basket-like {Ca \subset P₆Mo₁₈O₇₃} Cages.

Inorganic Chemistry, 54 (14), 6744-6757, (2015).

26) Cámera, V., Barquero, N., Bautista, D., Gil-Rubio, J., Vicente, J.

Assembly of Heterometallic Rigid-Rod Complexes and Coordination Oligomers from Gold(I) Metallocigands.

Inorganic Chemistry, 54 (13), 6147-6156, (2015).

27) Huo, Y., Huo, Z., Ma, P., Wang, J., Niu, J.

Polyoxotungstate incorporating organotriphosphonate ligands: Synthesis, characterization, and catalytic for alkene epoxidation.

Inorganic Chemistry, 54 (2), 406-408, (2015).

28) Wang, J.-P., Ma, H.-X., Zhang, L.-C., You, W.-S., Zhu, Z.-M.

Two Strandberg-type organophosphomolybdates: Synthesis, crystal structures and catalytic properties.

Dalton Transactions, 43 (45), 17172-17176, (2014).

№ 20: T. Hardeman, P. Willot, J. D. Winter, T. Josse, P. Gerbaux, **P. Shestakova**, E. Nies, G. Koeckelberghs, Study on the formation of a supramolecular conjugated graft copolymer in solution, *J. Polym. Sci. A Polym. Chem.* 52, 804 – 809 (2014).

5 цитата

29) Gosecka, M., Gosecki, M., Kazmierski, S.

DOSY NMR as a tool for predicting optimal conditions for hydrogel formation: The case of a hyperbranched polyglycidol cross-linked with boronic acids.

Journal of Polymer Science, Part B: Polymer Physics, 54 (21), 2171-2178, (2016).

30) Saibal, B., Chithiravel, S., Asha, S.K.

P4VP and oligo(phenylenevinylene)-perylenebisimide mixed donor-acceptor supramolecular comb polymer complexes with improved charge carrier mobility.

Journal of Polymer Science, Part A: Polymer Chemistry, 54 (15), 2403-2412, (2016).

31) Yin, Y., Jiao, S., Wang, Y., Zhang, R., Shi, Z., Hu, X.

Construction of an artificial glutathione peroxidase with temperature-dependent activity based on a supramolecular graft copolymer.

ChemBioChem, 16 (4), 670-676, (2015).

32) Altintas, O., Schulze-Suenninghausen, D., Luy, B., Barner-Kowollik, C.

ABC-type miktoarm star terpolymers accessed by H-bonding driven supramolecular self-assembly.

European Polymer Journal, 62, 409-417, (2015).

33) Yokozawa, T; Ohta, Y

Transformation of Step-Growth Polymerization into Living Chain-Growth Polymerization

CHEMICAL REVIEWS, 116, 1950-1968 (2016).

№ 21: V. Mitova, S. Slavcheva, **P. Shestakova**, D. Momekova, N. Stoyanov, G. Momekov, K. Troev, N. Koseva , Polyphosphoester conjugates of dinuclear platinum complex: synthesis and evaluation of cytotoxic and the proapoptotic activity, *Eur. J. Med. Chem.* 72, 127 – 136 (2014).

6 цитата

34) Sun, Y.-G., Sun, Y.-N., You, L.-X., Liu, Y.-N., Ding, F., Ren, B.-Y., Xiong, G., Dragutan, V., Dragutan, I.

Novel mononuclear Pt^{2+} and Pd^{2+} complexes containing (2,3-f)pyrazino(1,10)phenanthroline-2,3-dicarboxylic acid as a multi-donor ligand. Synthesis, structure, interaction with DNA, in vitro cytotoxicity, and apoptosis.

Journal of Inorganic Biochemistry, 164, 129-140, (2016).

35) Wolf, T., Steinbach, T., Wurm, F.R.

A Library of Well-Defined and Water-Soluble Poly(alkyl phosphonate)s with Adjustable Hydrolysis.

Macromolecules, 48 (12), 3853-3863, (2015).

36) Wang, Q.K.

Synthesis and in vitro cytotoxicity of novel dinuclear platinum(II) complexes

Asian Journal of Chemistry, 27 (5), 1692-1694, (2015).

37) Liu, J., Huang, W., Pang, Y., Yan, D.

Hyperbranched polyphosphates: synthesis, functionalization and biomedical applications.
Chemical Society Reviews, 44 (12), 3942-3953, (2015).

38) Steinmann, M., Markwart, J., Wurm, F.R.

Poly(alkylidene chlorophosphate)s via acyclic diene metathesis polymerization: A general platform for the postpolymerization modification of poly(phosphoester)s.
Macromolecules, 47 (24), 8506-8513, (2014).

39) Sobkowski, M., Kraszewski, A., Stawinski, J.

Recent advances in H-phosphonate chemistry. Part 1. H-phosphonate esters: Synthesis and basic reactions.
Topics in Current Chemistry, 361, 137-178, (2014).

№ 23: E. Stoyanova, V. Mitova, **P. Shestakova**, A. Kowalcuk, G. Momekov, D. Momekova, A. Marcinkowski, N. Koseva, Reversibly PEGylated nanocarrier for cisplatin delivery, *J. Inorg. Biochem.* 120, 54 – 62 (2013).

3 цитата

40) Qiu, J., Zhang, H., Wang, Z., Liu, S., Regenstein, J.M.

Response surface methodology for the synthesis of an Auricularia auriculajudae polysaccharides-CDDP complex.

International Journal of Biological Macromolecules, 93, 333-343, (2016).

41) Kim, J., Pramanick, S., Lee, D., Park, H., Kim, W.J.

Polymeric biomaterials for the delivery of platinum-based anticancer drugs.

Biomaterials Science, 3 (7), 1002-1017, (2015).

42) Cai, L.L., Qiu, N., Xiang, M.L., Tong, R.S., Yan, J.F., He, L., Shi, J.Y., Chen, T., Wen, J.L., Wang, W.W., Chen, L.J.

Improving aqueous solubility and antitumor effects by nanosized gambogic acid-mPEG2000 micelles.

International Journal of Nanomedicine, 9 (1), 243-255, (2014).

№ 24: P. Shestakova, R. Willem, E. Vassileva, Elucidation of the chemical and morphological structure of Double Network (DN) hydrogels by High Resolution Magic Angle Spinning (HRMAS) NMR, *Chem. Eur. J.* 17, 14867 – 14877 (2011).

10 цитата

43) Stewart, S.A., Backholm, M., Burke, N.A.D., Stöver, H.D.H.

Cross-Linked Hydrogels Formed through Diels-Alder Coupling of Furan- and Maleimide-Modified Poly(methyl vinyl ether- alt -maleic acid).

Langmuir, 32 (7), 1863-1870, (2016).

44) Wang, J., Liu, B., Ru, G., Bai, J., Feng, J.

Effect of Urea on Phase Transition of Poly(N-isopropylacrylamide) and Poly(N,N-diethylacrylamide) Hydrogels: A Clue for Urea-Induced Denaturation.

Macromolecules, 49 (1), 234-243, (2016).

- 45)** Kitiri, E.N., Rikkou-Kalourkoti, M., Sophocleous, M., Patrickios, C.S. Synthesis and characterization of robust double-networks based on end-linked, pH-responsive first networks. European Polymer Journal, 69, art. no. 6748, 573-583, (2015).
- 46)** Liao, C.-A., Wu, Q., Wei, Q.-C., Wang, Q.-G. Bioinorganic Nanocomposite Hydrogels Formed by HRP-GOx-Cascade-Catalyzed Polymerization and Exfoliation of the Layered Composites. *Chemistry - A European Journal*, 21 (36), 12620-12626, (2015).
- 47)** Noor, S.A.M., Sun, J., Macfarlane, D.R., Armand, M., Gunzelmann, D., Forsyth, M. Decoupled ion conduction in poly(2-acrylamido-2-methyl-1-propane-sulfonic acid) homopolymers. *Journal of Materials Chemistry A*, 2 (42), 17934-17943, (2014).
- 48)** Sasaki, M; Karikkineth, B.C.; Nagamine, K.; Kaji, H.; Nishizawa, M. Highly Conductive Stretchable and Biocompatible Electrode-Hydrogel Hybrids for Advanced Tissue Engineering. *Advanced Healthcare Materials* 3, 1919-1927, (2014).
- 49)** Valle, H., Rivas, B.L., Fernández, M., Mondaca, M.A., Aguilar, M.R., Román, J.S. Antibacterial activity and cytotoxicity of hydrogel-nanosilver composites based on copolymers from 2-acrylamido-2-methylpropanesulfonate sodium. *Journal of Applied Polymer Science*, 131 (3), art. no. 39644, (2014).
- 50)** Mohd Noor, S.A., Gunzelmann, D., Sun, J., MacFarlane, D.R., Forsyth, M. Ion conduction and phase morphology in sulfonate copolymer ionomers based on ionic liquid-sodium cation mixtures. *Journal of Materials Chemistry A*, 2 (2), 365-374, (2014).
- 51)** Kurosu, H., Yamanobe, T. Synthetic macromolecules *Nuclear Magnetic Resonance*, 42, 420-449, (2013).
- 52)** Valle, H., Rivas, B.L., Aguilar, M.R., Román, J.S. Preparation and characterization of hydrogel-nanosilver composites based on copolymers from sodium 2-acrylamido-2-methylpropanesulfonate *Journal of Applied Polymer Science*, 129 (2), 537-548, (2013).

№ 25: A. Kowalcuk, E. Stoyanova, V. Mitova, **P. Shestakova**, G. Momekov, D. Momekova, N. Koseva, Star-shaped nano-conjugates of cisplatin with high drug payload, *Int. J. Pharm.* 404, 220 – 230 (2011).

15 цитата

- 53)** Vergaro, V., Papadia, P., Leporatti, S., De Pascali, S.A., Fanizzi, F.P., Ciccarella, G. Synthesis of biocompatible polymeric nano-capsules based on calcium carbonate: A potential cisplatin delivery system *Journal of Inorganic Biochemistry*, 153, 284-292, (2015).

- 54)** Whitty, E.G., Maniego, A.R., Bentwitch, S.A., Guillaneuf, Y., Jones, M.R., Gaborieau, M., Castignolles, P.
Cellular Response to Linear and Branched Poly(acrylic acid)
Macromolecular Bioscience, 15 (12), 1724-1734, (2015).
- 55)** Duro-Castano, A., Movellan, J., Vicent, M.J.
Smart branched polymer drug conjugates as nano-sized drug delivery systems.
Biomaterials Science, 3 (10), 1321-1334, (2015).
- 56)** Abdel-Bar, H.M., Abdel-Reheem, A.Y., Osman, R., Awad, G.A.S., Mortada, N.
Defining cisplatin incorporation properties in thermosensitive injectable biodegradable hydrogel for sustained delivery and enhanced cytotoxicity.
International Journal of Pharmaceutics, 477 (1-2), 623-630, (2014).
- 57)** Libera, M., Formanek, P., Schellkopf, L., Trzebicka, B., Dworak, A., Stamm, M.
Amphiphilic dendritic copolymers of tert-butyl-glycidylether and glycidol as a nanocontainer for an anticancer ruthenium complex.
Journal of Polymer Science, Part A: Polymer Chemistry, 52 (24), 3488-3497, (2014).
- 58)** Gheybi, H., Niknejad, H., Entezami, A.A.
Polymer-metal complex nanoparticles-containing cisplatin and amphiphilic block copolymer for anticancer drug delivery.
Designed Monomers and Polymers, 17 (4), 334-344, (2014).
- 59)** Zhang, B., Zhang, L.-H.
Research progress on functionalized application of star polymers.
Xiandai Huagong/Modern Chemical Industry, 34 (10), 58-63, (2014).
- 60)** Seth, R., Singh, R.K., Seth, A.
Cisplatin in cancer management: New approaches for bypassing nephrotoxicity.
Signaling, Gene Regulation and Cancer, 475-496, (2012).
- 61)** Kaluerović, G.N., Dietrich, A., Kommera, H., Kuntsche, J., Mäder, K., Mueller, T., Paschke, R.
Liposomes as vehicles for water insoluble platinum-based potential drug: 2-(4-(Tetrahydro-2H-pyran-2-yloxy)-undecyl)-propane-1,3-diamminedichloroplatinum(II).
European Journal of Medicinal Chemistry, 54, pp. 567-572, (2012).
- 62)** Duan, S., Cai, S., Xie, Y., Bagby, T., Ren, S., Forrest, M.L.
Synthesis and characterization of a multiarm poly(acrylic acid) star polymer for application in sustained delivery of cisplatin and a nitric oxide prodrug.
Journal of Polymer Science, Part A: Polymer Chemistry, 50 (13), 2715-2724, (2012).
- 63)** Liu, J., Duong, H., Whittaker, M.R., Davis, T.P., Boyer, C.
Synthesis of functional core, star polymers via RAFT polymerization for drug delivery applications.
Macromolecular Rapid Communications, 33 (9), 760-766, (2012).
- 64)** Bogomilova, A., Gnther, M., Wagner, E., Hgele, G., Troev, K.

Synthesis and characterization of new platinum(II) phosphinate complexes.
Journal of Coordination Chemistry, 65 (6), 1093-1106, (2012).

65) Tran, T.H., Nguyen, C.T., Kim, D.-P., Lee, Y.-K., Huh, K.M.

Microfluidic approach for highly efficient synthesis of heparin-based bioconjugates for drug delivery.

Lab on a Chip - Miniaturisation for Chemistry and Biology, 12 (3), 589-594, (2012).

66) Zhao, L., Xu, F., Chen, H., Tang, G., Hu, X.

Polyethylene glycol-polyethylenimine-tetrachloroplatinum (IV): A novel conjugate with good abilities of antitumor and gene delivery.

Journal of Applied Polymer Science, 123 (3), 1509-1517, (2012).

67) Luo, S., Han, M., Cao, Y., Ling, C.

Thermoresponsive unimolecular polymeric micelles.

Progress in Chemistry, 23 (12), 2541-2549, (2011).

№ 26: L. Van Lokeren, R. Kerssebaum, R. Willem, **P. Denkova**, ERETIC implemented in Diffusion Ordered NMR as a diffusion reference: a clarification, *Magn. Reson.Chem.* 49, 137 – 139 (2011).

2 цитата

68) Hehn, M., Wagner, T., Hiller, W.

Direct quantification of molar masses of copolymers by online liquid chromatography under critical conditions-nuclear magnetic resonance and size exclusion chromatography-nuclear magnetic resonance.

Analytical Chemistry, 86 (1), 490-497, (2014).

69) Giraudeau, P., Tea, I., Remaud, G.S., Akoka, S.

Reference and normalization methods: Essential tools for the intercomparison of NMR spectra.

Journal of Pharmaceutical and Biomedical Analysis, 93, 3-16, (2014).

№ 28: J. Staneva, **P. Denkova**, M. Todorova, L. Evstatieva, Quantitative analysis of sesquiterpene lactones in extract of *Arnica montana* L. by ^1H NMR spectroscopy, *J. Pharm. Biomed. Anal.* 54, 94 – 99 (2011).

21 цитата

70) Chirumbolo, S., Bjørklund, G.

Commentary: Arnica montana effects on gene expression in a human macrophage cell line: Evaluation by quantitative real-time PCR.

Frontiers in Immunology, 7 (SEP), art. no. 280, (2016).

71) Mamadalieva, N.Z., Bobakulov, K.M., Vinciguerra, V., Tiezzi, A., Abdullaev, N.D., Nahar, L., Azimova, S.S., Sarker, S.D.

GC-MS and q-NMR based chemotaxonomic evaluation of two *Leonurus* species.

Phytochemical Analysis, 284-289, (2016).

72) Sharma, S., Arif, M., Nirala, R.K., Gupta, R., Thakur, S.C.

Cumulative therapeutic effects of phytochemicals in Arnica montana flower extract alleviated collagen-induced arthritis: Inhibition of both pro-inflammatory mediators and oxidative stress

Journal of the Science of Food and Agriculture, 96 (5), 1500-1510, (2016).

73) Choudhary, A., Sharma, R.J., Singh, I.P.

Determination of Major Sesquiterpene Lactones in Essential Oil of Inula racemosa and Saussurea lappa Using qNMR.

Journal of Essential Oil-Bearing Plants, 19 (1), 20-31, (2016).

74) Shen, S., Yang, X., Shi, Y.

Application of quantitative NMR for purity determination of standard ACE inhibitors.

Journal of Pharmaceutical and Biomedical Analysis, 114, 190-199, (2015).

75) Yang, Q., Qiu, H., Guo, W., Wang, D., Zhou, X., Xue, D., Zhang, J., Wu, S., Wang, Y.

Quantitative ^1H -NMR method for the determination of tadalafil in bulk drugs and its tablets.

Molecules, 20 (7), 12114-12124, (2015).

76) Ohtsuki, T., Sato, K., Abe, Y., Sugimoto, N., Akiyama, H.

Quantification of acesulfame potassium in processed foods by quantitative ^1H NMR.

Talanta, 131, 712-718, (2015).

77) Usui, K., Ikeda, T., Horibe, Y., Nakao, M., Hoshino, T., Mizushima, T.

Identification of HSP70-inducing activity in Arnica montana extract and purification and characterization of HSP70-inducers.

Journal of Dermatological Science, 78 (1), 67-75, (2015).

78) Song, Y.-L., Jing, W.-H., Chen, Y.-G., Yuan, Y.-F., Yan, R., Wang, Y.-T.

^1H nuclear magnetic resonance based-metabolomic characterization of Peucedani Radix and simultaneous determination of praeruptorin A and praeruptorin B.

Journal of Pharmaceutical and Biomedical Analysis, 93, 86-94, (2014).

79) Zhang, C., Zhang, T., Oyler, N.A., Youan, B.-B.C.

Direct and real-time quantification of tenofovir release from pH-sensitive microparticles into simulated biological fluids using ^1H nuclear magnetic resonance.

Journal of Pharmaceutical Sciences, 103 (4), 1170-1177, (2014).

80) Pljevljakušić, D., Janković, T., Jelačić, S., Novaković, M., Menković, N., Beatović, D., Dajić-Stevanović, Z.

Morphological and chemical characterization of Arnica montana L. under different cultivation models.

Industrial Crops and Products, 52, 233-244, (2014).

81) Giraudeau, P., Tea, I., Remaud, G.S., Akoka, S.

Reference and normalization methods: Essential tools for the intercomparison of NMR spectra

Journal of Pharmaceutical and Biomedical Analysis, 93, 3-16, (2014).

82) Van Duynhoven, J., van Velzen, E., Jacobs, D.M.

Quantification of complex mixtures by NMR.
Annual Reports on NMR Spectroscopy, 80, 181-236, (2013).

- 83)** Um, J.A., Choi, Y.-G., Lee, D.-K., Lee, Y.S., Lim, C.J., Youn, Y.A., Lee, H.D., Cho, H.J., Park, J.H., Seo, Y.B., Kuo, H.-C., Lim, J., Yang, T.-J., Kwon, S.W., Lee, J. Discrimination between genetically identical peony roots from different regions of origin based on ^1H -nuclear magnetic resonance spectroscopy-based metabolomics: Determination of the geographical origins and estimation of the mixing proportions of blended samples.
Analytical and Bioanalytical Chemistry, 405 (23), 7523-7534, (2013).
- 84)** Chauthe, S.K., Sharma, R.J., Aqil, F., Gupta, R.C., Singh, I.P. Quantitative NMR: An applicable method for quantitative analysis of medicinal plant extracts and herbal products.
Phytochemical Analysis, 23 (6), 689-696, (2012).
- 85)** Fan, G., Zhang, M.Y., Zhou, X.D., Lai, X.R., Yue, Q.H., Tang, C., Luo, W.Z., Zhang, Y. Quality evaluation and species differentiation of Rhizoma coptidis by using proton nuclear magnetic resonance spectroscopy.
Analytica Chimica Acta, 747, 76-83, (2012).
- 86)** Ohtsuki, T., Sato, K., Sugimoto, N., Akiyama, H., Kawamura, Y. Absolute quantification for benzoic acid in processed foods using quantitative proton nuclear magnetic resonance spectroscopy
Talanta, 99, 342-348, (2012).
- 87)** Petrova, M., Zayova, E., Vassilevska-Ivanova, R., Vlahova, M. Biotechnological approaches for cultivation and enhancement of secondary metabolites in Arnica montana L.
Acta Physiologiae Plantarum, 34 (5), 1597-1606, (2012).
- 88)** Ohtsuki, T., Sato, K., Sugimoto, N., Akiyama, H., Kawamura, Y. Absolute quantitative analysis for sorbic acid in processed foods using proton nuclear magnetic resonance spectroscopy.
Analytica Chimica Acta, 734, 54-61, (2012).
- 89)** Castro, F.C.B., Magre, A., Cherpinski, R., Zelante, P.M., Neves, L.M.G., Esquisatto, M.A.M., Mendonça, F.A.S., Santos, G.M.T. Effects of microcurrent application alone or in combination with topical Hypericum perforatum L. and Arnica montana L. on surgically induced wound healing in Wistar rats.
Homeopathy, 101 (3), 147-153, (2012).
- 90)** Pauli, G.F., Gödecke, T., Jaki, B.U., Lankin, D.C. Quantitative ^1H NMR. Development and potential of an analytical method: An update.
Journal of Natural Products, 75 (4), 834-851, (2012).

№30: S. Philipov, R. Istatkova, P. Denkova, S. Dangaa, J. Samdan, M. Krosnova, C. Munkh-Amgalan, Alkaloids from Mongolian species *Hypecoum Lactiflorum* Kar.et Kir. Pazij, *Nat. Prod. Res.* 23, 982 – 987 (**2009**).

3 цитата

- 91)** Zhang, R.-F., Zha, S., Yin, X., Bai, R.-F., Li, Y., Tu, P.-F., Chai, X.-Y. Phytochemical and pharmacological progress on Tibetan medicine Hypocoi Erecti Herba and plants of Hypocoum L. *Chinese Traditional and Herbal Drugs*, 47 (7), 1217-1224, (2016).
- 92)** Zhang, Q., Ma, T., Hu, N., Ding, C., Liang, Y., Li, W., Suo, Y., Ding, C. One step to separate five alkaloids from hypocoum leptocarpum by high-speed counter-current chromatography. *Journal of Chromatographic Science*, 54 (3), 466-471, (2016).
- 93)** Zhang, Q., Luan, G., Ma, T., Hu, N., Suo, Y., Wang, X., Ma, X., Ding, C. Application of chromatography technology in the separation of active alkaloids from Hypocoum leptocarpum and their inhibitory effect on fatty acid synthase. *Journal of Separation Science*, 38 (23), 4063-4070, (2015).

№ 31: P. Denkova, L. Van Lokeren, R. Willem, Mixed micelles of Triton X-100, sodium dodecyl dioxyethylene sulfate, and Synperonic L61 investigated by NOESY and Diffusion Ordered NMR Spectroscopy, *J. Phys. Chem. B* 113, 6703 – 6709 (2009).

25 цитата

- 94)** Senra, T.D.A., Khoukh, A., Desbrières, J. Interactions between quaternized chitosan and surfactant studied by diffusion NMR and conductivity. *Carbohydrate Polymers*, 156, 182-192, (2017).
- 95)** Lee, N.-M., Lee, B.-H. Effects of temperature and surfactant structure on the solubilisation of 4-chlorobenzoic acid by various surfactants. *Journal of Chemical Thermodynamics*, 101, 1-6, (2016).
- 96)** Lee, N.-M., Lee, B.-H. Thermodynamics on the micellization of various pure and mixed surfactants: Effects of head- and tail-groups. *Journal of Chemical Thermodynamics*, 95, 15-20, (2016).
- 97)** Malik, N.A. Surfactant–Amino Acid and Surfactant–Surfactant Interactions in Aqueous Medium: a Review. *Applied Biochemistry and Biotechnology*, 176 (8), 2077-2106, (2015).
- 98)** Thakkar, K., Bharatiya, B., Shah, D.O., Bahadur, P. Investigations on zwitterionic alkylsulfobetaines and nonionic triton X-100 in mixed aqueous solutions: Effect on size, phase separation and mixed micellar characteristics. *Journal of Molecular Liquids*, 209, 569-577, (2015).
- 99)** La Sorella, G., Strukul, G., Scarso, A. Recent advances in catalysis in micellar media.

Green Chemistry, 17 (2), 644-683, (2015).

100) Wojciechowski, K., Gutberlet, T., Raghuwanshi, V.S., Terry, A.

Reverse hydrotropy by complex formation

Physical Chemistry Chemical Physics, 17 (2), 1106-1113, (2015).

101) Martinez-Santiago, J., Totland, C., Ananthapadmanabhan, K.P., Tsaur, L., Somasundaran, P.

The nature of fatty acid interaction with a polyelectrolyte-surfactant pair revealed by nmr spectroscopy.

Langmuir, 30 (34), 10197-10205, (2014).

102) Lo, J.-T., Yen, H.-T., Tsai, C.-C., Chen, B.-H., Hou, S.-S.

Interaction between hydrophobically modified 2-hydroxyethyl cellulose and sodium dodecyl sulfate studied by viscometry and two-dimensional NOE NMR spectroscopy.

Journal of Physical Chemistry B, 118 (24), 6922-6930, (2014).

103) Zhang, J., Higashi, K., Ueda, K., Kadota, K., Tozuka, Y., Limwikrant, W., Yamamoto, K., Moribe, K.

Drug solubilization mechanism of α -glucosyl stevia by NMR spectroscopy.

International Journal of Pharmaceutics, 465 (1-2), 255-261, (2014).

104) Kharlamov, S.V., Voronin, M.A., Semenov, V.E., Gabdrakhmanov, D.R., Strobykina, A.S., Nikolaev, A.E., Reznik, V.S., Zakharova, L.Y., Konovalov, A.I.

Tunable biomimetic systems based on a novel amphiphilic pyrimidinophane and a helper nonionic surfactant.

Colloids and Surfaces B: Biointerfaces, 111, 218-223, (2013).

105) Keymeulen, F., De Bernardin, P., Dalla Cort, A., Bartik, K.

Paramagnetic relaxation enhancement experiments: A valuable tool for the characterization of micellar nanodevices.

Journal of Physical Chemistry B, 117 (39), 11654-11659, (2013).

106) Liu, W., Wu, J.-J.

Mixture pseudo-chromatographic separation by matrix-assisted diffusion ordered spectroscopy.

Journal of the Chemical Society of Pakistan, 35 (1), 77-81, (2013).

107) Dharaiya, N., Bahadur, P.

Phenol induced growth in Triton X-100 micelles: Effect of pH and phenols' hydrophobicity.

Colloids and Surfaces A: Physicochemical and Engineering Aspects, 410, 81-90, (2012).

108) Martín, V.I., Rodríguez, A., Graciani, M.D.M., Moyá, M.L.

Binary mixtures with novel monomeric and dimeric surfactants: Influence of the head group nature and number of hydrophobic chains on non-ideality.

Journal of Colloid and Interface Science, 368 (1), 326-335, (2012).

109) Park, I.J., Lee, B.H.

Mixed micellization of sodium dodecylbenzene sulfonate with polyoxyethylene lauryl ether surfactants (POLE4 and PORE23) in n-butanol aqueous solution.

Journal of Surfactants and Detergents, 15 (1), 41-46, (2012).

110) Zhang, J., Tozuka, Y., Uchiyama, H., Higashi, K., Moribe, K., Takeuchi, H., Yamamoto, K.

NMR investigation of a novel excipient, α -glucosylhesperidin, as a suitable solubilizing agent for poorly water-soluble drugs.

Journal of Pharmaceutical Sciences, 100 (10), 4421-4431, (2011).

111) Li, D., Song, J., Yin, P., Simotwo, S., Bassler, A.J., Aung, Y., Roberts, J.E., Hardcastle, K.I., Hill, C.L., Liu, T.

Inorganic-organic hybrid vesicles with counterion- and pH-controlled fluorescent properties.

Journal of the American Chemical Society, 133 (35), 14010-14016, (2011).

112) Ajmal Koya, P., Kabir-ud-Din

Studies on the mixed micelles of alkyltrimethylammonium bromides and butanediyl-1,4-bis(alkyldimethylammonium bromide) dimeric surfactants in the presence and absence of ethylene glycol at different temperatures.

Journal of Colloid and Interface Science, 360 (1), 175-181, (2011).

113) Lee, B.-H., Park, I.J.

Comparative study on the micellization of SDS/Brij 30, DBS/Brij 30, and SDS/DBS mixed surfactant systems in pure water.

Journal of the Korean Chemical Society, 55 (3), 379-384, (2011).

114) Botana, A., Aguilar, J.A., Nilsson, M., Morris, G.A.

J-modulation effects in DOSY experiments and their suppression: The Oneshot45 experiment

(2011) *Journal of Magnetic Resonance*, 208 (2), pp. 270-278.

115) Wu, S.-R., Löving, R., Lindqvist, B., Hebert, H., Koeck, P.J.B., Sjöberg, M., Garoff, H. Single-particle cryoelectron microscopy analysis reveals the HIV-1 spike as a tripod structure

PNAS, 107 (44), 18844-18849, (2010).

116) Cui, X., Jiang, Y., Yang, C., Lu, X., Chen, H., Mao, S., Liu, M., Yuan, H., Luo, P., Du, Y.

Mechanism of the Mixed Surfactant Micelle Formation.

Journal of Physical Chemistry B, 114 (23), 7808-7816, (2010).

117) Yang, K., Cheng, Y., Feng, X., Zhang, J., Wu, Q., Xu, T.

Insights into the interactions between dendrimers and multiple surfactants: 5. Formation of miscellaneous mixed micelles revealed by a combination of ^1H NMR, diffusion, and NOE analysis.

Journal of Physical Chemistry B, 114 (21), 7265-7273, (2010).

118) Park, I.-J., Lee, B.-H.

Comparative study on the mixed micellizations of anionic surfactant (DBS) with nonionic surfactants (Brij 30 and Brij 35).

Journal of the Korean Chemical Society, 53 (5), 491-498, (2009).

№ 32: A. Mavrova, D. Wesselinova, Y. Tsenov, **P. Denkova**, Synthesis, cytotoxicity and effects of some 1,2,4-triazole and 1,3,4-thiadiazole derivatives on immunocompetent cells, *Eur. J. Med. Chem.* 44, 63 – 69 (2009).

78 цитата

119) Ameri, A., Khodarahmi, G., Hassanzadeh, F., Forootanfar, H., Hakimelahi, G.-H.

Novel Aldimine-Type Schiff Bases of 4-Amino-5-[(3,4,5-trimethoxyphenyl)methyl]-1,2,4-triazole-3-thione/thiol: Docking Study, Synthesis, Biological Evaluation, and Anti-Tubulin Activity

Archiv der Pharmazie, pp. 662-681, (2016).

120) Reddy, S.R., Reddy, Ch.V.R., Satyanarayana, B.

Synthesis and characterization of novel pyridine associated 1,2,4-triazolo-1,3,4-thiadiazines
Asian Journal of Chemistry, 28 (8), 1708-1712, (2016).

121) Abdelhamid, A.O., Gomha, S.M., Abdelriheem, N.A., Kandeel, S.M.

Synthesis of new 3-heteroarylindoles as potential anticancer agents.

Molecules, 21 (7), art. no. 929, (2016).

122) Abbas, E.M.H., Gomha, S.M., Farghaly, T.A., Abdalla, M.M.

Synthesis of new thiazole derivatives as antitumor agents.

Current Organic Synthesis, 13 (3), 456-465, (2016).

123) Farghaly, T.A., Gomha, S.M., Sayed, A.R., Khedr, M.A.

Hydrazoneoyl halides as precursors for synthesis of bioactive thiazole and thiadiazole derivatives: Synthesis, molecular docking and pharmacological study.

Current Organic Synthesis, 13 (3), 445-455, (2016).

124) Ding, Y., Zhang, Z., Zhang, G., Mo, S., Li, Q., Zhao, Z.

Green synthesis and evaluation of the antitumor activity of a novel series of 3-[4-bi-(4-fluorophenyl)methylpiperazinyl]-4-amino-5-thione-1,2,4-triazole Schiff bases.

Research on Chemical Intermediates, 42 (4), 3105-3116, (2016).

125) Kaur, R., Dwivedi, A.R., Kumar, B., Kumar, V.

Recent developments on 1,2,4-triazole nucleus in anticancer compounds: A review.

Anti-Cancer Agents in Medicinal Chemistry, 16 (4), 465-489, (2016).

126) Byre Gowda, G., Pradeepa Kumara, C.S., Ramesh, N., Sadashiva, M.P., Junjappa, H. Base catalyzed reaction of ethyl thioglycolate with β -aryl- β -(methylthio) acroleins: A general method for the synthesis of 2-carbethoxy-5-substituted/4,5-annulated thiophenes in high overall yields.

Tetrahedron Letters, 57 (8), 928-931, (2016).

127) Salem, M.E., Darweesh, A.F., Farag, A.M., Elwahy, A.H.M.

2-Bromo-1-(1H-pyrazol-4-yl)ethanone: Versatile precursors for novel mono-, bis- and poly{6-(1H-pyrazol-4-yl)-[1,2,4]triazolo[3,4-b][1,3,4]thiadiazines}.
Tetrahedron, 72 (5), 712-719, (2016).

128) Hassan, M.F., Rauf, A.

Synthesis and multi-spectroscopic DNA binding study of 1,3,4-oxadiazole and 1,3,4-thiadiazole derivatives of fatty acid.
Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 153, 510-516, (2016).

129) Sayed, O.M., Mekky, A.E.M., Farag, A.M., Elwahy, A.H.M.

3,4-Bis(bromomethyl)thieno[2,3-b]thiophene: Versatile Precursors for Novel Bis(triazolothiadiazines), Bis(quinoxalines), Bis(dihydrooxadiazoles), and Bis(dihydrothiadiazoles).

Journal of Heterocyclic Chemistry, 53 (4), 1113-1120, (2016).

130) Shridévi, D.D., Ningaiah, S., Kuduva, N.U., Yhya, R.K., Rai, K.M.L.

Solvent-Free Green Synthesis of Azines and Their Conversion to 2,5-Disubstituted-1,3,4-thiadiazoles.

Synthetic Communications, 45 (24), 2869-2875, (2015).

131) Lamie, P.F., Philoppe, J.N., El-Gendy, A.O., Rarova, L., Gruz, J.

Design, synthesis and evaluation of novel phthalimide derivatives as in vitro anti-microbial, anti-oxidant and anti-inflammatory agents.

Molecules, 20 (9), 16620-16642, (2015).

132) Ginidi, A.R.S., Shaaban, M.R., Farag, A.M., Elwahy, A.H.M.

Bis(α -bromo ketones): Versatile Precursors for Novel Bis(s-triazolo[3,4-b][1,3,4]thiadiazines) and Bis(thiazoles).

Journal of Heterocyclic Chemistry, 52 (5), 1421-1428, (2015).

133) Balci, A., Arslan, M., Nixha, A.R., Bilen, C., Ergun, A., Gençer, N.

Synthesis and evaluation of N-heteroarylsubstituted triazolosulfonamides as carbonic anhydrase inhibitors.

Journal of Enzyme Inhibition and Medicinal Chemistry, 30 (3), 377-382, (2015).

134) Haider, S., Alam, M.S., Hamid, H.

1,3,4-Thiadiazoles: A potent multi targeted pharmacological scaffold.

European Journal of Medicinal Chemistry, 92, art. no. 7595, pp. 156-177, (2015).

135) Pokhodylo, N.T., Shyyka, O.Ya., Obushak, N.D.

Ethyl 2-Aminothiophene-3-Carboxylates in the Synthesis of Isomeric Thienopyridines.

Chemistry of Heterocyclic Compounds, 50 (12), 1748-1755, (2015).

136) Zhang, R., Lu, J., Xin, C., Liu, J., Mu, J., Yang, X., Wang, H., Wang, M., Zhang, H.

Synthesis and antibacterial activities of novel S- β -D-glucosides of 1,2,4-triazole.

Chinese Journal of Organic Chemistry, 35 (4), 858-864, (2015).

137) Dilmaghani, K.A., Pur, F.N., Nezhad, M.H.

Synthesis and antibacterial evaluation of new thione substituted 1,2,4-triazole schiff bases as novel antimicrobial agents.

Iranian Journal of Pharmaceutical Research, 14 (3), 693-699, (2015).

138) Gomha, S.M., Salah, T.A., Abdelhamid, A.O.

Synthesis, characterization, and pharmacological evaluation of some novel thiadiazoles and thiazoles incorporating pyrazole moiety as anticancer agents.

Monatshefte fur Chemie, 146 (1), 149-158, (2015).

139) Nikam, M.D., Mahajan, P.S., Damale, M.G., Sangshetti, J.N., Chate, A.V., Dabhade, S.K., Gill, C.H.

Novel amalgamation of 2-styrylchromones and 1,2,4-triazole: Synthesis, antimicrobial evaluation and docking study.

Letters in Drug Design and Discovery, 12 (8), 650-660, (2015).

140) Yüksek, H., Koca, E., Gürsoy-Kol, Ö., Akyıldırım, O., Çelebier, M.

Synthesis, in vitro antioxidant activity, and physicochemical properties of novel 4,5-dihydro-1H-1,2,4-triazol-5-one derivatives.

Journal of Molecular Liquids, 206, 359-366, (2015).

141) Gomha, S.M., Ahmed, S.A., Abdelhamid, A.O.

Synthesis and cytotoxicity evaluation of some novel thiazoles, thiadiazoles, and pyrido[2,3-d][1,2,4]triazolo[4,3-a]pyrimidin-5(1H)-ones incorporating triazole moiety.

Molecules, 20 (1), 1357-1376, (2015).

142) Küçükgüzel, Ş.G., Çikla-Süzgün, P.

Recent advances bioactive 1,2,4-triazole-3-thiones.

European Journal of Medicinal Chemistry, 97 (1), 830-870, (2015).

143) Revelant, G., Gadais, C., Mathieu, V., Kirsch, G., Hesse, S.

Synthesis and antiproliferative studies of 5-aryl-2-(3-thienylamino)-1,3,4-thiadiazoles.

Bioorganic and Medicinal Chemistry Letters, 24 (12), 2724-2727, (2014).

144) Hu, Y., Li, C.-Y., Wang, X.-M., Yang, Y.-H., Zhu, H.-L.

1,3,4-Thiadiazole: Synthesis, reactions, and applications in medicinal, agricultural, and materials chemistry.

Chemical Reviews, 114 (10), 5572-5610, (2014).

145) Rahman, M.A., Karim, M.R., Arifuzzaman, M., Siddiquee, T.A., Mirza, A.H.

ZnCl₂ catalyzed efficient synthesis of 1,3,4-oxadiazole and 1,3,4-thiadiazole.

Tetrahedron Letters, 55 (21), 3267-3273, (2014).

146) Mahmoud, M.R., Shiba, S.A., El-Ziaty, A.K., Abu El-Azm, F.S.M., Ismail, M.F.

Synthesis and reactions of novel 2,5-disubstituted 1,3,4-thiadiazoles.

Synthetic Communications, 44 (8), 1094-1102, (2014).

147) Trotsko, N., Wujec, M., Kosikowska, U., Malm, A.

Synthesis and antimicrobial evaluation of 1-{3-[furan-2-ylmethyl)sulfanyl]} propanoyl}-4-substituted thiosemicarbazides and their products of cyclization to 1,2,4-triazole ring.

Phosphorus, Sulfur and Silicon and the Related Elements, 189 (3), 293-299, (2014).

148) Krishna, B.G., Sarojini, B.K., Darshanraj, C.G.

Synthesis, characterization, molecular docking and evaluation of antibacterial, antiproliferative, and anti-inflammatory properties of new pyridinyl substituted triazole derivatives.

Der Pharma Chemica, 6 (4), 345-361, (2014).

149) Shukla, P.K., Soni, N., Verma, A., Jha, A.K.

Synthesis, characterization and in vitro biological evaluation of a series of 1,2,4-triazoles derivatives & triazole based schiff bases.

Der Pharma Chemica, 6 (3), pp. 153-160, (2014).

150) Guda, M.R., Gundala, S., Padmavathi, V., Padmaja, A.

An efficient synthesis of styryl 1,3,4-thiadiazoles using Lawesson's reagent and Propylphosphonic anhydride-precursors for bis heterocycles.

Arabian Journal of Chemistry, 7 (6), 947-954, (2014).

151) Sarhan, R.M., Badawy, M.A., Elwahy, A.H.M.

Efficient routes for the synthesis of novel bis(s-triazolo[3,4-b][1,3,4] thiadiazines).

Journal of Heterocyclic Chemistry, 51, E176-E182, (2014).

152) Rizwan, K., Zubair, M., Rasool, N., Ali, S., Zahoor, A.F., Rana, U.A., Khan, S.U.-D., Shahid, M., Zia-Ul-Haq, M., Jaafar, H.Z.E.

Regioselective synthesis of 2-(bromomethyl)-5-aryl-thiophene derivatives via palladium (0) catalyzed suzuki cross-coupling reactions: As antithrombotic and haemolytically active molecules.

Chemistry Central Journal, 8 (1), art. no. 74, (2014).

153) Heravi, M.M., Hamidi, H., Zadsirjan, V.

Recent applications of click reaction in the syntheses of 1,2,3-triazoles.

Current Organic Synthesis, 11 (5), 647-675, (2014).

154) Plech, T., Wujec, M., Kosikowska, U., Malm, A.

Synthesis and antibacterial activity of 4,5-disubstituted-1,2,4-triazole-3-thiones.

Letters in Drug Design and Discovery, 10 (10), 917-922, (2013).

155) Ali, S., Rasool, N., Ullah, A., Nasim, F.-U.-H., Yaqoob, A., Zubair, M., Rashid, U., Riaz, M.

Design and synthesis of arylthiophene-2-carbaldehydes via suzuki-miyaura reactions and their biological evaluation.

Molecules, 18 (12), 14711-14725, (2013).

156) Elwahy, A.H.M., Sarhan, R.M., Badawy, M.A.

Synthesis and characterization of poly([1,2,4]triazolyl- and [1,2,4]triazolo[3,4-b][1,3,4]thiadiazinylsulfanyl methyl)arenes: Novel multi-armed molecules.

Current Organic Synthesis, 10 (5), 786-790, (2013).

157) Hamama, W.S., Gouda, M.A., Badr, M.H., Zoorob, H.H.

Synthesis of some new fused and binary 1,3,4-thiadiazoles as potential antitumor and antioxidant agents.

Journal of Heterocyclic Chemistry, 50 (4), 787-794, (2013).

158) Franklim, T.N., Freire-De-Lima, L., De Nazareth Sá Diniz, J., Previato, J.O., Castro, R.N., Mendonça-Previato, L., De Lima, M.E.F.

Design, synthesis and trypanocidal evaluation of novel 1,2,4-triazoles-3-thiones derived from natural piperine.

Molecules, 18 (6), 6366-6382, (2013).

159) Ji, D., Lu, J., Xin, C., Peng, C., Mu, J., Li, J.

Synthesis and biological activities of novel 5-methyl-1,2,4-triazoles-3-thione.

Chinese Journal of Organic Chemistry, 33 (5), 1062-1068, (2013).

160) Gaber, M., El-Sayed, Y.S., El-Baradie, K.Y., Fahmy, R.M.

Complex formation, thermal behavior and stability competition between Cu(II) ion and Cu0 nanoparticles with some new azo dyes. Antioxidant and in vitro cytotoxic activity.

Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 107, 359-370, (2013).

161) Ji, D., Lu, J., Lu, B., Xin, C., Mu, J., Li, J., Peng, C., Bao, X.

Efficient synthesis and antimicrobial activity of some novel S- β -d-glucosides of 5-aryl-1,2,4-triazole-3-thiones derivatives.

Bioorganic and Medicinal Chemistry Letters, 23 (7), 1997-2000, (2013).

162) Bharti, A., Bharty, M.K., Kashyap, S., Singh, U.P., Butcher, R.J., Singh, N.K.

Hg(II) complexes of 4-phenyl-5-(3-pyridyl)-1,2,4-triazole-3-thione and 5-(4-pyridyl)-1,3,4-oxadiazole-2-thione and a Ni(II) complex of 5-(thiophen-2-yl)-1,3,4-oxadiazole-2-thione: Synthesis and X-ray structural studies.

Polyhedron, 50 (1), 582-591, (2013).

163) Gaber, M., El-Sayed, Y.S., El-Baradie, K., Fahmy, R.M.

Cu(II) complexes of monobasic bi- or tridentate (NO, NNO) azo dye ligands: Synthesis, characterization, and interaction with Cu-nanoparticles.

Journal of Molecular Structure, 1032, 185-194, (2013).

164) Amine, M.S., Mahmoud, A.A., Badr, S.K., Gouda, A.S.

Fatty acids in heterocyclic synthesis part XI: Facile and convenient routes to synthesize ecofriendly polyfunctionalized thiadiazoles, triazole, thiadiazolo [3,2-a] pyrimidines and imidazo [2,1-b] thiadiazole for pharmaceutical and industrial purposes.

Egyptian Journal of Chemistry, 56 (5-6), 379-400, (2013).

165) Kovalenko, S.I., Nosulenko, I.S., Alexey, Y., Berest, G.G., Antypenko, L.N., Antypenko, A.N., Katsev, A.M.

Substituted 2-[(2-Oxo-2H-[1,2,4]triazino [2,3-c]quinazolin-6-yl)thio]acetamides with thiazole and thiadiazole fragments: Synthesis, physicochemical properties, cytotoxicity, and anticancer activity.

Scientia Pharmaceutica, 80 (4), 837-865, (2012).

166) Oral, B., Rollas, S.

The synthesis and antitubercular activity of substituted hydrazone,2-pyrazoline-5-one and 2-isoxazoline-5-one derivatives possessing 1,3,4-thiadiazole moiety [1,3,4-Tiyadiazol halkası{dotless} içeren hidazon, 2-pirazol-5-on ve 2-izoksazol-5-on türevi bileşiklerin sentezi ve antitüberküller aktiviteleri].

Marmara Pharmaceutical Journal, 16 (3), 222-228, (2012).

167) Ghattas, A.E.-B.A.G., Moustafa, H.M., Hassanein, E.A.A., Hussein, B.R.M.

Synthesis and antibacterial activity of some new S-triazole derivatives.

Phosphorus, Sulfur and Silicon and the Related Elements, 187 (12), 1469-1481, (2012).

168) Çoruh, I., Rollas, S., Turan, S.Ö., Akbuğa, J.

Synthesis and evaluation of cytotoxic activities of some 1,4-disubstituted thiosemicarbazides, 2,5-disubstituted-1,3,4- thiadiazoles and 1,2,4-triazole-5-thiones derived from benzilic acid hydrazide [Benzilik asid hidrazidinden elde edilen bazi{dotless} 1,4-disübstítüe tiyosemikarbazidler, 2,5-disübstítüe-1,3,4-tiyadiazoller ve 1,2,4-triazol-5-tyionları{dotless}n sentezi ve sitotoksik aktivitelerinin değerlendirilmesi].

Marmara Pharmaceutical Journal, 16 (1), 56-63, (2012).

169) Singh, K., Kumar, Y., Puri, P., Sharma, C., Aneja, K.R.

Spectral, antimicrobial, and thermal studies of some transition metal complexes derived from bidentate ligands containing N and S donor atoms.

Phosphorus, Sulfur and Silicon and the Related Elements, 187 (12), 1498-1509, (2012).

170) Nageswar, Y.V.D., Reddy, K.H.V., Murthy, S.N., Kumar, A.A.

Recent advances in the synthesis of heterocyclic compounds in aqueous medium.

Water Condensation: Processes, Modeling and Control, 99-135, (2012).

171) Mahajan, N.S., Manikrao, A.M., Shinde, P.N., Jawarkar, R.D., Khatale, P.N., Dhawale, S.C.

A review: Biological importance of mercapto substituted 1,2,4-triazole derivatives.

Research Journal of Pharmacy and Technology, 5 (7), 863-876, (2012).

172) Wang, Q.P., Zhang, J.Q., Damu, G.L.V., Wan, K., Zhang, H.Z., Zhou, C.H.

Synthesis and biological activities of thio-triazole derivatives as novel potential antibacterial and antifungal agents.

Science China Chemistry, 55 (10), 2134-2153, (2012).

173) Shaaban, M.R., Elwahy, A.H.M.

Bis(α -bromo ketones): Versatile precursors for novel Bis(s-triazolo[3,4-b][1,3,4]thiadiazines) and Bis(as-triazino[3,4-b][1,3,4] thiadiazines)

Journal of Heterocyclic Chemistry, 49 (3), 640-645, (2012).

174) Datoussaid, Y., Othman, A.A., Kirsch, G.

Synthesis and antibacterial activity of some 5,5'-(1,4-phenylene)-bis-1,3, 4-oxadiazole and bis-1,2,4-triazole derivatives as precursors of new S-nucleosides.

South African Journal of Chemistry, 65, 30-35, (2012).

175) Chen, M., Wang, X.-F., Wang, S.-S., Feng, Y.-X., Chen, F., Yang, C.-L.

Synthesis, characterization and fungicidal activities of novel fluorinated 3,5-disubstituted-4H-1,2,4-triazol-4-amines.

Journal of Fluorine Chemistry, 135, 323-329, (2012).

176) Barbuceanu, S.-F., Saramet, G., Almajan, G.L., Draghici, C., Barbuceanu, F., Bancescu, G.

New heterocyclic compounds from 1,2,4-triazole and 1,3,4-thiadiazole class bearing diphenylsulfone moieties. Synthesis, characterization and antimicrobial activity evaluation.

European Journal of Medicinal Chemistry, 49, 417-423, (2012).

177) Trotsko, N., Król, J., Siwek, A., Wujec, M., Kosikowska, U., Malm, A.

Synthesis and antimicrobial evaluation of new 1-{[4-(4-Halogenophenyl)-4H-1,2,4-triazol-3-yl]sulfanyl}acetyl-4-substituted thiosemicarbazides and products of their cyclization.

Heteroatom Chemistry, 23 (1), 117-121, (2012).

178) Zhou, C.-H., Wang, Y.

Recent researches in triazole compounds as medicinal drugs.

Current Medicinal Chemistry, 19 (2), 239-280, (2012).

179) Rollas, S., Kokyan, Ş., Koçyiğit-Kaymakçıoğlu, B., Özbaş-Turan, S., Akbuğa, J.

Synthesis and evaluation of cytotoxic activities of some substituted isoxazolone derivatives [Sübstütüe izoksazolon türevlerinin sentezi ve sitotoksik aktivitelerinin değerlendirilmesi].

Marmara Pharmaceutical Journal, 15 (3), 94-99, (2011).

180) Singh, K., Kumar, Y., Puri, P., Sharma, C., Aneja, K.R.

Metal-based biologically active compounds: Synthesis, spectral, and antimicrobial studies of cobalt, nickel, copper, and zinc complexes of triazole-derived Schiff bases.

Bioinorganic Chemistry and Applications, 2011, art. no. 901716, (2011).

181) Faidallah, H.M., Khan, K.A., Asiri, A.M.

Synthesis and biological evaluation of new 3,5-di(trifluoromethyl)-1,2,4-triazolesulfonylurea and thiourea derivatives as antidiabetic and antimicrobial agents.

Journal of Fluorine Chemistry, 132 (11), 870-877, (2011).

182) Song, X.J., Shao, Y., Dong, X.G.

Microwave-assisted synthesis of some novel fluorinated pyrazolo[3,4-d] pyrimidine derivatives containing 1,3,4-thiadiazole as potential antitumor agents.

Chinese Chemical Letters, 22 (9), 1036-1038, (2011).

183) Ilinykh, E.S., Kim, D.G.

Iodocyclization of S-allyl derivatives of 3-mercaptop-4-methyl-1,2,4-triazole.

Khimiya Geterotsiklicheskikh Soedinenii, (5), 766-769, (2011).

184) Siddiqui, N., Ahsan, W., Alam, M.S., Ali, R., Jain, S., Azad, B., Akhtar, J.

Triazoles: As potential bioactive agents.

International Journal of Pharmaceutical Sciences Review and Research, 8 (1), 161-169, (2011).

185) Pierro, P., Bellone, G.

Bioactive compounds containing thiadiazole.
Current Bioactive Compounds, 6 (4), 243-265, (2011).

186) Karakuş, S., Çoruh, U., Barlas-Durgun, B., Vázquez-López, E.M., Özbaş-Turan, S., Akbuğa, J., Rollas, S.

Synthesis and cytotoxic activity of some 1,2,4-triazoline-3-thione and 2,5-disubstituted-1,3,4-thiadiazole derivatives [1,2,4-Triazolin-3-tiyon ve 2,5-disübstitüe-1,3,4-tiyadiazol türevlerinin sentezi ve sitotoksik aktiviteleri].

Marmara Pharmaceutical Journal, 14 (2), 84-90, (2010).

187) Wan, K., Zhou, C.-H.

Synthesis of novel halobenzyloxy and alkoxy 1,2,4-triazoles and evaluation for their antifungal and antibacterial activities.

Bulletin of the Korean Chemical Society, 31 (7), 2003-2010, (2010).

188) Aly, A.A., Brown, A.B., Abdel-Aziz, M., Abuo-Rahma, G.E.-D.A.A., Radwan, M.F., Ramadan, M., Gamal-Eldeend, A.M.

Synthesis of new 4-oxo-thiazolidine-5-ylidenes of antitumor and antioxidant activities.

Journal of Heterocyclic Chemistry, 47 (3), 547-554, (2010).

189) Akkurt, M., Çelik, İ., Cihan, G., Çapan, G., Büyükgüngör, O.

4-{3-[Hydr-oxy(phen-yl)meth-yl]-5-thioxo-4,5-dihydro-1H-1,2,4-triazol-4-yl}benzene sulfonamide.

Acta Crystallographica Section E: Structure Reports Online, 66 (4), o974-o975, (2010).

190) Aryanasab, F., Halimehjani, A.Z., Saidi, M.R.

Dithiocarbamate as an efficient intermediate for the synthesis of 2-amino-1,3,4-thiadiazoles in water.

Tetrahedron Letters, 51 (5), 790-792, (2010).

191) Shrivastava, K., Daniel, V., Kunwar, P.S., Goyal, S., Gupta, V.D.

Synthesis and biological activities of some novel 1,2,4-triazole [3,4-B][1,3,4] thiadiazole derivatives.

Journal of Global Pharma Technology, 2 (1), 72-80, (2010).

192) Mosselhi, M.A.N., Neidlein, R.

Nucleosides 515: Synthesis of novel 1,2,4-triazolo[3,4-c]-1,2,4-triazole nucleosides.

Nucleosides, Nucleotides and Nucleic Acids, 28 (11-12), 1095-1103, (2009).

193) Li, Z., Gu, Z., Yin, K., Zhang, R., Deng, Q., Xiang, J.

Synthesis of substituted-phenyl-1,2,4-triazol-3-thione analogues with modified d-glucopyranosyl residues and their antiproliferative activities.

European Journal of Medicinal Chemistry, 44 (11), 4716-4720, (2009).

194) Aly, A.A., Hassan, A.A., Ibrahim, Y.R., Abdel-Azizb, M.

Synthesis of [1,2,4]triazolo[3,4-b][1,3]thiazine-5-carboxylates via one-pot reaction of N-substituted-hydrazino-carbothioamides with diethyl maleate.

Journal of Heterocyclic Chemistry, 46 (4), 687-690, (2009).

- 195)** Aly, A.A., Brown, A.B., El-Emary, T.I., Mohamed Ewas, A.M., Ramadan, M. Hydrazinecarbothioamide group in the synthesis of heterocycles. *Arkivoc*, 2009 (1), 150-197, (2009).
- 196)** Burbuliene, M.M., Sakociute, V., Vainilavicius, P. Synthesis and characterization of new pyrimidine-based 1,3,4-Oxa(thia) diazoles, 1,2,4-triazoles and 4-thiazolidinones. *Arkivoc*, 2009 (12), 281-289, (2009).
- № 33:** L. Van Lokeren, R. Kerssebaum, R. Willem, P. Denkova, ERETIC implemented in Diffusion Ordered NMR as a diffusion reference, *Magn. Reson.Chem.* 46, S63 – S71 (**2008**).
11 цитата
- 197)** Oikonomou, M., Asencio-Hernández, J., Velders, A.H., Delsuc, M.-A. Accurate DOSY measure for out-of-equilibrium systems using permuted DOSY (p-DOSY). *Journal of Magnetic Resonance*, 258, 12-16, (2015).
- 198)** Monakhova, Y.B., Kohl-Himmelseher, M., Kuballa, T., Lachenmeier, D.W. Determination of the purity of pharmaceutical reference materials by ^1H NMR using the standardless PULCON methodology. *Journal of Pharmaceutical and Biomedical Analysis*, 100, 381-386, (2015).
- 199)** Hehn, M., Wagner, T., Hiller, W. Direct quantification of molar masses of copolymers by online liquid chromatography under critical conditions-nuclear magnetic resonance and size exclusion chromatography-nuclear magnetic resonance. *Analytical Chemistry*, 86 (1), 490-497, (2014).
- 200)** Giraudeau, P., Tea, I., Remaud, G.S., Akoka, S. Reference and normalization methods: Essential tools for the intercomparison of NMR spectra. *Journal of Pharmaceutical and Biomedical Analysis*, 93, 3-16, (2014).
- 201)** Gowda, G.A.N., Shanaiah, N., Raftery, D. Isotope enhanced approaches in metabolomics. *Advances in Experimental Medicine and Biology*, 992, 147-164, (2012).
- 202)** Marro, K.I., Lee, D., Shankland, E.G., Mathis, C.M., Hayes, C.E. Synthetic signal injection using a single radiofrequency channel. *Journal of Magnetic Resonance Imaging*, 34 (6), 1414-1421, (2011).
- 203)** Grosso, D., Ribot, F., Boissiere, C., Sanchez, C. Molecular and supramolecular dynamics of hybrid organic-inorganic interfaces for the rational construction of advanced hybrid nanomaterials. *Chemical Society Reviews*, 40 (2), 829-848, (2011).
- 204)** Marro, K.I., Lee, D., Shankland, E.G., Mark Mathis, C., Hayes, C.E., Friedman, S.D., Kushmerick, M.J.

Quantitative In vivo magnetic resonance spectroscopy using synthetic signal injection.
PLoS ONE, 5 (12), art. no. e15166, (2010).

205) Holzgrabe, U.

Quantitative NMR spectroscopy in pharmaceutical applications
Progress in Nuclear Magnetic Resonance Spectroscopy, 57 (2), 229-240, (2010).

206) Zhang, S., Nagana Gowda, G.A., Ye, T., Raftery, D.

Advances in NMR-based biofluid analysis and metabolite profiling.
Analyst, 135 (7), 1490-1498, (2010).

207) Sanchez, C., Rozes, L., Ribot, F., Laberty-Robert, C., Grosso, D., Sassoye, C., Boissiere, C., Nicole, L.

"Chimie douce": A land of opportunities for the designed construction of functional inorganic and hybrid organic-inorganic nanomaterials.

Comptes Rendus Chimie, 13 (1-2), 3-39, (2010).

№ 34: P. Denkova, L. Van Lokeren, I. Verbruggen, R. Willem, Self-aggregation and supramolecular structure investigations of Triton X-100 and SDP2S by NOESY and Diffusion Ordered NMR, *J. Phys. Chem. B* 112, 10935 – 10941 (**2008**).

25 цитата

208) Giorgio, G., Colafemmina, G., Mavelli, F., Murgia, S., Palazzo, G.

The impact of alkanes on the structure of Triton X100 micelles.

RSC Advances, 6 (1), 825-836, (2016).

209) Sar, P., Ghosh, A., Malik, S., Ray, D., Das, B., Saha, B.

Selective heteroaromatic nitrogen base promoted chromium(VI) oxidation of isomeric pentanols in aqueous micellar media at room temperature.

Journal of Industrial and Engineering Chemistry, 42, 53-62, (2016).

210) Qin, D., Liu, Z., Bai, H., Sun, D.D., Song, X.

A new nano-engineered hierarchical membrane for concurrent removal of surfactant and oil from oil-in-water nanoemulsion.

Scientific Reports, 6, art. no. 24365, (2016).

211) De Nicola, A., Kawakatsu, T., Rosano, C., Celino, M., Rocco, M., Milano, G.

Self-Assembly of Triton X-100 in Water Solutions: A Multiscale Simulation Study Linking Mesoscale to Atomistic Models.

Journal of Chemical Theory and Computation, 11 (10), 4959-4971, (2015).

212) Barbera, L., Gattuso, G., Kohnke, F.H., Notti, A., Pappalardo, S., Parisi, M.F., Pisagatti, I., Patanè, S., Micali, N., Villari, V.

Self-assembly of amphiphilic anionic calix[4]arenes and encapsulation of poorly soluble naproxen and flurbiprofen.

Organic and Biomolecular Chemistry, 13 (23), 6468-6473, (2015).

213) Zhang, R., Huang, G., Chen, L., Wu, W.

Studies on the Conformations and Hydrogen-Bonding Interactions of RGD Tri-peptide in Aqueous Solutions by Molecular Dynamics Simulations and 2D-NOESY Spectroscopy.
Journal of Solution Chemistry, 44 (6), art. no. 333, 1281-1291, (2015).

214) Hernandez Santiago, A.A., Buchelnikov, A.S., Rubinson, M.A., Yesylevskyy, S.O., Parkinson, J.A., Evstigneev, M.P.

Shape-independent model (SHIM) approach for studying aggregation by NMR diffusometry.
Journal of Chemical Physics, 142 (10), art. no. 104202, (2015).

215) Kurniasih, I.N., Liang, H., Mohr, P.C., Khot, G., Rabe, J.P., Mohr, A.

Nile red dye in aqueous surfactant and micellar solution.

Langmuir, 31 (9), pp. 2639-2648, (2015).

216) La Sorella, G., Strukul, G., Scarso, A.

Recent advances in catalysis in micellar media.

Green Chemistry, 17 (2), 644-683, (2015).

217) Huang, G., Zhang, R., Zeng, W., Chen, L., Wu, W.

Conformations and interactions of ACE inhibitor tripeptide in aqueous and DMSO solution by all-atom MD simulations and 2D-NMR spectra.

Journal of Molecular Liquids, 206, 75-81, (2015).

218) Gattuso, G., Notti, A., Pappalardo, S., Parisi, M.F., Pisagatti, I., Patanè, S.

Encapsulation of monoamine neurotransmitters and trace amines by amphiphilic anionic calix [5] arene micelles.

New Journal of Chemistry, 38 (12), 5983-5990, (2014).

219) Daful, A.G., Mackie, A.D.

Micellar morphological transformations for a series of linear diblock model surfactants.

Journal of Chemical Physics, 140 (10), art. no. 104905, (2014).

220) Martins, L., Arrais, M., De Souza, A., Marsaioli, A.

^1H NMR studies of binary and ternary dapsone supramolecular complexes with different drug carriers: EPC liposome, SBE- β -CD and β -CD.

Magnetic Resonance in Chemistry, 52 (11), 665-672, (2014).

221) Zhang, R., Huang, G., Zeng, W., Wu, W.

Conformations of oxidized glutathione in aqueous urea solution by all-atom molecular dynamic simulations and 2D-NOESY spectrum.

Journal of Solution Chemistry, 42 (11), 2229-2239, (2013).

222) Arkhipov, V.P., Potapova, E.F., Antzutkin, O.N., Filippov, A.V.

Micelle structure and molecular self-diffusion in isonylphenol ethoxylate-water systems.

Magnetic Resonance in Chemistry, 51 (7), 424-430, (2013).

223) Friedrich, L.C., Silva, V.O., Moreira Jr., P.F., Tcacenco, C.M., Quina, F.H.

Time-resolved fluorescence quenching studies of sodium lauryl ether sulfate micelles

(2013) *Journal of the Brazilian Chemical Society*, 24 (2), pp. 241-245.

- 224)** Liu, W., Wu, J.-J.
Mixture pseudo-chromatographic separation by matrix-assisted diffusion ordered spectroscopy.
Journal of the Chemical Society of Pakistan, 35 (1), 77-81, (2013).
- 225)** Gattuso, G., Notti, A., Pappalardo, A., Pappalardo, S., Parisi, M.F., Puntoriero, F.
A supramolecular amphiphile from a new water-soluble calix[5]arene and n-dodecylammonium chloride.
Tetrahedron Letters, 54 (2), 188-191, (2013).
- 226)** Hu, J., Xu, T., Cheng, Y.
NMR insights into dendrimer-based host-guest systems.
Chemical Reviews, 112 (7), 3856-3891, (2012).
- 227)** Zhang, R., Zeng, W., Meng, X., Huang, J., Wu, W.
Molecular dynamics simulations and 2D NOESY spectrum study on the different behaviors of glutathione disulfide in different solutions.
Chemical Physics, 402, 130-135, (2012).
- 228)** Daful, A.G., Avalos, J.B., Mackie, A.D.
Model shape transitions of micelles: Spheres to cylinders and disks.
Langmuir, 28 (8), 3730-3743, (2012).
- 229)** Cassani, J., Nilsson, M., Morris, G.A.
Flavonoid mixture analysis by matrix-assisted diffusion-ordered spectroscopy
Journal of Natural Products, 75 (2), 131-134, (2012).
- 230)** Kowalewski, J.
Nuclear spin relaxation in liquids and gases.
Nuclear Magnetic Resonance, 40, 205-253, (2011).
- 231)** Mukherjee, D., May, M., Khomami, B.
Detergent-protein interactions in aqueous buffer suspensions of Photosystem I (PS I).
Journal of Colloid and Interface Science, 358 (2), 477-484, (2011).
- 232)** Noh, K.-M., Kim, E.-K., Lee, Y.-K., Sung, Y.-M.
Effect of post-CMP cleaning on electrochemical characteristics of Cu and Ti in patterned wafer
Korean Journal of Materials Research, 19 (3), 174-178, (2009).

№ 35: P. Denkova, N. Vassilev, L. Van Lokeren, R. Willem, Investigation of the dynamic stereochemistry of dimesityl-2,4,6-trimethoxyphenylmethane by Complete Lineshape Analysis and 2D EXSY NMR spectroscopy, *Magn. Reson. Chem.* 46, 362 – 369 (2008).

3 цитата

- 233)** Ababneh-Khasawneh, M., Fortier-Mcgill, B.E., Occhionorelli, M.E., Bain, A.D.
Solvent effects on chemical exchange in a push-pull ethylene as studied by NMR and electronic structure calculations.
Journal of Physical Chemistry A, 115 (26), 7531-7537, (2011).

234) De Crisci, A.G., Annibale, V.T., Hamer, G.K., Lough, A.J., Fekl, U. Characterization of a rhodium-sparteine complex, [((-)-sparteine) Rh(η 4-COD)]⁺: Crystal structure and DNMR/DFT studies on ligand-rotation dynamics
Dalton Transactions, 39 (11), 2888-2902, (2010).

235) Király, P., Soós, T., Varga, S., Vakulya, B., Tárkányi, G. Self-association promoted conformational transition of (3R,4S,8R,9R)-9-[(3, 5-bis(trifluoromethyl)phenyl))-thiourea](9-deoxy)-epi-cinchonine.
Magnetic Resonance in Chemistry, 48 (1), 13-19, (2010).

№ 36: M. Todorova, J. Staneva, **P. Denkova**, L. Evstatieva, Irregular linear sesquiterpene dilactones from Anthemis auriculata Boiss, *Nat. Prod. Res.* 22, 907 – 914 (**2008**).

3 цитата

236) Wang, B., Wang, L., Li, Y., Liu, Y. Heterocyclic terpenes: Linear furano- and pyrroloterpenoids.
RSC Advances, 4 (24), pp. 12216-12234, (2014).

237) Cheng, X.-R., Shao, W.-H., Zhang, S.-D., Wang, G.-W., Shan, L., Shen, Y.-H., Sun, Q.-Y., Jin, H.-Z., Zhang, W.-D. Winolides A-C, bioactive sesquiterpene lactones with unusual 5,6-secoeudesmane frameworks from Inula wissmanniana.
RSC Advances, 4 (64), 33815-33818, (2014).

238) Fraga, B.M. Natural sesquiterpenoids.
Natural Product Reports, 26 (9), 1125-1155, (2009).

Статия 37: A. Mavrova, **P. Denkova**, Y. Tsenov, K. Anichina, D. Vutchev, Synthesis and antitrichinellosis activity of some bis(benzimidazol-2-yl)amines, *Bioorg. Med. Chem.* 15, 6291 – 6297 (**2007**).

39 цитата

239) El-Sayed, T.H., Aboelnaga, A., Hagar, M. Ball milling assisted solvent and catalyst free synthesis of benzimidazoles and their derivatives.
Molecules, 21 (9), art. no. 1111, (2016).

240) Abdel-Aziz, H.A., Eldehna, W.M., Ghabbour, H., Al-Ansary, G.H., Assaf, A.M., Al-Dhyyan, A. Synthesis, crystal study, and anti-proliferative activity of some 2-benzimidazolylthioacetophenones towards triple-negative breast cancer MDA-MB-468 cells as apoptosis-inducing agents.
International Journal of Molecular Sciences, 17 (8), art. no. 1221, (2016).

241) Lee, S.-Y., Perotti, A., De Jonghe, S., Herdewijn, P., Hanck, T., Müller, C.E. Thiazolo[3,2-a]benzimidazol-3(2H)-one derivatives: Structure-activity relationships of selective nucleotide pyrophosphatase/phosphodiesterase1 (NPP1) inhibitors.

Bioorganic and Medicinal Chemistry, 24 (14), 3157-3165, (2016).

242) Desai, N.C., Shihory, N., Bhatt, M., Patel, B., Karkar, T.

Studies on Antimicrobial Evaluation of Some 1-((1-(1H-Benzo[d]imidazol-2-yl)ethylidene)amino)-6-((arylidene)amino)-2-oxo-4-phenyl-1,2-dihydropyridine-3,5-dicarbonitriles.

Synthetic Communications, 45 (23), 2701-2711, (2015).

243) Abdel-Aziz, H.A., Ghabbour, H.A., Eldehna, W.M., Al-Rashood, S.T.A., Al-Rashood, K.A., Fun, H.-K., Al-Tahhan, M., Al-Dhfyan, A.

2-((Benzimidazol-2-yl)thio)-1-arylethan-1-ones: Synthesis, crystal study and cancer stem cells CD133 targeting potential.

European Journal of Medicinal Chemistry, 104, 1-10, (2015).

244) Abd El-Meguid, E.A.

Synthesis and antimicrobial evaluation of some novel sulfamoyl and triazole derivatives incorporating a 4-benzimidazol-2-YL moiety.

International Journal of Pharmacy and Technology, 7 (3), 10014-10028, (2015).

245) Keri, R.S., Hiremathad, A., Budagumpi, S., Nagaraja, B.M.

Comprehensive review in current developments of benzimidazole-based medicinal chemistry.

Chemical Biology and Drug Design, 86 (1), 799-845 (2015)

246) Azam, M., Khan, A.A., Al-Resayes, S.I., Islam, M.S., Saxena, A.K., Dwivedi, S., Musarrat, J., Trzesowska-Kruszynska, A., Kruszynski, R.

Synthesis and characterization of 2-substituted benzimidazoles and their evaluation as anticancer agent.

Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 142, 286-291 (2015).

247) Ahmadian, H., Veisi, H., Karami, C., Sedrpoushan, A., Nouri, M., Jamshidi, F., Alavoon, I.

Cobalt manganese oxide nanoparticles as recyclable catalyst for efficient synthesis of 2-aryl-1-arylmethyl-1H-1,3-benzimidazoles under solvent-free conditions.

Applied Organometallic Chemistry, 29 (5), 266-269, (2015).

248) Shobana, S., Subramaniam, P., Dharmaraja, J., Narayan, A.

Morphological and pharmacological investigation on some biopotent materials derived from substituted pyrimidine and imidazole enzyme constituents.

Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 126, 242-253, (2014).

249) Ren, J., Liu, X., Yang, Z., Zhao, S.

Thermal properties and DNA-binding studies of a new kind of acyl hydrazone compounds containing imidazole ring.

Thermochimica Acta, 582, 17-24, (2014).

250) Noolvi, M., Agrawal, S., Patel, H., Badiger, A., Gaba, M., Zambre, A.

Synthesis, antimicrobial and cytotoxic activity of novel azetidine-2-one derivatives of 1H-benzimidazole.

Arabian Journal of Chemistry, 7 (2), 219-226, (2014).

251) Nofal, Z.M., Soliman, E.A., Abd El-Karim, S.S., El-Zahar, M.I., Srour, A.M., Sethumadhavan, S., Maher, T.J.

Synthesis of some new benzimidazole-thiazole derivatives as anticancer agents.

Journal of Heterocyclic Chemistry, 51 (6), 1797-1806, (2014).

252) Xu, J., Li, J., Wei, Z., Zhang, Q., Shi, D.

Amide as nitrogen source: Amination and mechanism

Chinese Journal of Organic Chemistry, 33 (11), 2435-2439, (2013).

253) Garud, S.B., Shinde, L.P.

Synthesis, characterization antimicrobial investigations of copper (II) complexes with some benzylbenzimidazole derivatives.

Research Journal of Pharmaceutical, Biological and Chemical Sciences, 4 (4), 1285-1290, (2013).

254) Whalen, K.L., Chau, A.C., Spies, M.A.

In silico optimization of a fragment-based hit yields biologically active, high-efficiency inhibitors for glutamate racemase.

ChemMedChem, 8 (10), 1681-1689, (2013).

255) Gondal, H.Y., Ali, M.

New antibacterial diazotized derivatives of 5-amino azaheterocycles

Journal of the Chemical Society of Pakistan, 35 (5), 1343-1348, (2013).

256) Xu, J., Li, J., Wei, Z., Zhang, Q., Shi, D.

Direct amination of azoles using CuCl₂ complexes of amines under mild conditions.

RSC Advances, 3 (25), 9622-9624, (2013).

257) Zhu, G.-Z., Lu, Z.-S., Shi, H.-L., Wang, X.-S.

Crystal structure of 1-methyl-5-(trifluoromethyl)-1H-benzo[d]imidazole-2(3H)-thione, C₉H₇F₃N₂S.

Zeitschrift fur Kristallographie - New Crystal Structures, 228 (2), 187-188, (2013).

258) Shobana, S., Dharmaraja, J., Selvaraj, S.

Mixed ligand complexation of some transition metal ions in solution and solid state: Spectral characterization, antimicrobial, antioxidant, DNA cleavage activities and molecular modeling.

Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 107, 117-132, (2013).

259) Ji, Z., Liu, F., Zhang, Z., Li, F., Jiang, L.

Synthesis and antifungal activity of novel 2-(1H-benzimidazol-2-yl)-5-substituted-1,3,4-oxadiazole derivatives.

Chinese Journal of Organic Chemistry, 32 (11), 2129-2133, (2012).

- 260)** Mahesh Kumar, N.D., Dubey, P.K.
An expeditious microwave-assisted synthesis of mercapto benzazoles, quinazolinone and oxadiazoles.
Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry, 51 (11), 1619-1622, (2012).
- 261)** Bansal, Y., Silakari, O.
The therapeutic journey of benzimidazoles: A review.
Bioorganic and Medicinal Chemistry, 20 (21), 6208-6236, (2012).
- 262)** Desai, N.C., Dodiya, A.M., Makwana, A.H.
Antimicrobial screening of novel synthesized benzimidazole nucleus containing 4-oxo-thiazolidine derivatives.
Medicinal Chemistry Research, 21 (9), 2320-2328, (2012).
- 263)** Vaidehi, B.N.B., Gnana Deepika, K.
Synthesis and biological evaluation of 2-substituted benzimidazoles.
(2012) International Journal of Pharma and Bio Sciences, 3 (3), pp. P26-P31.
- 264)** Özdemir, N.
Structural and spectroscopic characterization of 2-mesyl-1H-benzo[d] imidazol-3-ium chloride: A combined experimental and theoretical analysis.
Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 91, 51-60, (2012).
- 265)** Roopashree, B., Gayathri, V., Mukund, H.
Synthesis, characterization, and biological activities of zinc, cadmium, copper, and nickel complexes containing meta -aminophenyl benzimidazole.
Journal of Coordination Chemistry, 65 (8), 1354-1370, (2012).
- 266)** Sondhi, S.M., Rani, R., Roy, P., Agrawal, S.K., Saxena, A.K.
Synthesis, anti-inflammatory, and anticancer activity evaluation of some heterocyclic amidine and bis-amidine derivatives.
Journal of Heterocyclic Chemistry, 48 (4), 921-926, (2011).
- 267)** Ansari, K.F., Lal, C., Khitoliya, R.K.
Synthesis and biological activity of some triazole-bearing benzimidazole derivatives.
Journal of the Serbian Chemical Society, 76 (3), 341-352, (2011).
- 268)** Özdemir, N., Eren, B., Dinçer, M., Bekdemir, Y.
Quantum-chemical, IR, NMR, and X-ray diffraction studies on 2-(4-chlorophenyl)-1-methyl-1H-benzo[d]imidazole.
International Journal of Quantum Chemistry, 111 (12), 3112-3124, (2011).
- 269)** Srivastava, S.K., Sonwane, S.K., Verma, S.
Synthesis of novel substituted -5-methyl-oxo-1,3-thiazolidine derivatives of 2-methylbenzimidazole: Conventional and greener approach.
International Journal of Pharmaceutical Sciences, 2 (3), 656-663, (2010).
- 270)** Ozdemir, N., Eren, B., Dincer, M., Bekdemir, Y.

Experimental and ab initio computational studies on 4-(1H-benzo[d]imidazol- 2-yl)-N,N-dimethylaniline.

(2010) Molecular Physics, 108 (1), pp. 13-24.

271) Ansari, K.F., Lal, C.

Synthesis and biological activity of some heterocyclic compounds containing benzimidazole and beta-lactam moiety.

Journal of Chemical Sciences, 121 (6), 1017-1025, (2009).

272) Ansari, K.F., Lal, C.

Synthesis, physicochemical properties and antimicrobial activity of some new benzimidazole derivatives.

European Journal of Medicinal Chemistry, 44 (10), 4028-4033, (2009).

273) Sánchez-Guadarrama, O., López-Sandoval, H., Sánchez-Bartéz, F., Gracia-Mora, I., Höpfl, H., Barba-Behrens, N.

Cytotoxic activity, X-ray crystal structures and spectroscopic characterization of cobalt(II), copper(II) and zinc(II) coordination compounds with 2-substituted benzimidazoles.

Journal of Inorganic Biochemistry, 103 (9), 1204-1213, (2009).

274) Deng, X., McAllister, H., Mani, N.S.

Cu-catalyzed amination of arylhalides with guanidines or amidines: A facile synthesis of 1-H-2-substituted benzimidazoles.

Journal of Organic Chemistry, 74 (15), 5742-5745, (2009).

275) Wang, D.-C., Mi, S., Xu, W., Jiang, L., Huang, X.-M.

¹H-Benzimidazole-2(3H)-thione.

Acta Crystallographica Section E: Structure Reports Online, 65 (4), o756, (2009).

276) Neyts, J., De Clercq, E., Singha, R., Chang, Y.H., Das, A.R., Chakraborty, S.K., Hong, S.C., Tsay, S.-C., Hsu, M.-H., Hwu, J.R.

Structure-activity relationship of new anti-hepatitis C virus agents: Heterobicycle-coumarin conjugates.

Journal of Medicinal Chemistry, 52 (5), 1486-1490, (2009).

277) Thakuria, H., Das, G.

An expeditious one-pot solvent-free synthesis of benzimidazole derivatives.

Arkivoc, 2008 (15), 321-328, (2008).

№ 38: S. Emin, **P. Denkova**, K. Papazova, C. Dushkin, E. Adachi, Study of reverse micelles of di-isobutyl phenoxyethoxyethyl dimethylbenzylammonium methacrylate in benzene by Nuclear Magnetic Resonance Spectroscopy, *J. Colloid Interface Sci.* 305, 133 – 141 (2007).

14 цитата

278) Orban, D.E., Moretti, A., Uhrich, K.E.

Spatial location of indomethacin associated with unimeric amphiphilic carrier macromolecules as determined by nuclear magnetic resonance spectroscopy.

Magnetic Resonance in Chemistry, 575-583, (2016).

- 279)** Li, S.-X., Yuan, X.-Z., Leng, L.-J., Wang, X.-L., Zhu, R., Fu, L.-H., Li, H., Zeng, G.-M. Study on the solubilization capacity of bio-oil in diesel by microemulsion technology. *Zhongguo Huanjing Kexue/China Environmental Science*, 35 (3), 783-791, (2015).
- 280)** Ma, Y.-J., Yuan, X.-Z., Xin-Peng, Hou-Wang, Huang, H.-J., Shan-Bao, Huan-Liu, Xiao, Z.-H., Zeng, G.-M. The pseudo-ternary phase diagrams and properties of anionic-nonionic mixed surfactant reverse micellar systems. *Journal of Molecular Liquids*, 203, 181-186, (2015).
- 281)** Lo, J.-T., Yen, H.-T., Tsai, C.-C., Chen, B.-H., Hou, S.-S. Interaction between hydrophobically modified 2-hydroxyethyl cellulose and sodium dodecyl sulfate studied by viscometry and two-dimensional NOE NMR spectroscopy. *Journal of Physical Chemistry B*, 118 (24), 6922-6930, (2014).
- 282)** Zhang, J., Higashi, K., Ueda, K., Kadota, K., Tozuka, Y., Limwikrant, W., Yamamoto, K., Moribe, K. Drug solubilization mechanism of α -glucosyl stevia by NMR spectroscopy. *International Journal of Pharmaceutics*, 465 (1-2), 255-261, (2014).
- 283)** Wang, X.-L., Yuan, X.-Z., Huang, H.-J., Leng, L.-J., Li, H., Peng, X., Wang, H., Liu, Y., Zeng, G.-M. Study on the solubilization capacity of bio-oil in diesel by microemulsion technology with Span80 as surfactant. *Fuel Processing Technology*, 118, 141-147, (2014).
- 284)** Klíčová, L., Šebej, P., Štacko, P., Filippov, S.K., Bogomolova, A., Padilla, M., Klán, P. CTAB/water/Chloroform reverse micelles: A closed or open association model? *Langmuir*, 28 (43), 15185-15192, (2012).
- 285)** Zhang, J., Tozuka, Y., Uchiyama, H., Higashi, K., Moribe, K., Takeuchi, H., Yamamoto, K. NMR investigation of a novel excipient, α -glucosylhesperidin, as a suitable solubilizing agent for poorly water-soluble drugs. *Journal of Pharmaceutical Sciences*, 100 (10), 4421-4431, (2011).
- 286)** Hou, S.-S., Tzeng, J.-K., Chuang, M.-H. Intermolecular association and supramolecular structures of PVNF-LiPFN and PVP-LiPFN complexes in the aqueous phase. *Soft Matter*, 6 (2), 409-415, (2010).
- 287)** Hu, J.-Q., Kuang, Y.-F., Zhou, H.-H., Sun, L., Han, X., Zhang, M.-S., Chen, J.-H. Conductivity of AOT/Triton X-100 mixed reverse micelles. *Wuli Huaxue Xuebao/ Acta Physico - Chimica Sinica*, 26 (8), 2205-2210, (2010).
- 288)** Pradhan, S., Brown, L.E., Konopelski, J.P., Chen, S. Janus nanoparticles: Reaction dynamics and NOESY characterization. *Journal of Nanoparticle Research*, 11 (8), 1895-1903, (2009).

- 289)** Petrenko, V.I., Bulavin, L.A., Avdeev, M.V., Aksenov, V.L., Rosta, L. Neutron investigations of magnetite-oleic acid-benzene ferrofluids stability with the excess of surfactant. *Journal of Physical Studies*, 12 (3), (2008).
- 290)** Rodrigues, G.D., da Silva, M.d.C.H., da Silva, L.H.M., Paggioli, F.J., Minim, L.A., Reis Coimbra, J.S.d. Liquid-liquid extraction of metal ions without use of organic solvent *Separation and Purification Technology*, 62 (3), 687-693, (2008).
- 291)** Tzeng, J.-K., Hou, S.-S. Interactions between poly(N-vinylformamide) and sodium dodecyl sulfate as studied by fluorescence and two-dimensional NOE NMR spectroscopy. *Macromolecules*, 41 (4), 1281-1288, (2008).
- № 39:** A. Mavrova, K. Anichina, D. Vuchev, J. Tsenev, **P. Denkova**, M. Kondeva, M. Micheva, Antihelminthic activity of some newly synthesized 5(6)-(un)substituted-1*H*-benzimidazol-2-ylthioacetyl piperazine derivatives, *Eur. J. Med. Chem.* 41, 1412 – 1420 (**2006**).
- 57 цитата**
- 292)** Menon, V.V., Foto, E., Mary, Y.S., Karatas, E., Panicker, C.Y., Yalcin, G., Armaković, S., Armaković, S.J., Van Alsenoy, C., Yildiz, I. Vibrational spectroscopic analysis, molecular dynamics simulations and molecular docking study of 5-nitro-2-phenoxy methyl benzimidazole. *Journal of Molecular Structure*, 1129, 86-97, (2017).
- 293)** Siddiqui, N., Alam, M.S., Ali, R., Yar, M.S., Alam, O. Synthesis of new benzimidazole and phenylhydrazinecarbothiomeide hybrids and their anticonvulsant activity. (2016) *Medicinal Chemistry Research*, 25 (7), pp. 1390-1402.
- 294)** Dinparast, L., Valizadeh, H., Bahadori, M.B., Soltani, S., Asghari, B., Rashidi, M.-R. Design, synthesis, α -glucosidase inhibitory activity, molecular docking and QSAR studies of benzimidazole derivatives. *Journal of Molecular Structure*, 1114, 84-94, (2016).
- 295)** Salah, A.M.B., Naïli, H., Arczyński, M., Fitta, M. 0D and 1D copper(II) coordination polymers based on 2-methyl-1*H*-imidazole: Structural, vibrational and magnetic characterizations. *Journal of Organometallic Chemistry*, 805, 42-48, (2016).
- 296)** Saracoglu, H., Cukurovali, A. Crystal structure, spectroscopic investigations, and density functional studies of (Z)-2-(1 *H*-imidazol-1-yl)-1-(3-methyl-3-mesitylcyclobutyl)ethanone oxime. *Molecular Crystals and Liquid Crystals*, 625 (1), 173-185, (2016).
- 297)** Łukasik, E., Wróbel, Z.

A New Approach to the Synthesis of 1-Arylbenzimidazole-2-thiones from Nitroarenes and Anilines through Halogen-Free Substitution of Hydrogen via Iminophosphorane Intermediates.

Synthesis (Germany), 48 (2), 263-270, (2016).

298) Dymińska, L.

Imidazopyridines as a source of biological activity and their pharmacological potentials - Infrared and Raman spectroscopic evidence of their content in pharmaceuticals and plant materials.

Bioorganic and Medicinal Chemistry, 23 (18), 6087-6099, (2015).

299) Benzon, K.B., Varghese, H.T., Panicker, C.Y., Pradhan, K., Tiwary, B.K., Nanda, A.K., Alsenoy, C.V.

Spectroscopic and theoretical characterization of 2-(4-methoxyphenyl)-4,5-dimethyl-1H-imidazole 3-oxide.

Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 151, 965-979, (2015).

300) Bala, M., Verma, P.K., Sharma, D., Kumar, N., Singh, B.

Highly efficient water-mediated approach to access benzazoles: metal catalyst and base-free synthesis of 2-substituted benzimidazoles, benzoxazoles, and benzothiazoles.

Molecular Diversity, 19 (2), 263-272, (2015).

301) Behbehani, H., Ibrahim, H.M.

Microwave-assisted synthesis in water: First one-pot synthesis of a novel class of polysubstituted benzo[4,5]imidazo[1,2-b]pyridazines via intramolecular SNAr.

RSC Advances, 5 (108), 89226-89237, (2015).

302) Rezazadeh, S., Akhlaghinia, B., Razavi, N.

Trichloroisocyanuric Acid/Triphenylphosphine-Mediated Synthesis of Benzimidazoles, Benzoxazoles, and Benzothiazoles.

Australian Journal of Chemistry, 68 (1), 145-155, (2015).

303) Kumar, V., Poojary, B., Prathibha, A., Shruthi, N.

Synthesis of some novel 1,2-disubstituted benzimidazole-5-carboxylates via one-pot method using sodium dithionite and its effect on N-debenzylation.

Synthetic Communications, 44 (23), 3414-3425, (2014).

304) Mary, Y.S., Jojo, P.J., Panicker, C.Y., Van Alsenoy, C., Ataei, S., Yildiz, I.

Quantum mechanical and spectroscopic (FT-IR, FT-Raman, ¹H NMR and UV) investigations of 2-(phenoxyethyl)benzimidazole.

Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 125, 12-24, (2014).

305) Mary, Y.S., Jojo, P.J., Panicker, C.Y., Van Alsenoy, C., Ataei, S., Yildiz, I.

Theoretical investigations on the molecular structure, vibrational spectra, HOMO-LUMO and NBO analysis of 5-chloro-2-((4-chlorophenoxy)methyl)benzimidazole.

Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 122, 499-511, (2014).

- 306)** Darweesh, A.F., Mekky, A.E.M., Salman, A.A., Farag, A.M. Synthesis of novel benzimidazole and benzothiazole derivatives *Heterocycles*, 89 (1), 113-125, (2014).
- 307)** Georgieva, M., Andonova, L., Momekov, G., Zlatkov, B., Zlatkov, Al. Quantum chemical investigation of the structure and NMR properties of some imidazole derivatives with antiproliferative activity. *Pharmacia*, 61 (2), 35-47, (2014).
- 308)** Mekky, A.E.M., Darweesh, A.F., Salman, A.A., Farag, A.M. Synthesis of novel thiazole and 1,3,4-thiadiazole derivatives incorporating phenylsulfonyl moiety. *Heterocycles*, 89 (8), 1827-1843, (2014).
- 309)** Nevade, S.A., Lokapure, S.G., Kalyane, N.V. Synthesis and pharmacological evaluation of some novel 2-mercapto benzimidazole derivatives. *Journal of the Korean Chemical Society*, 57 (6), 755-760, (2013).
- 310)** Shelkar, R., Sarode, S., Nagarkar, J. Nano ceria catalyzed synthesis of substituted benzimidazole, benzothiazole, and benzoxazole in aqueous media. *Tetrahedron Letters*, 54 (51), 6986-6990, (2013).
- 311)** Ali, A.R., El-Bendary, E.R., Ghaly, M.A., Shehata, I.A. Novel acetamidothiazole derivatives: Synthesis and in vitro anticancer evaluation. *European Journal of Medicinal Chemistry*, 69, 908-919, (2013).
- 312)** Wubulikasimu, R., Yang, Y., Xue, F., Luo, X., Shao, D., Li, Y., Gao, R., Ye, W. Synthesis and biological evaluation of novel benzimidazole derivatives bearing a heterocyclic ring at 4/5 position. *Bulletin of the Korean Chemical Society*, 34 (8), 2297-2304, (2013).
- 313)** Barot, K.P., Nikolova, S., Ivanov, I., Ghate, M.D. Novel research strategies of Benzimidazole derivatives: A review. *Mini-Reviews in Medicinal Chemistry*, 13 (10), 1421-1447, (2013).
- 314)** El Rashedy, A.A., Aboul-Enein, H.Y. Benzimidazole derivatives as potential chemotherapeutic agents. *Current Drug Therapy*, 8 (1), 1-14, (2013).
- 315)** Bommegowda, Y.K., Lingaraju, G.S., Thamas, S., Vinay Kumar, K.S., Pradeepa Kumara, C.S., Rangappa, K.S., Sadashiva, M.P. Weinreb amide as an efficient reagent in the one pot synthesis of benzimidazoles and benzothiazoles. *Tetrahedron Letters*, 54 (21), 2693-2695, (2013).
- 316)** Ghate, M., Devi, P., Parikh, J., Vyas, V.K.

Synthesis and QSAR modeling of novel benzimidazolo thiazolidinones, thiazinones and 5-arylidene-2-imino thiazolidinones as antibacterial agents.
Medicinal Chemistry, 9 (3), 474-485, (2013).

317) Inkaya, E., Günnaz, S., Özdemir, N., Dayan, O., Dinçer, M., Çetinkaya, B.
Synthesis, spectroscopic characterization, X-ray structure and DFT studies on 2,6-bis(1-benzyl-1H-benzo[d]imidazol-2-yl)pyridine
Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 103, 255-263, (2013).

318) Chen, C., Chen, C., Li, B., Tao, J., Peng, J.
Aqueous synthesis of 1-H-2-substituted benzimidazoles via transition-metal-free intramolecular amination of aryl iodides.
Molecules, 17 (11), 12506-12520, (2012).

319) El kihel, A., Essassi, E.M., Bauchat, P.
 ^1H and ^{13}C NMR spectra of condensed benzimidazole and imidazobenzodiazepines.
Arabian Journal of Chemistry, 5 (4), 523-526, (2012).

320) Pizzetti, M., De Luca, E., Petricci, E., Porcheddu, A., Taddei, M.
A general approach to substituted benzimidazoles and benzoxazoles via heterogeneous palladium-catalyzed hydrogen-transfer with primary amines.
Advanced Synthesis and Catalysis, 354 (13), 2453-2464, (2012).

321) Jadhav, S.G., Pattan, S.R.
Synthesis and antitubercular activity of novel benzimidazole derivatives.
Indian Drugs, 49 (6), 12-17, (2012).

322) Jadhav, S.G., Pattan, S.R.
Synthesis and structure-activity relationship of new benzimidazole derivatives as antimicrobial agents.
Indian Drugs, 49 (3), 25-29, (2012).

323) Narasimhan, B., Sharma, D., Kumar, P.
Benzimidazole: A medicinally important heterocyclic moiety.
Medicinal Chemistry Research, 21 (3), 269-283, (2012).

324) Wang, L., Wang, T., Yang, B., Chen, Z., Yang, H.
Design, synthesis, and anti-allergic activities of novel (R)(-)-1-[(4-chlorophenyl)phenyl methyl]piperazine derivatives.
Medicinal Chemistry Research, 21 (1), 124-132, (2012).

325) Ren, T.-G., Cheng, H.-B., Zhang, J.-L., Li, W.-J., Jia, G., Yang, L.-R.
Synthesis of benzimidazoles containing pyrazole group and quantum chemistry calculation of their spectroscopic properties and electronic structure.
Journal of Fluorescence, 22 (1), 201-212, (2012).

326) Soylu, M.S., Yüksektepe, Ç., Çalışkan, N., Özel, S., Servi, S.

Synthesis, crystal and molecular structure of 1-(2-chlorobenzyl)-2-methylthio-1H-benzimidazole.

Journal of Chemical Crystallography, 41 (12), 1968-1975, (2011).

327) Radha, Y., Manjul, A., Reddy, B.M., Rao, B.V.

Synthesis and biological activity of novel benzimidazoles.

Indian Journal of Chemistry - Section B Organic and Medicinal Chemistry, 50 (12), 1762-1773, (2011).

328) Raghavendra, G.M., Ramesha, A.B., Revanna, C.N., Nandeesh, K.N., Mantelingu, K., Rangappa, K.S.

One-pot tandem approach for the synthesis of benzimidazoles and benzothiazoles from alcohols.

Tetrahedron Letters, 52 (43), 5571-5574, (2011).

329) Yan, Y., Liu, Z., Zhang, J., Xu, R., Hu, X., Liu, G.

A reverse method for diversity introduction of benzimidazole to synthesize H+/K+-ATP enzyme inhibitors.

Bioorganic and Medicinal Chemistry Letters, 21 (14), 4189-4192, (2011).

330) Dawood, K.M., Elwan, N.M., Abdel-Wahab, B.F.

Recent advances on the synthesis of azoles, azines and azepines fused to benzimidazole.

Arkivoc, 2011 (1), 111-195, (2011).

331) Bisseyou, Y.B.M., Guillot, B., Sissouma, D., Lecomte, C., Abodou, J.T.

Crystal structure of 1-(1H-benzimidazol-2-yl)-3-(3-nitrophenyl)prop-2-en-1-one, C₁₆H₁₁N₃O₃

(2011) *Zeitschrift fur Kristallographie - New Crystal Structures*, 226 (1), pp. 126-128.

332) Hachuła, B., Pedras, M., Nowak, M., Kusz, J., Pentak, D., Borek, J.

The crystal structure and spectroscopic properties of catena-(2-methylimidazolium bis(μ 2-chloro)aquachloromanganese(II))

(2011) *Journal of the Serbian Chemical Society*, 76 (2), pp. 235-247.

333) Chatterji, B.P., Jindal, B., Srivastava, S., Panda, D.

Microtubules as antifungal and antiparasitic drug targets.

Expert Opinion on Therapeutic Patents, 21 (2), 167-186, (2011).

334) Pathak, D., Singh, R.B., Singh, S.

Synthesis, characterization and antimicrobial evaluation of some newer substituted benzimidazole derivatives.

Journal of Chemical and Pharmaceutical Sciences, 4 (1), 26-29, (2011).

335) Siddappa, C., Kambappa, V., Siddegowda, A.K.C., Rangappa, K.S.

One-pot synthesis of benzimidazoles from gem-dibromomethylarenes using o-diaminoarenes.

Tetrahedron Letters, 51 (50), 6493-6497, (2010).

336) Yüksektepe, Ç., Çalışkan, N., Genç, M., Servi, S.

Synthesis, crystal structure, HF and DFT calculations of 1-(2-chlorobenzyl)-N-(1-(2-chlorobenzyl)-4,5-dihydro-1H-imidazol-2-yl) -1H-benzimidazol-2-amine
Crystallography Reports, 55 (7), 1188-1193, (2010).

337) Khaled, K.F.

Studies of iron corrosion inhibition using chemical, electrochemical and computer simulation techniques.

Electrochimica Acta, 55 (22), 6523-6532, (2010).

338) Al-Rashood, K.A., Abdel-Aziz, H.A.

Thiazolo[3,2-a]benzimidazoles: Synthetic strategies, chemical transformations and biological activities.

Molecules, 15 (6), 3775-3815, (2010).

339) Infante-Castillo, R., Hernández-Rivera, S.P.

Experimental and theoretical studies of the molecular structure of 1-(2-pyridinylmethyl)-2-methylbenzimidazole.

Journal of Molecular Structure, 968 (1-3), 6-12, (2010).

340) Mitcheva, M., Vitcheva, V., Kondeva-Burdina, M., Simeonova-Vitanska, R.

Adverse drug reactions: Experimental studies on metabolic-mediated toxicity.

Autonomic and Autacoid Pharmacology, 30 (2), 117-120, (2010).

341) Sah, P., Kachhwaha, V.

Synthesis and pharmacological study of some Mannich bases of benzimidazolyl quinazolinones against *Tribolium confusum*.

Biomedical and Pharmacology Journal, 2 (2), 201-212, (2009).

342) Meng, J.-P., Geng, R.-X., Zhou, C.-H., Gan, L.-L.

Advances in the research of benzimidazole drugs.

Chinese Journal of New Drugs, 18 (16), 1505-1514, (2009).

343) Gowda, N.R.T., Kavitha, C.V., Chiruvella, K.K., Joy, O., Rangappa, K.S., Raghavan, S.C.

Synthesis and biological evaluation of novel 1-(4-methoxyphenethyl)-1H-benzimidazole-5-carboxylic acid derivatives and their precursors as antileukemic agents.

Bioorganic and Medicinal Chemistry Letters, 19 (16), 4594-4600, (2009).

344) Murru, S., Patel, B.K., Le Bras, J., Muzart, J.

Copper(I)-catalyzed synthesis of substituted 2-mercaptop benzimidazoles.

Journal of Organic Chemistry, 74 (5), 2217-2220, (2009).

345) Van Den Enden, E.

Pharmacotherapy of helminth infection.

Expert Opinion on Pharmacotherapy, 10 (3), 435-451, (2009).

346) Infante-Castillo, R., Hernández-Rivera, S.P.

DFT studies of the structure and vibrational and NMR spectra of 1-(2-methylpropenyl)-2-methylbenzimidazole.

Journal of Molecular Structure, 917 (2-3), 158-163, (2009).

347) Infante-Castillo, R., Hernández-Rivera, S.P.

Theoretical DFT, vibrational and structural characterization of 1-propenyl-2-methylbenzimidazole and its isomers.

Journal of Molecular Structure, 892 (1-3), 477-484, (2008).

348) Infante-Castillo, R., Rivera-Montalvo, L.A., Hernández-Rivera, S.P.

Theoretical DFT, vibrational and NMR studies of benzimidazole and alkyl derivatives.

Journal of Molecular Structure, 877 (1-3), 10-19, (2008).

№ 40: P. d'Antuono, E. Botek, B. Champagne, M. Spassova, **P. Denkova**, Theoretical Investigation on ^1H and ^{13}C NMR Chemical Shifts of Small Alkanes and Chloro-Alkanes, *J. Chem. Phys.* 125, 144309 – 144312 (**2006**).

18 цитата

349) Toomsalu, E., Burk, P.

Critical test of some computational methods for prediction of NMR ^1H and ^{13}C chemical shifts.

Journal of Molecular Modeling, 21 (9), art. no. 244, (2015).

350) Rupp, M., Ramakrishnan, R., Von Lilienfeld, O.A.

Machine Learning for Quantum Mechanical Properties of Atoms in Molecules.

Journal of Physical Chemistry Letters, 6 (16), 3309-3313, (2015).

351) Chen, J.-S., Yuan, M.-H., Wang, J.-P., Yang, Y., Chu, T.-S.

Sensing mechanism for biothiols chemosensor DCO: Roles of excited-state hydrogen-bonding and intramolecular charge transfer.

Journal of Physical Chemistry A, 118 (39), 8986-8995, (2014).

352) Andrews, K.G., Spivey, A.C.

Improving the accuracy of computed ^{13}C NMR shift predictions by specific environment error correction: Fragment referencing.

Journal of Organic Chemistry, 78 (22), 11302-11317, (2013).

353) Sundararajan, M.

Quantum chemical challenges for the binding of simple alkanes to supramolecular hosts.

Journal of Physical Chemistry B, 117 (43), 13409-13417, (2013).

354) Chen, J.-S., Zhou, P.-W., Li, G.-Y., Chu, T.-S., He, G.-Z.

Fluoride anion sensing mechanism of 2-ureido-4[1H]-pyrimidinone quadruple hydrogen-bonded supramolecular assembly: Photoinduced electron transfer and partial configuration change.

Journal of Physical Chemistry B, 117 (17), 5212-5221, (2013).

355) Flores-Sandoval, C.A., Godinez-Salomon, F., Hallen-Lopez, J.M., Beltrán, H.I., Hernández-Altamirano, R., Nieto-Alvarez, D.A., Zamudio-Rivera, L.S.

A DFT study of strecker intermediates as scavengers for cyanides.

Asian Journal of Chemistry, 24 (10), 4243-4249, (2012).

356) Lodewyk, M.W., Siebert, M.R., Tantillo, D.J.

Computational prediction of ^1H and ^{13}C chemical shifts: A useful tool for natural product, mechanistic, and synthetic organic chemistry.

Chemical Reviews, 112 (3), 1839-1862, (2012).

357) Li, S., Zhou, W., Gao, H., Zhou, Z.

Density functional theory study of ^{13}C NMR chemical shift of chlorinated compounds.

Magnetic Resonance in Chemistry, 50 (2), 106-113, (2012).

358) Gryff-Keller, A.

Theoretical modeling of ^{13}C NMR chemical shifts-How to use the calculation results.

Concepts in Magnetic Resonance Part A: Bridging Education and Research, 38 A (6), 289-307, (2011).

359) Hernández-Altamirano, R., Mena-Cervantes, V.Y., Perez-Miranda, S., Fernández, F.J., Flores-Sandoval, C.A., Barba, V., Beltrán, H.I., Zamudio-Rivera, L.S.

Molecular design and QSAR study of low acute toxicity biocides with 4,4'-dimorpholyl-methane core obtained by microwave-assisted synthesis.

Green Chemistry, 12 (6), 1036-1048, (2010).

360) Chen, A., Pu, X., He, S., Guo, Y., Wen, Z., Li, M., Wong, N.-B., Tian, A.

Solvent effects on isolated formamide and its monohydrated complex: Observations from PCM study

(2009) *New Journal of Chemistry*, 33 (8), pp. 1709-1719.

361) Dybiec, K., Molchanov, S., Gryff-Keller, A.

Adenine and some of its analogues in DMSO-d_6 solution: An NMR and GIAO-DFT study.

Polish Journal of Chemistry, 83 (5), 857-868, (2009).

362) Zheng, A., Liu, S.-B., Deng, F.

^{13}C shielding tensors of crystalline amino acids and peptides: Theoretical predictions based on periodic structure models.

Journal of Computational Chemistry, 30 (2), 222-235, (2009).

363) Dybiec, K., Gryff-Keller, A.

Remarks on GIAO-DFT predictions of ^{13}C chemical shifts.

Magnetic Resonance in Chemistry, 47 (1), 63-66, (2009).

364) Mafra, L., Rocha, J., Fernandez, C., Castro, G.R., García-Granda, S., Espina, A., Khainakov, S.A., García, J.R.

Characterization of layered γ -titanium phosphate $(\text{C}_2\text{H}_5\text{NH}_3)^+ [\text{Ti}(\text{H}_{1.5}\text{PO}_4)(\text{PO}_4)]_2 \cdot \text{H}_2\text{O}$ intercalate: A combined NMR, synchrotron XRD, and DFT calculations study.

Chemistry of Materials, 20 (12), 3944-3953, (2008).

365) Jensen, F.

Basis set convergence of nuclear magnetic shielding constants calculated by density functional methods.

Journal of Chemical Theory and Computation, 4 (5), 719-727, (2008).

366) Baldridge, K.K., Siegel, J.S.

Quantum chemical prediction of the ^{13}C NMR shifts in alkyl and chlorocorannulenes: Correction of chlorine effects.

Theoretical Chemistry Accounts, 120 (1-3), 95-106, (2008).

№ 41: M. Stoyanova, S. Angelova, K. Kosev, **P. Denkova**, V. Enchev, M. Palamareva, Synthesis of *trans/cis* 4-substituted 3-furyl-2 phenetyltetrahydroisoquinolin-1-ones: conformation of the *trans*-4-(pyrrolidinylcarbonyl) derivative, *Tetrahedron Lett.* 47, 2119 – 2123 (**2006**).

3 цитата

367) Okuro, K., Alper, H.

Palladium-catalyzed synthesis of 4-alkoxycarbonyl-3,4-dihydroisoquinolin- 1(2H)-ones. *Tetrahedron Letters*, 53 (36), 4816-4818, (2012).

368) Bogdanov, M.G., Mitrev, Y., Tiritiris, I.

New highly diastereoselective Perkin/Michael addition domino reaction between homophthalic anhydride and aromatic aldehydes: A facile approach to blue-fluorescent dibenzo[c,h]chromenones.

European Journal of Organic Chemistry, (2), 377-384, (2011).

369) Rothweiler, U., Czarna, A., Krajewski, M., Ciombor, J., Kalinski, C., Khazak, V., Ross, G., Skobeleva, N., Weber, L., Holak, T.A.

Isoquinolin-1-one inhibitors of the MDM2-p53 interaction.

ChemMedChem, 3 (7), 1118-1128, (2008).

Статья 42: I. Kavrakova, **P. Denkova**, R. Nikolova, Stereoselective Lewis acid promoted Kharash-type addition of 3-bromoacetyl-2-oxazolidinones to norbornadiene, *Tetrahedron: Asymmetry* 16, 1085 – 1089 (**2005**).

4 цитата

370) Subramanian, H., Landais, Y., Sibi, M.P.

Radical Addition Reactions.

Comprehensive Organic Synthesis: Second Edition, 4, 699-741, (2014).

371) Rowlands, G.J.

Radicals in organic synthesis. Part 1.

Tetrahedron, 65 (42), 8603-8655, (2009).

372) Kočovsky, P.

Addition Reactions: Polar Addition.

Book Series: Organic Reaction Mechanisms 2005, 287-347, (2008).

373) Blank, O., Wetzel, A., Ullrich, D., Heinrich, M.R.

Radical carbodiazenylation - A convenient and effective method to achieve carboamination of non-activated olefins.

European Journal of Organic Chemistry, (18), 3179-3189, (2008).

№ 43: P. Denkova, S. Tcholakova, N. Denkov, K. Danov, B. Campbell, C. Shawl, D. Kim, Evaluation of the Precision of Drop-Size Determination in Oil/Water Emulsions by Low-Resolution NMR Spectroscopy, *Langmuir* 20, 11402 – 11413 (2004);

35 цитата

374) Wang, C., Fang, H., Gong, Q., Xu, Z., Liu, Z., Zhang, L., Zhang, L., Zhao, S. Roles of Cationic Surfactant Mixtures on the Stability of Foams in the Presence of Oil. *Energy and Fuels*, 30 (8), 6355-6364, (2016).

375) Vermeir, L., Sabatino, P., Balcaen, M., Declerck, A., Dewettinck, K., Martins, J.C., Guthausen, G., Van der Meeran, P. Effect of molecular exchange on water droplet size analysis as determined by diffusion NMR: The W/O/W double emulsion case. *Journal of Colloid and Interface Science*, 475, 57-65, (2016).

376) Song, R., Song, Y.-Q., Vembusubramanian, M., Paulsen, J.L. The robust identification of exchange from T₂-T₂ time-domain features. *Journal of Magnetic Resonance*, 265, 164-171, (2016).

377) Vermeir, L., Sabatino, P., Balcaen, M., Declerck, A., Dewettinck, K., Martins, J.C., Van der Meeran, P. Effect of molecular exchange on water droplet size analysis in W/O emulsions as determined by diffusion NMR. *Journal of Colloid and Interface Science*, 463, 128-136, (2016).

378) Ng, S.M. Portable NMR-Based Sensors in Medical Diagnosis. *Applications of NMR Spectroscopy*, 2, 121-146, (2015).

379) Zhang, H., Zhang, L., Sun, X., Xie, S. Applications of Low-Field Pulsed Nuclear Magnetic Resonance Technique in Lipid and Food. *Applications of NMR Spectroscopy*, 1, 3-56, (2015).

380) Cimpeanu, R., Papageorgiou, D.T. Electrostatically induced mixing in confined stratified multi-fluid systems. *International Journal of Multiphase Flow*, 75, 194-204, (2015).

381) Bahram-Parvar, M. A review of modern instrumental techniques for measurements of ice cream characteristics. *Food Chemistry*, 188, 625-631, (2015).

382) Patel, A.R., Dumlu, P., Vermeir, L., Lewalle, B., Lesaffer, A., Dewettinck, K. Rheological characterization of gel-in-oil-in-gel type structured emulsions. *Food Hydrocolloids*, 46, 84-92, (2015).

383) Schümann, H., Khatibi, M., Tutkun, M., H. Pettersen, B., Yang, Z., Nydal, O.J. Droplet Size Measurements in Oil–Water Dispersions: A Comparison Study Using FBRM and PVM.

Journal of Dispersion Science and Technology, 36 (10), 1432-1443, (2015).

- 384)** Vermeir, L., Balcaen, M., Sabatino, P., Dewettinck, K., Van der Meeran, P. Influence of molecular exchange on the enclosed water volume fraction of W/O/W double emulsions as determined by low-resolution NMR diffusometry and T₂-relaxometry. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 456 (1), 129-138, (2014).
- 385)** Proverbio, A., Siow, B.M., Lythgoe, M.F., Alexander, D.C., Gibson, A.P. Multimodality characterization of microstructure by the combination of diffusion NMR and time-domain diffuse optical data. *Physics in Medicine and Biology*, 59 (11), 2639-2658, (2014).
- 386)** Fridjonsson, E.O., Graham, B.F., Akhfash, M., May, E.F., Johns, M.L. Optimized droplet sizing of water-in-crude oil emulsions using nuclear magnetic resonance. *Energy and Fuels*, 28 (3), 1756-1764, (2014).
- 387)** Barrabino, A., Keleşoğlu, S., Sørland, G.H., Simon, S., Sjöblom, J. Phase inversion in emulsions studied by low field NMR *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 443, 368-376, (2014).
- 388)** Sandnes, R., Simon, S., Sjöblom, J., Sørland, G.H. Optimization and validation of low field nuclear magnetic resonance sequences to determine low water contents and water profiles in W/O emulsions. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 441, 441-448, (2014).
- 389)** Kaltsa, O., Gatsi, I., Yanniotis, S., Mandala, I. Influence of Ultrasonication Parameters on Physical Characteristics of Olive Oil Model Emulsions Containing Xanthan. *Food and Bioprocess Technology*, 7 (7), 2038-2049, (2014).
- 390)** Paulsen, J.L., Song, Y.-Q. Two-dimensional diffusion time correlation experiment using a single direction gradient. *Journal of Magnetic Resonance*, 244, 6-11, (2014).
- 391)** Abidin, M.I.I.Z., Raman, A.A.A., Nor, M.I.M. Review on measurement techniques for drop size distribution in a stirred vessel. *Industrial and Engineering Chemistry Research*, 52 (46), 16085-16094, (2013).
- 392)** Skartlien, R., Sollum, E., Schumann, H. Droplet size distributions in turbulent emulsions: Breakup criteria and surfactant effects from direct numerical simulations. *Journal of Chemical Physics*, 139 (17), art. no. 174901, (2013).
- 393)** Carroll, N.J., Crowder, P.F., Pylypenko, S., Patterson, W., Rathnaweera, D.R., Perahia, D., Atanassov, P., Petsev, D.N. Microfluidic synthesis of monodisperse nanoporous oxide particles and control of hierarchical pore structure. *ACS Applied Materials and Interfaces*, 5 (9), 3524-3529, (2013).

394) Kashaev, R.S.H.

Oil disperse systems study using nuclear magnetic resonance relaxometry (NMRR)
Advances in Energy Research, 16, 91-164, (2013).

395) Grimes, B.A., Dorao, C.A., Opedal, N.V.D.T., Kralova, I., Sørland, G.H., Sjöblom, J.
Population balance model for batch gravity separation of crude oil and water emulsions.
part II: Comparison to experimental crude oil separation data.
Journal of Dispersion Science and Technology, 33 (4), 591-598, (2012).

396) Lingwood, I.A., Chandrasekera, T.C., Kolz, J., Fridjonsson, E.O., Johns, M.L.
Emulsion droplet sizing using low-field NMR with chemical shift resolution and the block
gradient pulse method.
Journal of Magnetic Resonance, 214, 281-288, (2012).

397) Kashaev, R.S.-H., Faskhiev, N.R.

Nuclear (Proton) Magnetic Resonance Relaxometry Study of the Effect of Rotating
Magnetic Field on the Emulsion Structure.
Applied Magnetic Resonance, 41 (1), 31-43, (2011).

398) Simon, S., Pierrard, X., Sjöblom, J., Sørland, G.H.

Separation profile of model water-in-oil emulsions followed by nuclear magnetic resonance
(NMR) measurements: Application range and comparison with a multiple-light scattering
based apparatus.
Journal of Colloid and Interface Science, 356 (1), 352-361, (2011).

399) Romoscanu, A.I., Fenollosa, A., Acquistapace, S., Gunes, D., Martins-Deuchande, T.,
Clausen, P., Mezzenga, R., Nydén, M., Zick, K., Hughes, E.

Structure, diffusion, and permeability of protein-stabilized monodispersed oil in water
emulsions and their gels: A self-diffusion NMR study.
Langmuir, 26 (9), pp. 6184-6192, (2010).

400) Mine, Y., Yang, M.

Functional Properties of Egg Components in Food Systems.

Handbook of Poultry Science and Technology, 1, 579-630, (2010).

401) Voda, M.A., van Duynhoven, J.

Characterization of food emulsions by PFG NMR.

Trends in Food Science and Technology, 20 (11-12), 533-543, (2009).

402) Johns, M.L.

NMR studies of emulsions.

Current Opinion in Colloid and Interface Science, 14 (3), 178-183, (2009).

403) Mariette, F.

Investigations of food colloids by NMR and MRI.

Current Opinion in Colloid and Interface Science, 14 (3), pp. 203-211.

404) Gabriele, D., Migliori, M., Di Sanzo, R., Rossi, C.O., Ruffolo, S.A., de Cindio, B.

Characterisation of dairy emulsions by NMR and rheological techniques.
(2009) *Food Hydrocolloids*, 23 (3), 619-628, (2009).

405) Metz, H., Mäder, K.

Benchtop-NMR and MRI-A new analytical tool in drug delivery research.
International Journal of Pharmaceutics, 364 (2), 170-175, (2008).

406) Van Duynhoven, J.P.M., Maillet, B., Schell, J., Tronquet, M., Goudappel, G.-J.W., Trezza, E., Bulbarello, A., Van Dusschoten, D.

A rapid benchtop NMR method for determination of droplet size distributions in food emulsions.

European Journal of Lipid Science and Technology, 109 (11), 1095-1103, (2007).

407) Day, L., Xu, M., Hoobin, P., Burgar, I., Augustin, M.A.

Characterisation of fish oil emulsions stabilised by sodium caseinate.

Food Chemistry, 105 (2), 469-479, (2007).

408) Johns, M.L., Hollingsworth, K.G.

Characterisation of emulsion systems using NMR and MRI.

Progress in Nuclear Magnetic Resonance Spectroscopy, 50 (2-3), pp. 51-70, (2007).

№ 44: S. Angelova, V. Enchev, N. Markova, **P. Denkova**, K. Kostova, Ab initio study of some 2,4-substituted azolidines. I. Tautomerizm, *J. Mol. Struct. THEOCHEM* 711, 201 – 207 (2004).

14 цитата

409) Iglesias, D.A., Ruiz, D.L., Allegretti, P.E.

2-Cyanobenzoic Acids: Tautomeric Equilibria Study.

Australian Journal of Chemistry, 68 (3), 461-470, (2015).

410) Faris, W.M., Safi, Z.S.

Theoretical investigation of tautomerism stability of hydantoin in the gas phase and in the solution.

Oriental Journal of Chemistry, 30 (3), 1045-1054, (2014).

411) Moghanian, H., Mohamadi, A.

Imine-enamine tautomerism in bicyclic systems in gas phase and solution: A computational study.

Bulgarian Chemical Communications, 46 (1), 43-49, (2014).

412) Jiménez-Pulido, S.B., Illán-Cabeza, N.A., Hueso-Ureña, F., Moreno-Carretero, M.N.

Tautomerism in neutral and deprotonated 6-amino-5-formyluracils: A PM3-cosmo approach.

Journal of Theoretical and Computational Chemistry, 12 (5), art. no. 1350032, (2013).

413) Mohamadi, A., Shabanian, M., Hajibeygi, M., Moghanian, H.

Effect of ring in imines and enamines tautomerism in gas phase and solution: A computational study.

Journal of the Chilean Chemical Society, 58 (2), 1659-1662, (2013).

- 414)** Ghaempanah, A., Jameh-Bozorghi, S., Darvishpour, M., Fekri, M.H. Electrochemical calculations of some non-steroidal anti-inflammatory drugs: Solvent effect and antioxidant activity. *International Journal of Electrochemical Science*, 7 (7), 6127-6133, (2012).
- 415)** Shabanian, M., Hajibeygi, M., Moghanian, H., Mohamadi, A. Theoretical investigation on tautomerism and NBO analysis of 3-hydroxy-1,2,5-thiadiazole derivatives: Solvent and substituent effects. *Heterocyclic Communications*, 18 (3), 161-164, (2012).
- 416)** Shabanian, M., Moghanian, H., Hajibeygi, M., Mohamadi, A. Theoretical investigation of solvation effects on the tautomerism of maleic hydrazide. *E-Journal of Chemistry*, 9 (1), 107-112, (2012).
- 417)** Tavakol, H. DFT and MP2 study of simple and water-assisted tautomerism in amidrazone. *Structural Chemistry*, 22 (5), 1165-1177, (2011).
- 418)** Illán-Cabeza, N.A., García-García, A.R., Moreno-Carretero, M.N. Theoretical investigations on the structure and relative stabilities of the tautomeric forms of 6-amino-5-nitrosouracil and violuric acid derivatives (PM3-COSMO calculation) *Computational and Theoretical Chemistry*, 964 (1-3), 83-90, (2011).
- 419)** Amar, A., Meghezzi, H., Boucekkine, A., Kaoua, R., Kolli, B. How to drive imine-enamine tautomerism of pyronic derivatives of biological interest - A theoretical and experimental study of substituent and solvent effects. *Comptes Rendus Chimie*, 13 (5), 553-560, (2010).
- 420)** Zahedi, E., Aghaie, M., Zare, K., Aghaie, H. Solvent effects on stability and ^{15}N NMR shielding of 5-methylcytosine tautomers: A theoretical approach. *Journal of Molecular Structure: THEOCHEM*, 899 (1-3), 94-97, (2009).
- 421)** Safi, Z.S., Abu-Awwad, F.M. Tautomerism of 5-methyl imidazolidine thio derivatives in the gas phase: A density functional study. *E-Journal of Chemistry*, 5 (4), 884-893, (2008).
- 422)** Mohamed, A.A., El-Harby, A.W. Amino-imino tautomerism of mono- and diaminothiazoles: Quantum chemical study. *Journal of Molecular Structure: THEOCHEM*, 817 (1-3), 125-136, (2007).

№ 45: P. Denkova, V. Dimitrov, S. Bakalova, J. Kaneti, K. Danov, Application of the model-free approach to low molecular weight systems with hindered internal rotation: cinnamoylmesitylene; *Magn. Reson. Chem.* 41, 989 – 995 (2003).

1 цитат

423) Nuclear Spin Relaxation in Liquids and Gases
Nuclear Magnetic Resonance, ed. G.A. Webb, Specialist Periodical Reports, The Royal Society of Chemistry, Cambridge, UK, 34, 217-252, (2005).

№ 46: P. Denkova, V. Dimitrov, Combined Use of Complete Lineshape Analysis of 1D spectra Subjected to Reference Deconvolution and Linear Prediction, 2D EXSY spectra and Double Fitting Method for the Study of Chemical Exchange. Application to an Eight Site Exchange System, *Magn. Reson. Chem.* 37, 637 – 646 (1999).

7 цитата

424) Király, P., Soós, T., Varga, S., Vakulya, B., Tárkányi, G.
Self-association promoted conformational transition of (3R,4S,8R,9R)-9-[(3, 5-bis(trifluoromethyl) phenyl))-thiourea](9-deoxy)-epi-cinchonine.
Magnetic Resonance in Chemistry, 48 (1), 13-19, (2010).

425) Bain, A.D.
Chapter 2 Chemical Exchange.
Annual Reports on NMR Spectroscopy, 63, 23-48, (2008).

426) Iijima, T., Takegoshi, K.
Compensation of effect of field instability by reference deconvolution with phase reconstruction
Journal of Magnetic Resonance, 191 (1), 128-134, (2008).

427) Wik, B.J., Lersch, M., Krivokapic, A., Tilset, M.
Adding a new dimension to the investigation of platinum-mediated arene C-H activation reactions using 2D NMR exchange spectroscopy. Dynamics of Pt(II) phenyl/benzene site exchange.
Journal of the American Chemical Society, 128 (8), 2682-2696, (2006).

428) Bakalova, S.M., Frutos, L.M., Kaneti, J., Castaño, O.
Correlated MO study of the low-barrier intramolecular motions in donor - Acceptor ethenes.
Journal of Physical Chemistry A, 109 (45), 10388-10395, (2005).

429) Bain, A.D.
Chemical exchange in NMR.
Progress in Nuclear Magnetic Resonance Spectroscopy, 43 (3-4), 63-103, (2003).

430) Niedziński, C., Miekina, A., Morawski, R.Z.
Algorithms for estimation of concentrations in spectrophotometric analysis of multicomponent substances.
IEEE Transactions on Instrumentation and Measurement, 51 (5), 1068-1072, (2002).

№ 47: D. Alargov, R. Gugova, P. Denkova, G. Muller, E. Golovinsky, Synthesis of Cyclohexane Containing 5'-O-Glycine Derivatives of Uridine as Potential Inhibitors of UDP-glucuronosyltransferase, *Monatsh. Chem.* 130, 937 – 943 (1999).

3 цитата

431) Paszkowska, J., Kral, K., Bieg, T., Zaba, K., Węgrzyk, K., Jaśkowiak, N., Molinaro, A., Silipo, A., Wandzik, I.

Synthesis and biological evaluation of 5'-glycyl derivatives of uridine as inhibitors of 1,4- β -galactosyltransferase.

Bioorganic Chemistry, 58, 18-25, (2015).

432) Bichlmaier, I., Finel, M., Sippl, W., Yli-Kauhaluoma, J.

Stereochemical and steric control of the UDP-glucuronosyltransferase- catalyzed conjugation reaction: A rational approach for the design of inhibitors for the human UGT2B7.

ChemMedChem, 2 (12), 1730-1740, (2007).

433) Bichlmaier, I., Kurkela, M., Joshi, T., Siiskonen, A., Rüffer, T., Lang, H., Finel, M., Yli-Kauhaluoma, J.

Potent inhibitors of the human UDP-glucuronosyltransferase 2B7 derived from the sesquiterpenoid alcohol longifolol.

ChemMedChem, 2 (6), 881-889, (2007).

№ 48: S. Philipov, R. Istatkova, N. Ivanovska, **P. Denkova**, K. Tosheva, H. Navas, J. Vellegas, Phytochemical Study and Antiinflammatory Properties of *Lobelia Laxiflora* L., *Z. Naturforsch.* 53c, 311 – 317 (**1998**).

7 цитата

434) Abdel Rahman, E.H., Abdel Monem, A.R.

Cholinesterase inhibiting activity and a new piperidine alkaloid from *Lobelia laxiflora* L. roots (Campanulaceae).

Records of Natural Products, 8 (2), 199-202, (2014).

435) Actor, J.K.

Herbal Medicines with Immunomodulatory Effects in Herbal Supplements: Efficacy, Toxicity, Interactions with Western Drugs, and Effects on Clinical Laboratory Tests, 73-124, (2010).

436) Waizel-Bucay, J., Waizel-Haiat, S.

Antitussive plants used in Mexican traditional medicine.

Pharmacognosy Reviews, 3 (5), 29-43, (2009).

437) Lans, C., Turner, N., Khan, T.

Medicinal plant treatments for fleas and ear problems of cats and dogs in British Columbia, Canada.

Parasitology Research, 103 (4), 889-898, (2008).

438) Lans, C.

Comparison of plants used for skin and stomach problems in Trinidad and Tobago with Asian ethnomedicine.

Journal of Ethnobiology and Ethnomedicine, 3, art. no. 3, (2007).

439) Wiart, C.

Medicinal plants of the Asia-Pacific: Drugs for the future?

World Scientific Publishing Co. Pte. Ltd., 1-719, (2000).

440) Dillard, C.J., Bruce German, J.

Phytochemicals: Nutraceuticals and human health.

Journal of the Science of Food and Agriculture, 80 (12), 1744-1756 (2000).

№ 49: D. Alargov, Z. Naydenova, K. Grachanov, **P. Denkova**, E. Golovinsky, Synthesis of 5'-O-oligopeptide Derivatives of Uridine as Inhibitors of UDP- glucuronosyltransferase, *Monatsh. Chem.* 129, 755 – 760 (**1998**).

3 цитата

441) Paszkowska, J., Kral, K., Bieg, T., Zaba, K., Węgrzyk, K., Jaśkowiak, N., Molinaro, A., Silipo, A., Wandzik, I.

Synthesis and biological evaluation of 5'-glycyl derivatives of uridine as inhibitors of 1,4- β -galactosyltransferase.

Bioorganic Chemistry, 58, 18-25, (2015).

442) Bichlmaier, I., Finel, M., Sippl, W., Yli-Kauhaluoma, J.

Stereochemical and steric control of the UDP-glucuronosyltransferase- catalyzed conjugation reaction: A rational approach for the design of inhibitors for the human UGT2B7.

ChemMedChem, 2 (12), 1730-1740, (2007).

443) Bichlmaier, I., Kurkela, M., Joshi, T., Siiskonen, A., Rüffer, T., Lang, H., Finel, M., Yli-Kauhaluoma, J.

Potent inhibitors of the human UDP-glucuronosyltransferase 2B7 derived from the sesquiterpenoid alcohol longifolol.

ChemMedChem, 2 (6), 881-889, (2007).

№ 50: I. Ivanov, E. Stoyanov, **P. Denkova**, V. Dimitrov, Synthesis of substituted 1,2-dihydro-2-imino-7-methyl-1,6 (6H)-naphthyridin-5-ones, *Liebigs Ann. Recl.* 1777 – 1781 (**1997**).

6 цитата

444) Przhevalskei, N. M.; Laypanov, R. K.; Tokmakov, G. P.; Rozhkova, E. N.

Three-component synthesis of new derivatives of pyrano[3,2-c]pyridones.

Izvestiya Timiryazevskoi Sel'skokhozyaistvennoi Akademii 6, 67-82 (2015).

445) Brown, D.J.

Naphthyridines, in Book Series: Chemistry of Heterocyclic Compounds, A Series of Monographs, Volume: 63, 1-423 (2008).

446) Litvinov, V.P.

Advances in the chemistry of naphthyridines, in Advances In Heterocyclic Chemistry, Book Series: Advances in Heterocyclic Chemistry, Volume 91, 189-300 (2006).

447) Litvinov, V.P.

Multicomponent cascade heterocyclisation as a promising route for targeted synthesis of polyfunctional pyridines.

Uspekhi Khimii 72, 75-92 (2003).

448) Litvinov, V.P.; Roman, S.V.; Dyachenko, V.D.

Piridopiridines

Uspekhi Khimii 70, 345-367 (2001).

449) Litvinov, VP (Litvinov, VP); Roman, SV (Roman, SV); Dyachenko, VD

Substituted 7-alkylseleno-1,4-dihydro-1,6-naphthyridines as new promising substrates in the synthesis of heterocycles with potential biological activity.

Doklady Chemistry 374, 218-223 (2000).

№ 51: D. Alargov, Z. Naydenova, K. Grachanov, **P. Denkova**, E. Golovinsky, Synthesis of Some 5'-O-Amino Acid Derivatives of Uridine as Potential Inhibitors of UDP-glucuronosyltransferase, *Monatsh. Chem.* 128, 725 – 732 (1997).

4 цитата

450) Paszkowska, J., Kral, K., Bieg, T., Zaba, K., Węgrzyk, K., Jaśkowiak, N., Molinaro, A., Silipo, A., Wandzik, I.

Synthesis and biological evaluation of 5'-glycyl derivatives of uridine as inhibitors of 1,4- β -galactosyltransferase.

Bioorganic Chemistry, 58, 18-25, (2015).

451) Deepthi, S.B., Trivedi, R., Giribabu, L., Sridhar, B., Sujitha, P., Ganesh Kumar, C.

Ferrocenyl pseudo-dipeptides derived from 1,2-O-isopropylidene- α -D-xylofuranose: Synthesis, electrochemistry and cytotoxicity evaluation

Journal of Organometallic Chemistry, 774, 26-34, (2014).

452) Bichlmaier, I., Finel, M., Sippl, W., Yli-Kauhaluoma, J.

Stereochemical and steric control of the UDP-glucuronosyltransferase- catalyzed conjugation reaction: A rational approach for the design of inhibitors for the human UGT2B7.

ChemMedChem, 2 (12), 1730-1740, (2007).

453) Bichlmaier, I., Kurkela, M., Joshi, T., Siiskonen, A., Rüffer, T., Lang, H., Finel, M., Yli-Kauhaluoma, J.

Potent inhibitors of the human UDP-glucuronosyltransferase 2B7 derived from the sesquiterpenoid alcohol longifolol.

ChemMedChem, 2 (6), 881-889, (2007).

№ 52: D. Alargov, **P. Denkova**, E. Golovinsky, Glucuronidation of Serine and Threonine, *Monatsh. Chem.* 128, 733 – 736 (1997).

1 цитат

454) Stachulski, A.V., Meng, X.

Glucuronides from metabolites to medicines: A survey of the in vivo generation, chemical synthesis and properties of glucuronides.

Natural Product Reports, 30 (6), 806-848, (2013).

№ 54: V. Dryanska, O. Angelova, J. Macicek, L. Shishkova, **P. Denkova**, S. Spassov, Phase-transfer-catalysed Additions. Part12. Preparation and Stereochemistry of 4-aryl-3-cyano-1,1-diphenyl-2-azabuta-1,3-dienes, *J. Chem. Res. (S)*. 268 – 269 (1995).

5 цитата

455) M. Chaabene, A. Khatyr, M. Knorr, M. Askri, Y. Rousselin, M. M. Kubicki
Crystal structure of 4,4-dibromo-1-(3,4-dimethoxyphenyl)-2-azabuta-1,3-diene-1-carbonitrile.
Acta Crystallographica Section e-crystallographic Communications 72, 1167-1170 (2016).

456) Kinghat, R; Schmitt, G; Ciamala, K; Khatyr, A; Knorr, M.; Jacquot-Rousseau, S; Rousselin, Y; Kubicki, M.M.
1,3-Dipolar cycloaddition of diaryldiazomethanes across N-ethoxy-carbonyl-N-(2,2,2-trichloroethylidene)amine and reactivity of the resulting 2-azabutadienes towards thiolates and cyclic amides.
Comptes Rendus Chimie 19, 320-332 (2016).

457) Lin, SQ; Kawato, Y; Kumagai, N; Shibasaki, M
Catalytic Asymmetric Mannich-Type Reaction of N-Alkylidene-alpha-Aminoacetonitrile with Ketimines.
Angewandte Chemie-International Edition 54, 5183-5186 (2015).

458) Yamashita, Y.; Matsumoto, M. ; Chen, Y.J.; Kobayashi, S.
Catalytic Mannich-type reactions of alpha-aminoacetonitrile using fluorenylidene as a protecting and activating group
TETRAHEDRON 68, 7558-7563 (2012).

459) Chakravarty, P.K.; Shih, T.L.; Colletti, S.L.; Ayer, M.B.; Snedden, C.; Kuo, H.; Tyagarajan, S.; Gregory, L.; Zakson-Aiken, M.; Shoop, W.L.; Schmatz, D.M.; Wyvratt, M.J.; Fisher, M.H.; Meinke, P.T.
Nodulisporic acid side-chain modifications: Access to the 2", 3", 4", and 6" registers.
Bioorganic & Medicinal Chemistry Letters 13, 147-150 (2003).

№ 55: S. Spassov, M. Simeonov, B. Mikhova, **P. Denkova**, Application of Modern NMR Techniques for Conformational Analysis and Assignment of NMR Parameters of Biologically Active Compounds, *J. Mol. Struct.* 217, 169 – 179 (1990).

3 цитата

460) Saxton J. E.
Recent Progress in the Chemistry of Indole Alkaloids and Mold Metabolites
Natural Product Reports 9 (5), pp. 393-446 (1992)

461) Komarova E. L., Tolkachev O. N.
Medicinal Plants: The Chemistry of Peptide Ergot Alkaloids.
Part 2. Analytical Methods for Determining Ergot Alkaloids
Pharmaceutical Chemistry Journal 35, (10), 542-549, (2001).

462) Galambos J., Szántay C.
Synthesis and NMR structure elucidation of bromocryptine stereoisomers
Acta Pharmaceutica Hungarica 74, 19-28 (2004).